



CATALOG

ARS TOOLS. JAPANESE TOPQUALITY
PRUNING AND SAWING TOOLS.



The use

What is important when using products? That’s right, a top product at an affordable price, a high degree of quality, good service from the manufacturer and a satisfied feeling.

An ARS customer receives a product that matches the high level of expectations of today’s user. Only with these qualities ARS can compete. If you go for quality and only want the best, then you have come to the right place at ARS!

The quality

ARS has been known for many years as the most exclusive and high-quality pruning tool, for both the professional user and the quality-conscious private individual. By exclusively using high-quality steel, ARS excels with its quality.

For almost all ARS products, all parts are available separately. ARS stands for quality and offers the user a guarantee against manufacturing defects of up to 25 years!

The future

Thanks to the sophisticated delivery program, ARS is truly at home in all markets. ARS is the only supplier in the world with such a high-quality and at the same time broad package, making it unique in its kind.

By constantly refining the quality and expanding the product range, ARS is always one step ahead. ARS guarantees every user a good result for now and in the future!

Steel quality

Together with various steel manufacturers, ARS has developed the most suitable steel for its products. The steel must meet the high standard of ARS, which is above the standard of JIS (Japan Industrial Standard).

Hard chrome plated

This method offers high hardness, rust resistance, sharp looks and superior durability. The smooth surface also prevents juices from sticking to the blades, ensuring maximum performance from your ARS tool.

Design and Ergonomics

Ergonomics, economy and durability are important features of ARS products, which are developed by experienced, trained professionals.

Impulse hardened

The innovative “Impulse Hardening” method involves heating and cooling the steel, within a few thousands of a second, using the impact of a high-frequency current. This allows ARS to achieve hardness from 900HV to 950HV on the Vicker scale while maintaining high elasticity. Impulse-hardened blades therefore last approximately three times longer under normal conditions.

Unique tooth setting

ARS blades are thinner at the back of the blade and thicker at the saw teeth, ensuring minimal drag. The saw blades are sharpened by fully automated grinders to always achieve the same, perfect result.

Product icons		
	Hard chrome plated	
	Black coated	
	Chemically nickel plated	
	Fluorcarbon coated	
	Carbon hardened steel	
	Stainless steel	
	Curvature ground	
	Taper ground	
	Quality label of the German KWF	
	Small	Medium Large

INDEX

Product range	4-5
Pruning shears	6-9
Telescopic longreach pruners	10-11
Longreach pruners	12-13
Loppers	14-15
Hedge shears	16-17
Pruning saws	18-22
Foldable pruning saws	23
Telescopic poles	24
EXP Series	25
Pruning at heights	26-27
Fruitpruners	28-29
Handicraft scissors	30-31
Floristry	32
Accessories	33-34
Promotion	35
Notes	36
Terms and conditions	37

ARS, the most exclusive and high-quality garden tools

Pruning shears

Ergonomics are a matter of course with the ARS pruning shears. An complete package of pruning shears for all types pruning work for the professional user. By exclusively using high-quality steel, ARS excels in its quality.

Pruning saws

A wide variety of pruning saws of very high quality. A high class product, equipped with the innovative tooth settings and friction-reducing notches. ARS is the inventor of the "PULL SAW" method or the pull saw.

Visit www.arstools.eu for all detailed product information

Scissors

The original ARS fruit shears are available in various designs in both red and the unique HACCP blue. Much imitated, but not equaled. You will also find a large collection of scissors for various other activities.

Long reach pruners

With the ARS long reach pruners you will only find quality, for pruning work at great heights. The unique long arm shears are available in various lengths and designs.

Telescopic poles and pole saws

If you cannot work high enough with the long arm shears, you can certainly do that with the telescopic poles and pole saws, as their length varies from 1.8 to 5.5 meters. By using only high-quality steel, lightweight aluminum and the unique teeth, sawing at height is also easier.



ARS310B
BEST SOLD
FRUITPRUNER



Loppers

Loppers in different sizes with different cutting capacities. Due to the friction-reducing coating, cutting with ARS is not a heavy job.

Hedge shears


Craftsmanship requires specialist tools, comfortable handles and razor-sharp blades for a clean cutting result: ARS!

ARS
Cut Above the Rest



HEADQUARTERS IN
OSAKA, JAPAN

VS Series



ARSVS-7XR

H C 178 245

ARSVS-7X-2 / ARSVS-7X-3

Ø 22mm

ARSVS-8XR

H C 200 265

ARSVS-8X-2 / ARSVS-8X-3

Ø 25mm

ARSVS-9XR

H C 227 310

ARSVS-9X-2 / ARSVS-9X-3

Ø 30mm



Unlocked by squeezing

The safety lock is designed in such a way that the scissors do not unintentionally unlock in the holster or pocket and do not lock during pruning.



Ergonomics

The rotating handle moves with the fingers with every cut, eliminating friction. This prevents blisters and reduces injuries.

Replaceable parts

The extra hardened and hard chrome-plated upper blade, or even the complete cutting head, is easy to replace.



ARSVS-7XZ

H C 178 210

ARSVS-7X-2 / ARSVS-7X-3

Ø 22mm

ARSVS-8XZ

H C 200 230

ARSVS-8X-2 / ARSVS-8X-3

Ø 25mm

ARSVS-9XZ

H C 227 257

ARSVS-9X-2 / ARSVS-9X-3

Ø 30mm



For the professional

ARSVS-7X-1 Blade set for ARSVS-7XZ/7XR

H C

ARSVS-8X-1 Blade set for ARSVS-8XZ/8XR

H C


ARSVS-9X-1 Blade set for ARSVS-9XZ/9XR

H C



VA Series


The pruning shears range has been expanded with two anvil models: the ARSVA-7Z and ARSVA-8Z. These ergonomic pruners have fluorocarbon coated blades and are balanced to reduce fatigue with prolonged use. Through the anvil makes it easier to cut thick branches. These pruning shears are also very suitable for left-handed use.



ARSVA-7Z Anvil
F C 180 215 ARSVA-7Z-1



ARSVA-8Z Anvil
F C 205 235 ARSVA-8Z-1



ARSCB-8
N C 205 210 ARSCB-8-1 / ARSCB-8-2

ARSCB-9
N C 225 230 ARSCB-9-1 / ARSCB-9-2

Cut & Hold shears



ARS120EU-R
H C 210 230



ARS120DX-T
H C 195 175



ARS140DX
H C 184 150



ARS140L-DX
H C 200 157



ARS120DX
H C 195 160



ARS120EU
H C 210 225



ARS130DX
H C 184 150



ARS130DX-G



ARS130DX-V



ARS130DX-P



ARS130DX-W

ARS130DX-Y

Cut and Hold


ZF Series

- Lightweight
- Telescopic
- Very stable
- Ergonomical design
- 180° rotatable handle
- Adjustable head 30°
- Pruning up to 5 meters



ARS160ZF-2.0-3		Cut & Hold	
H	C	1300 ~ 2000	1050
		ARS160ZR-1	

ARS160ZF-3.0-5		Cut & Hold	
H	C	1800 ~ 3000	1310
		ARS160ZR-1	



ARS180ZF-2.0-3		Cut & Hold	
H	C	1300 ~ 2000	1040
		ARS180ZR-1	

ARS180ZF-3.0-5		Cut & Hold	
H	C	1800 ~ 3000	1300
		ARS180ZR-1	



Features

ARS long reach pruners are made of lightweight aluminum. The cutting blades are hardened chrome plated and therefore resistant to rust and corrosion. The comfortable handles are ergonomic and therefore reduce the risk of injuries.

The 180° -swivel handle allows you to determine the correct cutting position, without unnecessarily straining the wrist.

The 160 series consists of a number of long reach pruners, which are equipped with a cutting head with grip blocks, called "Cut & Hold". This allows you to collect the pruned products, such as fruit and flowers in a controlled manner.

The 180 series consists of a number of long reach pruners, which are equipped with a cutting head that is suitable for all pruning work at height.





Cut & hold shears



- ARS160-0.35** Cut & Hold
H C 350 300 ARS160-1 Ø 8mm
- ARS160-0.6** Cut & Hold
H C 600 360 ARS160-1 Ø 8mm
- ARS160-1.2** Cut & Hold
H C 1200 490 ARS160-1 Ø 8mm

- ARS150-0.6** Cut & Hold
H C 617 325 ARS150-1 Ø 10mm

- Lily scissors**
- ARS160U-0.7** Fixed handle
H C 700 405 ARS160U-1 Ø 15mm
 - ARS180-1.2** Cut & Hold
H C 1200 570 ARS180-1 Ø 20mm
 - ARS180-1.8** Cut & Hold
H C 1800 720 ARS180-1 Ø 20mm
 - ARS180-2.4** Cut & Hold
H C 2400 870 ARS180-1 Ø 20mm



- ARS160R-1.8** Cut & Hold shears
H C 1817 710 ARS160ZR-1 Ø 8mm
- ARS180R-1.8**
H C 1817 695 ARS180ZR-1 Ø 20mm

For heavy duty pruning

- ARS180LR-1.2**
H C 1200 730 ARS180L-1 Ø 25mm
- ARS180LR-1.8**
H C 1800 870 ARS180L-1
- ARS180LR-2.1**
H C 2100 950 ARS180L-1

180LR



LP-serie

- Lightweight
- Oval handles
- Double shock absorbers
- Forged blades
- Carbon hardened steel
- Up to Ø 50mm pruning thickness



ARSLPB-20S
B C 476 825 ARSLPB-20-1 / ARSLPB-20-2



ARSLPB-20M
B C 627 940 ARSLPB-20-1 / ARSLPB-20-2



ARSLPB-20L
B C 772 1055 ARSLPB-20-1 / ARSLPB-20-2



ARSLPB-20-1 **ARSLPB-20-2**
Geschikt voor ARSLPB-20 serie



ARSLPB-30S
B C 482 860 ARSLPB-30-1 / ARSLPB-30-2



ARSLPB-30M
B C 630 975 ARSLPB-30-1 / ARSLPB-30-2



ARSLPB-30L
B C 778 1090 ARSLPB-30-1 / ARSLPB-30-2



ARSLP-40
F C 800 1720 ARSLP-40-1 / ARSLP-40-2



ARSLPA-30L
C 806 1090 ARSLPA-30-1 / ARSLPA-30-2



ARSLPB-30-1 **ARSLPB-30-2**
Geschikt voor ARSLPB-30 serie



Longreach loppers

ARS185-1.5
F C 1500 1550 ARS185-1

ARS185-1.8
F C 1800 1700 ARS185-1

Ø 40mm

Ø 40mm





ARSKR-1000L
H C 750 840 ARSKR-1000-1 Ø 10mm



ARSK-800
N C 500 550 Ø 6mm



ARSK-900Z
N C 720 ~ 1050 980 TELESCOPIC Ø 6mm




ARSKR-1000
H C 653 780 ARSKR-1000-1 Ø 10mm



ARSKR-1000

The hard chrome-plated, double-cut and replaceable cutting blades ensure optimum results. This new ultra lightweight hedge trimmer with ergonomic, slightly curved handles offer you maximum comfort.

All ARS hedge trimmers are precision tools and are ideal for fine work.





Ø 95mm

ARSTL-24 Blade length: 240mm

N C





ARSTL-24-1





Ø 105mm

ARSTL-27 Blade length: 270mm

N C





ARSTL-27-1





Ø 120mm

ARSTL-30 Blade length: 300mm


N C





ARSTL-30-1





- Minimal resistance
- Clean cut
- Ergonomical design
- Pull-Saw method
- Changeable blades
- Significantly longer sharpness

Unique teeth setting

The taper and curvature ground ARS blades are precisely formed and have a razor-sharp tooth setting.

The unique patented blades leave a remarkably clean cut. Due to the very sharp teeth and the patented sharpening method, much less effort is required with a pulling sawing movement (“Pull-Saw” method) compared to conventional pruning saws. The hard chrome plated blades offer high hardness, rust resistance, sharp looks and superior durability. The smooth surface also prevents juices from sticking to the blades.



Ø 125mm

ARSUV-32E Blade length: 320mm

H C





ARSUV-32E-1





Ø 125mm

ARSUV-32E-W Blade length: 320mm

H C





ARSUV-32E-1





Ø 70mm

ARSCAM-18PRO Blade length: 180mm

H C





ARS18PRO-1





Ø 95mm

ARSCAM-24PRO Blade length: 240mm

H C





ARS24PRO-1









ARSCAM-18LN Blade length: 180mm
N C     336 170  ARS18LN-1

Ø 70mm



ARSCAM-24LN Blade length: 240mm
N C     432 240  ARS24LN-1

Ø 95mm



ARSDUKE-25 Blade length: 250mm
N C     420 250  ARSDUKE-25-1

Ø 100mm



ARSPS-25KL Blade length: 250mm
H C     415 140  ARS25KL-1

Ø 100mm



ARSSH-25 Holster for ARSPS-25KL
ARSSH-32 Holster for ARSPS-32LL



ARSPS-32LL Blade length: 345mm
H C     550 230  ARS32LL-1 

Ø 135mm



ARSG-17 Blade length: 170mm
H C     379 175  ARSG-17-1

Ø 65mm



ARSGR-17 Blade length: 170mm
H C     377 175  ARSGR-17-1

Ø 65mm



ARSG-18L Blade length: 180mm
H C     410 160  ARS18L-1

Ø 70mm



ARSGR-18L Blade length: 180mm
H C     410 165  ARS18R-1

Ø 70mm



ARS210DX Blade length: 165mm
H C     350 140  ARS211

Ø 60mm



ARSPM-21 Blade length: 210mm
H C     440 180  ARSPM-21-1

Ø 85mm



ARSPM-24 Blade length: 240mm
H C     500 215  ARSPM-24-1

Ø 95mm

Foldable pruning saws



EXW Series



EXP Series

- Lightweight
- Telescopic
- Very stable
- Multi-functional
- Very well tested
- Sawing up to 8 meters



A

Features

The hook (A) on the end of the saw blade is useful for removing creepers and removing thin branches.

B

The SUPER Turbocut saw teeth (B) ensure effortless cutting at great heights.

C

The bark cutter (C) prevents tearing off the remaining bark after cutting the branch. It is also useful for thin branches and other unwanted growth. The concave shape at the back of the bark cutter also serves as a hanging hook during work.

D

The multi-section handles (D) can be easily extended to different lengths by means of locking knobs and safety handles.

The saw is easy to change by means of the unique ARS click system.

ARSEXP-3.3

1405 ~ 3288 1530




ARSEXP-4.5

1838 ~ 4560 1720



ARSEXP-5.5

2175 ~ 5605 2100





Ø 160mm

ARSUV-40 Blade length: 400mm
H C 630 520 ARSUV-40-1



ARSJGH-90
A For EXP-3.3 / EXP-4.5 / EXP 5.5



Ø 135mm

ARSUV-34 Blade length: 340mm
N ARSUV-34-1



Ø 185mm

ARSUV-47 Blade length: 470mm
N ARSUV-47-1



K-6770-A* *This is a Metallo product
C B K-6770-1



ARSJG-1

Grip for UV-40-1 / UV-47-1



ARSJG-2

Grip for UV-34 -1, UV-32E-1, UVR-32PRO-1, CTR-32PRO-1



ARSJG-3

Handle for all saw blades (except UV-40-1)



ARSJG-4

Grip for alle EXP stelen



ARSSH-UV

Holster for ARSUV-40 / ARSUV-47

535 274



ARSSH-32-EXP

Holster for the UV-32E-1, CT-32E-1, UVR-32PRO-1, CTR-32PRO-1



ARSUV-40-1

Blade length: 400mm

Ø 160mm

H C



ARSUV-47-1

Blade length: 470mm

Ø 185mm

N



ARSUV-34-1

Blade length: 340mm

Ø 135mm

N



ARSUV-32E-1

Blade length: 320mm

Ø 125mm

H C



ARSUVR-32PRO-1

Blade length: 320mm

Ø 125mm

H C



ARSCTR-32PRO-1

Blade length: 320mm

Ø 125mm

H C




ARS300LB

B C 190 110



ARS300LR

B C 190 110



ARS300SSB

B C 170 100



ARS300SSR

B C 170 100



ARS310B

B C 160 90



Curved



ARS310R

B C 160 90



Curved



ARS310-D

B C 160 90



Extra curved



ARS310-T

B C 160 95



ARS310DX

S 170 110



Curved



ARS300L-DX

S 190 110



Fruitpruners

The SE-45 is equipped with stainless steel cutting blades.

The 300/310 series are lightweight and equipped with a non-slip handle, which fits comfortably in the hand. The marquench hardened blades make the shears ideal for harvesting fruit and vegetables and cutting flowers. These scissors are also suitable for gardening in general.

The 320 series is equipped with a soft grip handle and is suitable for both left and right-handed use.



ARSSE-45

S 183 85



ARS320B-T

B 155 55



ARS320DX-T

B 155 55





ARS330HN-R
H C 160 60



ARS340H-T
H C 190 70



ARS350-T
H C 158 60



ARS350-M
H C 158 60



Curved



ARS360-M
H C 125 30



ARS330HN-W



ARS330HN-V



ARS330HN-Y



ARS330HN-P



ARS330HN-G



ARSNH-11
H C 110 40
ARSUPER - Aramid scissors



ARS370
H C 160 70
ARSUPER



ARS380
H C 195 80



ARS390
H C 160 62



Superior quality



ARS526-A
H C 260 240

ARS526-H
H C 260 260
ARSUPER - Aramid scissors



ARSFL-16

S 160 100



ARSFL-18

S 180 110



ARS316

H C 170 105



ARSFN-6T-R-BP

S 151 30



ARSFN-6M-R-BP

S 147 30



ARSIK-10-R

N C 220 35



Clean tools, healthy crop

To optimize the lifespan of your product, it is important to clean each tool after use and store it in a dry place. For cleaning pruning tools, we recommend Blade Cleaner GO-1 and GO-5. When pruning trees, shrubs and plants releases juices that usually have a stubborn sticky layer on the blades of saws and scissors neglect.

The Blade Cleaner GO-1 and GO-5 is a powerful cleaning agent to effectively remove such deposits from your pruning tools. Keeping your products clean makes your work easier and that leaves a clean and beautiful wound on the pruned work.

Clean pruning tools reduce the risk of cross contamination. Clean your product in 15 seconds!

Before



After



GO-1 & GO-5

Blade cleaner

100ml / 500ml



Sharpening stone

ARSSS-240

100 35



Leather holster

ARSSH-VSZ

230 109



ARS9F-10

Saw file

220 50



PR0011

ARS pen



PR0016

ARS notepad A6



PR0021

ARS mug



PR0025

ARS buddy



PR0031

ARS flag (119 x 84 cm)



PR0001

ARS cap



PR0002

ARS beanie



PR0056

ARS sticker (30 x 16 cm)



PR0057

ARS sticker (ø 20 cm)



PR0005-B-M

Medium

ARS polo-shirt, zwart

PR0005-B-L

Large

ARS polo-shirt, zwart

PR0005-B-XL

Extra large

ARS polo-shirt, zwart



PR0005-R-M

Medium

ARS polo-shirt, rood

PR0005-R-L

Large

ARS polo-shirt, rood

PR0005-R-XL

Extra large

ARS polo-shirt, rood

Giftset ARS-10-S

The extra affordable ARS-10-S pruning set is composed of 2 top items from the range. The GR-17 is a folding saw with an (exchangeable) saw blade of 17.5cm and a toal length of 37.7cm. The saw blade is hardened, chrome-plated steel, with the unique ARS tooth setting.

The VS-8Z is a professional secateurs with a toal length of 20 cm and a cutting thick-ness of 2.5 cm. The extra hardened, chrome-plated and interchangeable upper and lower blades, guarantee optimum cutting quality for a long period of time.

This professional set is packaged in a representative display box with a clear lid.



ARS-10-S

ARSVS-8Z & ARSGR-17

General terms and conditions of sale and delivery of Westparts B.V. in Wieringerwerf, The Netherlands

For the private owned company with limited responsibility WESTPARTS B.V., by law established in Hoom, with office space in 1771 SP Wieringerwerf, De Stek 7.

Article 1. Validity of these terms and conditions
These terms and conditions are valid for every offer and/or every agreement between Westparts B.V. hereinafter referred to as "Westparts", and customers who have been informed about the terms and conditions, as long as none of the parties have denied in writing the validity of the terms. If one or more articles are regarded as invalid, the remaining articles remain valid.

Article 2. Offers and agreements
1. All offers are without obligations, unless otherwise explicitly agreed upon in writing. Westparts has the right to withdraw any given offer within two working days after acceptance.
2. Agreements are valid only upon written confirmation from Westparts to the customer; this also concerns agreements made through an intermediary.

Article 3. Delivery
The customer is obligated to accept the products when these are delivered to him, or when the products are made available to him according to the agreement.
If the customer refuses to do so, or is late with passing on information or instructions essential for the delivery, the products will be stored at the customers risk. The customer will in this case be responsible for all possible costs in this connection, and at least the storage costs.

Article 4. Delivery time
Any dates quoted for delivery are approximate only, unless otherwise has been agreed upon. If otherwise has been agreed upon, and Westparts do not deliver on time, the customer is obligated to hold Westparts liable in writing.

Article 5. Back orders / partial deliveries
Westparts has the right to deliver partially. This does not apply if the partial delivery has no independent value. If the products are delivered partially, Westparts has the right to invoice each delivery independently.

Article 6. Technical requirements etc.
If the products delivered in the Netherlands are to be used outside the Netherlands, Westparts is responsible for that the delivered products are in accordance with the technical requirements and/or standards that are demanded by laws or regulations in the country where the products are to be used, if the information regarding use in another country has been given upon finalizing the contract. All other technical requirements the customer has regarding the- to- be -delivered products and which differ from the normal standards, must be explicitly informed upon the finalizing of the contract.

Article 7. Changes
Westparts has the right to deliver products that differs from the products described in the sales contract:
If Westparts uses this right, and delivers a product that substantially differs from the product agreed upon, the customer has the right to annul the contract. The customer has the right to do so within 14 days after delivery date, or when he should have noticed the substantial differences.

Article 8. Termination of the contract
1. Westparts' claims towards the customer are immediately effective in case of the following circumstances:
-if after finalizing the agreement, Westparts receives information that gives Westparts reason to believe that the customer will not fulfil his obligations
-if Westparts has asked the customer for security for the order when finalizing the contract, and security has not been given or is unsatisfactory.
2. In case of the above mentioned circumstances, Westparts has the right to delay further execution of the agreement, as well as annul the agreement. This does not effect Westparts' rights for compensation.
In case of unexpected circumstances having influence on persons and/or materials used or planned used by Westparts when carrying out the agreement, and if the unexpected circumstances are of such kind that it makes the execution impossible or utterly difficult, and/or leads to such costs that the carrying out of the agreement can not be reasonably defended, Westparts has the right to annul the agreement.

Article 9. Warranties
1. Westparts is not responsible for production faults concerning the delivered goods.
2. Westparts delivers goods with normal factory warranties and the production units are thus responsible in all cases.

Article 10. Ownership
1. Products delivered by Westparts remains property of Westparts until the customer has fulfilled all responsibilities regarding all final contracts and agreements with Westparts:
-any in return commitments with reference to delivered products or products to be delivered
-potential claims due to the customer not having fulfilled his commitments according to the agreement.
Products delivered by Westparts falling under 10.1, can only be re-sold within a framework of a normal company management.
The customer does not hold any authority to pawn or to establish any rights on the products.
2. In case the customer does not live up to his responsibilities or there is a reasonable doubt regarding whether or not he will do so, Westparts has the right to remove or have removed products falling under article 10.1, from either the buyer or any third party holding the products in stock. The customer is legally bound to fully co-operate under penalty of a daily fine of 10% of the amount still to be paid
3. If a third party wants to establish any rights on the under the rights of ownership delivered goods, the buyer is legally bound to inform Westparts as soon as in fairness can be expected.
4. The customer is obliged to:
-insure and to keep insured the under the rights of ownership delivered good against fire-, explosion-, and water damage and against theft and to hand over the insurance policy for inspection if requested to do so.
-to pawn all claims from the customer to the insurers in connection to the under the rights of ownership delivered goods, to Westparts in the way that is prescribed in art. 3:239 BW.
-to pawn the demands that the customer gets towards his buyers from reselling under the rights of ownership delivered goods by Westparts, to Westparts in the way that is prescribed in art. 3: 239 BW.
-to mark all under the rights of ownership delivered goods as Westparts property
-to lend cooperation in other ways to all reasonable measures that Westparts will take safeguarding her rights of ownership in connection with the goods and which do not unreasonably harm the customer in the normal practise of his company.

Article 11. Complaints
1. The customer needs to (let) check the purchased goods up on delivery or as soon as possible after the delivery. The customer has to check if the delivered goods answers to the agreed upon, namely:
-if the correct goods have been delivered
-if the delivered goods answer to the agreed upon quantity
-if the delivered goods meet the agreed upon quality requirements or
-if these are lacking - if they do meet the demands one may have for normal use and/or commercial purpose
2. If visible faults or shortages are established the customer has to inform Westparts within 8 days after delivery.
3. Non visible faults have to be informed in writing within 8 days to Westparts, after the establishing of the faults, yet at the very latest within the given factory guarantee.
4. Also when the customer complains in time, his obligation to payment and the purchase of the ordered goods stays valid.
Goods can only be returned to Westparts after the foregoing permission in writing.

Article 12. Price increase
If Westparts has a special price agreement with a customer, Westparts nevertheless has the right to raise her prices, and has the right to charge the prices according to her valid pricelist upon delivery. If the price increase is more than 10%, the customer has the right to annul / disband the agreement.

Article 13. Packaging
The customer is obliged to return the transport packaging empty and undamaged within 30 days. If the customer does not meet his obligations with regards to the packaging, all extra costs to follow, will be for his own account. Such costs may be: costs due to late return shipment, costs of replacement, repair or cleaning.

Article 14. Payment
1. Unless otherwise expressly stated payment for the goods is due no later than 30 days after invoice date:
-by legal currency to Westparts bv
-by transferring the due amount to the informed account numbers in property of Westparts
If full payment is not made by the due date, the buyer will automatically be in omission, and will be charged with an extra 1% interest per month, based on the amount he has to pay.
2. In case of liquidation, bankruptcy, delay of payment from the customer, the obligations will be immediate effective.
3. Payment should be made without discounts or settlement.
4. Payment made by customer will first serve to settle all unpaid interest and costs, and then to settle the oldest invoice due, even if the customer states that payment is meant for a later invoice.

Article 15. Collection costs
1. If the customer is inadequately or neglectful in carrying out his obligations, all reasonable extra costs for collecting the payment will be for the customers account. The minimum costs will be;
-Up till € 2.950,- 15%
-From above amount and up till € 5.900,- 10%
-From above amount and up till € 14.750,- 8%
-From above amount and up till € 58.990,- 5%
-From above amount and up 3%
If Westparts can document higher costs made in connection with collecting the money, which were necessary and also reasonable, these costs will also be for the customers account.
2. All judicial and extrajudicial collection costs that Westparts makes, are all to be paid by customer.
This is applicable only in case of a legal process

Article 16. Liability
Westparts is to the customer only liable:
1. For damage due to shortcomings in the delivered goods concerns only the liability as settled in article 9 of these General Terms and Conditions,
2. Westparts is liable if damage has been caused by intention or crude guilt of Westparts or her executive inferiors.
3. The liability of Westparts is limited to the amount stated by the insurance, as far as the liability is covered by the insurance.
4. If the insurance in any case does not cover or does not proceed with payment, the liability will be limited to the invoice amount or if no invoice is existing the value of the agreed upon achievement.

Article 17. Force Majeure
1. Under force majeure is to be understood:
Circumstances that will unable the fulfillment of the agreement, which are not ascribable to Westparts. Among these the following will be included (if and as far as these circumstances make the fulfillment impossible or unreasonably complicated):
strikes in other companies than Westparts', wild strikes or political strikes; general shortage or lack of necessary raw materials and other goods or services that are necessary to reach the agreed upon performance; not foreseen stagnation in connection with suppliers or other third parties who Westparts is depending on and general problems in transport.
2. Westparts also has the right to refer to force majeure if circumstances that unable the fulfillment occur after Westparts should have met her obligations.
3. During the period of force majeure the deliveries and other obligations of Westparts will be postponed. If this period due to force majeure which in Westparts is not able to meet her obligations, lasts longer than 3 months, both parties are entitled to annul the agreement, without any obligations with regards to compensation.
4. If Westparts in the beginning of the period of force majeure already partially has fulfilled her obligations, or is able to fulfil her obligations only partially, Westparts has the right to invoice the partially delivered goods, or the goods that are to be partially delivered, and is the customer obligated to regard this invoice as a separate contract. This does not apply if the partial delivery has no independent value.

Article 18. Disputes
As a deviation from the statutory rules for the authorities of the civil court, all disputes between the customer and Westparts , as long as the court has the necessary authorities, will be settled by the Civil Court in Alkmaar.
Nevertheless Westparts has the authority to summon the buyer to an according to the law or the applicable international treaty qualified court.

Article 19. Applicable law
All relationships between Westparts and the customer will be governed by Dutch law.

Article 20. Changes in the General terms and conditions
Westparts has the right to change the General terms and conditions. The changes will come into force on the announced time of commencement.
Westparts will send the renewed terms and conditions to the customers in time. If no time of commencement has been announced to the customer, the changes will come into force as soon as the customer has received the announcement.

Article 21. Translations
In case of conflict between a translation and the Dutch version of these terms and conditions, the Dutch text shall prevail.

The above terms and conditions have been deposited with the Chamber of Commerce at Alkmaar under number 36040554.1781

ARS, quality from Japan since 1876

Head office:

ARS Tools
P.O. Box 33
1770 AA, Wieringerwerf
The Netherlands

ARS Tools
De Stek 7
1771 SP, Wieringerwerf
The Netherlands

T. +31 (0)227 60 15 00
E. info@arstools.eu
W. www.arstools.eu

ARS Tools is a Westparts division

ARS Tools Belgium
Zonnebeeksestraat 6
8890 Moorslede
Belgium

T. +32 (0)473 34 01 22
E. contact@arstools.be
W. www.arstools.be

ARS Tools France
Chemin départemental 6
13109 Simiane Collongue
France

T. +33 (0)442 946 726
F. +33 (0)442 946 564
E. contact@arstools.fr
W. www.arstools.fr

www.arstools.eu

