

# GATE TOOLS

## 盖特工具



**GATE**<sup>®</sup>

宁波誉信工具制造有限公司  
NINGBO YUXIN TOOLS MANUFACTURER CO.,LTD.

地址：浙江省慈溪市慈东滨海区金海路599号  
No.599 Mid-Jinhai Road, Cidong Binhai industrial  
Estate, Cixi, Zhejiang, China.  
Tel +86-574-63972777  
Fax +86-574-63972778  
Email: sales@yuxintools.com  
Http://www.yuxintools.com



RoHS



S2 CR-MO

QUALITY CREATE THE VALUE

# We are manufacturer

## More than 98% products made by ourselves

We hope this catalogue be a bonanza and meanful to you  
We only produce the high quality products CRV, CRMO, S2



## Company profile

Ningbo YuXin Tools was established in 1997, located in the economic development center in Cixi,Zhejiang province. with investment of \$30 million and a total area of 50000 square meters.

The main equipment imported from Taiwan and Germany, has great merit bit cold extrusion equipment to be completed within 98% of the entire process of production processes. Currently the company is divided into impact socket series, hand socket series, wrench and impact driver series.

Annual socket production of 30 million, 6million wrench, the screwdriver sets annual production of 500,000sets. Material quality crv,crmo, S2 steel.

The company is investing a lot of energy to the finished product from design, R&D to constantly new products. YuXin Tools to provide high technology and high quality products with the best services to international companies to win the pro-gaze.

In recent years, the company's overseas market is expanding mainly by OEM and ODM companies.



宁波誉信工具制造有限公司位于慈东滨海区，毗邻杭州湾大桥及宁波北仑港，地理位置优越，交通便利。公司占地面积 50000 平米。经过十余年的生产发展，现有员工 200 多人，拥有强大的生产研发队伍，自营 GATE 品牌工具系列远销海内外。

誉信公司专业生产中高档手动工具及铬钼钢工业级气动套筒，服务于全球的汽车维护商、建材超市和工具卖场，主要产品包括套筒、套筒组套及套筒附件、T 形扳手、Y 形扳手、旋具套筒、冲击螺丝批组套等系列。材料采用铬钼钢（CR-MO）、优质铬钒钢（50BV30），产品符合美国 ANSI 标准、德国 DIN 标准和中国国家 GB 标准。欢迎国内外客商前来洽谈！



# Production equipment

Professional Quality



Zwischenlager



Barrel polishing barreling tumbling



Cold forging machine



Automatic lathes



Numerical control machine



Assembly line



Microcomputer-controllea  
dynamic torque tester



More than  
**98%**  
products made  
by ourselves



QC(Raw material)



Cold forging



Turning process



Heat treatment



Finishing



Packaging



Quality Control

## Index


001-008	1/4"Dr.Impact socket set series 1/4"Dr.Magnetic impact socket set series 1/4"Dr.Swivel impact socket set series
009-018	3/8"Dr.Impact socket set series 3/8"Dr.Magnetic impact socket set series 3/8"Dr.Swivel impact socket set series
019-040	1/2"Dr.Impact socket set series 1/2"Dr.Magnetic impact socket set series 1/2"Dr.Swivel impact socket set series 1/2"Dr.Impact accessories set series 1/2"Dr.Impact socket set series (black finish) 1/2"Dr.Lug nut impact socket set series (black finish) 1/2"Dr.Bit socket set series
041-046	3/4"Dr.Impact socket set series
047-052	1"Dr.Impact socket set series
053-064	1/4"Dr.~1"Dr.Impact socket series
053-064	1/4"Dr.~1/2"Dr.Magnetic impact socket series
065-068	1/4"Dr.~1/2"Dr.Magnetic impact socket series
069-074	1/4"Dr.~1"Dr.Swivel impact socket series
075-078	1/4"Dr.~1"Dr.Impact accessories socket series
079-102	1/4"Dr.~1/2"Dr.Socket set series 1/4"Dr.~1/2"Dr.Bit socket set series 1/4"Dr.~1/2"Dr.Bit socket set series 1/4"Dr.~1/2"Dr.Accessories socket set series
103-108	1/4"Dr.~1/2"Dr.Socket series
109-112	1/4"Dr.~1/2"Dr.Accessories series
113-118	1/4"Dr.~1/2"Dr.Bit socket series
119-120	3/4"Dr.Socket series
121-124	Impact drive set&bits
125-131	Socket wrench





## SOCKET SET SERIES

- Cold forging steel shape once.
- Special heat treatment, performance excellent and stability, durable in use.
- Ultra-thin design, available in limited access application.
- Tools meet or exceed ANSI standard, DIN standard.



**SOCKET SET SERIES**



**123pcs 1/4" & 3/8" & 1/2" Dr. Socket set**



**GT-234123**



7-1/2"Dr. shallow sockets	20-21-22-24-27-30-32mm
4-1/2"Dr. impact sockets (Cr-Mo)	17-19-21-23mm
3-1/2"Dr. alloy wheel impact sockets (Cr-Mo)	17mm-19mm-21mm
11-3/8"Dr. shallow sockets	9-10-11-12-13-14-15-16-17-18-19mm
4-3/8"Dr. deep sockets	13-14-15-17mm
8-3/8"Dr. star sockets	E8-10-11-12-14-16-18-20mm
10-1/4"Dr. shallow sockets	4-5-6-7-8-9-10-11-12-13mm
4-1/4"Dr. deep sockets	8-9-10-12mm
2-3/8"Dr. spark plug sockets	16 & 21mm
3-1/4", 3/8", 1/2"Dr. universal joint	
2-1/2"Dr. extension bar	5"-10"
2-3/8"Dr. extension bar	3"-6"
1-1/4"Dr. extension bar	2"
1-3/8" F×1/2" M 3-way adapter	
1-1/4"Dr. extension spinner handle	
3-1/4", 3/8", 1/2"Dr. ratchet handle	
1-1/4"Dr. coupler adapter	
17-3/8"Dr. bit sockets	PH#1, PH#2; PZ#1, PZ#2; HW3, HW4, HW5, HW6; FD5.5, FD6.5; TX20-30-40-45-50-55-60
1-1/2"Dr. long bit socket	T52(M10)
7-1/4"×25mm bits	TX10-15-20-25-27-30-40
18-5/16"X30mm bits	PH#1, PH#2, PH#3, PH#4; FD6, FD8; HW4, HW5, HW6, HW7, HW8; TX20-25-30-40-45-50-55;
1-3/8" spinner T handle	
1-1/2"Dr. impact driver	
1-bit adapter	
10-combination wrenches	8-9-10-11-12-13-14-17-18-19mm
Blow mold case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
20/19.5	480×195×400	1	2

**94pcs 1/4" & 1/2" Dr. Socket set**



**GT-242294**



18-1/2"Dr. shallow sockets	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
4-1/2"Dr. deep sockets	14-15-17-19mm
2-1/2"Dr. spark plug sockets	16 & 21mm
2-1/2"Dr. extension bar	5" & 10"
1-1/2"Dr. universal joint	
1-1/2"Dr. ratchet handle	
1-1/2"Dr. 8mm hexagon bit coupler	
1-3/8" F×1/2" M 3-way adapter	
13-1/4"Dr. shallow sockets	4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
8-1/4"Dr. deep sockets	6-7-8-9-10-11-12-13mm
1-1/4"Dr. universal joint	
2-1/4"extension bar	2" & 4"
1-1/4"extension spinner handle	
1-1/4"Dr. ratchet handle	
1-1/4"Flexible spinner handle	
1-1/4"Dr. sliding t-bar	
17-1/4"Dr. bit sockets	FD4-5.5-7; PH#1, #2; PZ#1, #2; HW3-4-5-6; TX8-10-15-20-25-30
1-1/4"Dr×1/4hex adapter	
3pc.hex key wrench	1.5, 2, 2.5
15-8mm bits	FD8, 10, 12; PH#3, #4; PZ#3, #4; HW8-10-12-14; TX40-45-50-55
Blow mold case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
14/13.5	395×180×335	1	2



SOCKET SET SERIES



27pcs 1/2" & 1/4" Dr. Socket set



GT-234027



11-1/2"Dr.sockets:	10-11-12-13-14-16-17-19-21-24-27mm
9-1/4"Dr.sockets:	5-6-7-8-9-10-11-12-13mm
1-1/2"Dr.extension bar:	5"
1-1/4"Dr.extension bar:	4"
2-Universal joint:	1/4", 1/2"
2-Ratchet handle:	1/4", 1/2"
1-1/4"Dr.sliding T bar:	6"

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
13/12.5	465×215×215	1	4

111pcs 1/2" & 1/4" Dr. Socket set



GT-234111



17-1/2"Dr.sockets:	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
13-1/4"Dr.sockets:	4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
8-1/4"Dr.deep sockets:	6-7-8-9-10-11-12-13mm
1-1/2"Dr.deep sockets:	16mm
3-1/2"Dr.ally wheel impact sockets:	17-19-21mm
5-1/4"Dr. star sockets:	E4-E5-E6-E7-E8
8-1/2"Dr.star sockets:	E10-E11-E12-E14-E16-E18-E20-E24
18-1/4"Dr.bit sockets:	H3-H4-H5-H6-H7-H8-H10 T8-T10-T15-T20-T25-T27-T30-T40-T45 TX20-TX25
17-8mm bits:	M5-6-8-10-12-14-16-18 PH1-PH2-PH3 PZ1-PZ2-PZ3 SL4-SL5.5-SL7
1-1/4"Dr.×1/4"hex adapter	
1-1/2"Dr.8mm hexagon bit coupler	
1-1/4"Dr.sliding T bar	
2-1/4"Dr.extension bar:	2", 4"
2-1/2"Dr.extension bar:	5", 10"
2- Universal joint:	1/4", 1/2"
3-1/2"Dr.spark plug socket:	14mm, 16mm, 21mm
1-Flexible spinner handle	
1-1/4"Dr.spinner handle	
2-Ratchet handle	1/4", 1/2"
1-3 Way Adapter	3/8" F×1/2" M
3-hex key wrench:	1.5mm, 2mm, 2.5mm

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
15.5/15	395×180×335	1	2

32pcs 1/2" Dr. Socket set



GT-140032A



19-1/2"Dr. 6pt.sockets	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
6-1/2"Dr. 12pt.sockets	10-12-14-15-17-19mm
1-ratchet handle	1/2"
1-universal joint	1/2"
2-extension bar	5" & 10"
2-spark plug socket	16 & 21mm
1-3 way adapter 3/8" F×1/2" M	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
22.5/22	395×340×295	1	5

32pcs 1/2" Dr. Socket set



GT-140032C



19-1/2"Dr. 6pt.sockets	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
6-1/2"Dr. 12pt.sockets	10-12-14-15-17-19mm
1-ratchet handle	1/2"
1-universal joint	1/2"
2-extension bar	5" & 10"
2-spark plug socket	16 & 21mm
1-3 way adapter 3/8" F×1/2" M	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
22.5/22	395×340×265	1	5



SOCKET SET SERIES



22pcs 1/2"Dr. Socket set



GT-140022



15-1/2"Dr. shallow sockets:	10-11-12-13-14-15-16-17-18-19-22-24-27-30-32mm
1-ratchet handle	
1-universal joint	
2-extension bar	5" & 10"
2-spark plug sockets	16 & 21mm
1-3/8" F x 1/2" M 3-way adapter	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
20.5/20	395x340x295	1	5

28pcs 1/2"Dr. Socket set



GT-140028



22-1/2"Dr. shallow sockets	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-30-32mm
1-1/2"Dr. ratchet handle	
2-1/2"Dr. extension bar	5" & 10"
1-speed revolving disc	
1-450mm speed handle	
1-L type handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21/20.5	500x287x235	1	4



24pcs 1/2"Dr. Socket set



GT-234024D



18-Metric hand sockets	8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32mm
1-spark plug socket	21mm
1-ratchet handle	10"
1-universal joint	
2-extension bar	5" & 10"
1-sliding T bar	12"
1-blow case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21/20.5	500x287x235	1	4

52pcs 1/2"Dr. Socket set



GT-140052



11-1/4"Dr.sockets	4-4.5-5-6-7-8-9-10-11-12-13mm
1-1/4"Dr.extension bar	4"
1-1/4" universal joint	
1-1/4"Dr. sliding bar	
1-1/4" ratchet handle	
1-1/2"Dr.sling bar	10"
1-1/2" universal joint	
1-1/2" spark plug socket	21mm
1-1/2" ratchet handle	
1-1/2"Dr.extension bar	5" & 10"
13-1/2"Dr.socket	10-11-12-13-14-15-17-19-22-24-27-30-32mm
12-25mm bits	SL3 SL4 SL7 H2 H2.5 H3 H4 H5 H6 PH1 PH2 PH3
1-1/4"Dr.coupler	
3-hex key wrenches	1.5, 2, 2.5mm
1-magnetic ratchet screwdriver handle	
1-1/4"Dr.bit adaptor	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21/20.5	500x287x235	1	4



SOCKET SET SERIES



24pcs 1/2"Dr. Socket set



GT-234024

18-1/2"Dr. shallow sockets

8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32mm

1-1/2"Dr. universal joint

2-1/2"Dr. extension bar 5" & 10"

1-1/2"Dr. ratchet handle

1-1/2"Dr. sliding T bar

1-flexible ratchet handle

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
22/21.5	465×215×215	1	4

24pcs 1/2"Dr. Socket set



GT-234024A

18-1/2"Dr. shallow sockets

8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32mm

1-1/2"Dr. universal joint

2-1/2"Dr. extension bar 5" & 10"

1-1/2"Dr. ratchet handle

1-1/2"Dr. sliding T bar

1-450mm speed handle

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21.5/21	465×215×215	1	4

24pcs 1/2"Dr. Socket set



GT-234024B

18-1/2"Dr. shallow.sockets

8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32mm

1-1/2"Dr. universal joint

2-1/2"Dr. extension bar 5" & 10"

1-1/2"Dr. ratchet handle

1-1/2"Dr. spark plug sockets 21mm

1-1/2"Dr. sliding T bar

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
20/19	465×215×215	1	4

25pcs 1/2"Dr. Socket set



GT-234025A

18-1/2"Dr. shallow.Sockets

8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32mm

1-1/2"Dr. ratchet handle

1-1/2"Dr. sling T bar

1-1/2"Dr. universal joint

2-1/2"Dr. extension bar 5"-10"

1-screwdriver bit driver 6"

1-flexible ratchet handle

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
22/21.5	465×215×215	1	4



SOCKET SET SERIES



25pcs 1/2"Dr. Socket set



GT-234025B



18-1/2"Dr. shallow.Sockets	8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32mm
1-1/2"Dr. ratchet handle	
1-1/2"Dr. sliding T bar	
1-1/2"Dr. universal joint	
2-1/2"Dr. extension bar	5"-10"
1-1/2"Dr. spark plug socket	21mm
1-flexible ratchet handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
22/21.5	465×215×215	1	4

26pcs 1/2"Dr. Socket set



GT-234026



18-1/2"Dr. shallow.Sockets	8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32 mm
1-1/2"Dr. ratchet handle	
1-1/2"Dr. sliding T bar	
2-1/2"Dr. extension bar	5"-10"
1-screwdriver bit driver	6"
1-1/2"Dr. spark plug socket	16mm
1-flexible ratchet handle	
1-1/2"Dr. universal joint	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
22/21.5	465×215×215	1	4

18pcs 1/2"Dr. Socket set



GT-234018



12-1/2"Dr.sockets:	10-11-13-14-17-19-21-22-24-27-30-32mm
3-1/2"Dr.extension bar:	3",5",10"
1-1/2"Dr.universal joint	
1-1/2"Dr.ratchet handle	
1-1/2"Dr.Flexible ratchet handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
20/19	465×215×215	1	4

35pcs 1/2"Dr. Socket set



GT-120035



19-1/2"Dr.sockets:	8-10-12-13-14-15-16-17-18-19mm 3/8",7/16",1/2",9/16",5/8",11/16",3/4", 13/16",15/16"
1-1/2"Dr.extension bar:	5"
1-1/2"Dr. Universal joint	
1-1/2"Dr.sliding T bar	
1-1/2"Dr. Ratchet handle	
12-combination wrenches:	8-10-12-13-14-18mm 3/8",7/16",1/2",9/16",5/8",3/4"

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
16.5/16	465×160×220	1	3





SOCKET SET SERIES



40pcs 1/2"Dr. Socket set



GT-120040



	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27mm
31-1/2"Dr.sockets:	3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8",15/16",1",1-1/16",1-1/8",1-3/16",1-1/4"
2-1/2"Dr.extension bar:	5",10"
1-Adapter	1/2"F×3/8"M
1-3 Way Adapter	3/8"F×1/2"M
2-1/2"Dr.spark plug socket:	16mm,21mm
1-1/2"Dr. Universal joint	
1-1/2"Dr.Flexible ratchet handle:	15"
1-1/2"Dr. Ratchet handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
20.5/20	515×195×240	1	3

30pcs 3/8"Dr. Socket set



GT-380030



	8-9-10-11-12-13-14-15-16-17-18-19mm
22-3/8"Dr.sockets:	1/4",5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16"
2-3/8"Dr.extension bar:	3",6"
1-3/8"Dr. Universal joint	
1-3/8"Dr. Ratchet handle	
2-3/8"Dr.spark plug socket:	16mm,21mm
2-Adapter	3/8"F×1/4"M,3/8"F×1/2"M

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
14/14.5	435×255×165	1	5

58pcs 3/8"Dr. Socket set



GT-234058



18-3/8"Dr. shallow.sockets	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
9-3/8"Dr. deep sockets	8-10-11-12-13-14-15-17-19mm
3-3/8"Dr. bit sockets	SL4-5.5-7m
2-3/8"Dr. bit sockets	PH#1-PH#2
3-3/8"Dr. bit sockets	PZ#1-PZ#2-PZ#3
7-3/8"Dr. bit sockets	HW3-4-5-6-7-8-10mm
9-3/8"Dr. bit sockets	TX10-TX15-TX20-TX25-TX30-TX40-TX45-TX50-TX55
1-3/8"Dr. ratchet handle	
2-3/8"Dr. extension bar	3", 10"
1-3 way adapter 1/2"F×3/8"M	
2-3/8"Dr. spark plug sockets	16, 21mm
1-3/8"Dr. universal joint	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21.8/21.3	395×340×295	1	5

26pcs 3/8"Dr. Socket set



GT-140026



18-3/8"Dr. shallow.sockets	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
2-spark plug sockets	16-21mm
1-universal joint	
1-1/2"F×3/8"M 3-way adapter	
3-extension bar	2"-3"-6"
1-ratchet handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
13.5/13	395×340×295	1	5



SOCKET SET SERIES



11pcs 1/2"Dr. Socket set




GT-140011



9-1/2"Dr. shallow. sockets	8-10-12-13-14-17-19-22-24mm
1-1/2"Dr. L handle	10"
1-3 way adapter (3/8"F×1/2"M)	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
18/17.5	365×240×275	1	10

19pcs 1/2"Dr. Socket set



GT-234019



18-1/2"Dr. sockets	8-10-11-12-13-14-15-16-17-19-20-21-22-23-24-27-30-32mm
1-1/2"Dr. quick release ratchet handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21/20.5	395×345×275	1	8

10pcs 1/2"Dr. Socket set



GT-140010



9-1/2"Dr. shallow. sockets	10-12-13-14-16-17-19-22-24mm
1-1/2"Dr. L handle	10"

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
13.5/13	365×240×275	1	10

21" Telescoping Lug Wrench



GT-2218

For use with steel wheels and alloy wheel



Fits 17mm, 3/4"(19mm), 13/16"(21mm) & 7/8"(23mm)nuts  
Chrome-vanadium steel  
Mirror finish

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
6.5/6.0	430×120×133	1	5

46pcs 1/4"Dr. Socket set



GT-140046



13-1/4"Dr. sockets	4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
21-1/4"Dr. bit sockets	HW3-4-5-6-7-8mm; PH#1-#2-#3; PZ#1-#2-#3; ST4-5.5-7mm; TX10-15-20-25-30-40
4-hex key wrenches	1.27-1.5-2-2.5mm
1-sliding T bar	
1-universal joint	
1-ratchet handle	
1-flexible spinner handle	
1-1/4"Dr. spinner handle	
1-1/4"Dr. ×1/4"hex adapter	
2-extension bar 2"-4"	
Blow mold case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
16/15.5	490×357×185	1	12

48pcs 1/4"Dr. Socket set



GT-140048



13-1/4"Dr.sockets:	4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
1-1/4"Dr. Ratchet handle	
2-1/4"Dr.extension bar:	2",6"
1-1/4"Dr.spinner handle	
1-1/4"Dr. Universal joint	
1-1/4"Dr. coupler adapter	
20-1/4" bits(S2):	H3-H4-H5-H6-H8;SL4-SL5-SL6 T10-T15-T20-T25-T30-T40 PH1-PH2-PH3;PZ1-PZ2-PZ3
9-hex key wrench:	1.5-2-2.5-3-4-5-6-8-10

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
15/14.5	470×300×180	1	10



SOCKET SET SERIES



26pcs 1/4"Dr. Socket set



16pcs 1/4"Dr. Socket set



GT-244126



9-1/4" Dr. shallow. sockets	5-6-7-8-9-10-11-12-13-mm
14-1/4" Dr. bit sockets	3pcs: PH#1-PH#2-PH#3 5pcs: TX10-TX15-TX20-TX25-TX30 3pcs: SL4-SL5-SL6 3pcs: H4-H5-H6
1-1/4" Dr. extension bar	1/4"×100mm
1-1/4" Dr. universal joint	
1-1/4" Dr. ratchet handle	
Blow mold case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
20/19.5	365×356×227	1	24

GT-234016A



9-1/4" Dr. shallow.sockets	4-5-6-7-8-10-11-12-13mm
2-1/4" Dr. extension bar	2", 6"
1-1/4" Dr. spinner handle	
1-1/4" Dr. ratchet handle	
1-1/4" Dr. universal joint	
1-1/4" Dr. spin disc	
Metal case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
10/9.0	275×260×210	1	10

39pcs 1/4"Dr. Socket set



GT-234040A



12-1/4"Dr. sockets	4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
16-1/4"Dr. bit sockets	2pcs: PZ#1-PZ#2 2pcs: PH#1-PH#2 2pcs: SL5.5-SL7 3pcs: HW4-HW5-HW6 7pcs: TX8-TX10-TX15-TX20-TX25-TX27-TX30
1-1/4"Dr. ratchet handle	
5-hex key wrench	1.25-1.5-2-2.5-3mm
1-1/4"Dr. universal joint	
2-1/4"Dr. extension bar	2" & 10"
1-1/4"Dr. spinner handle	6"
Metal case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
19.8/19.3	345×340×180	1	10

26pcs 1/4"Dr. Socket set



GT-141026



22-1/4"Dr.sockets:	4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 3/16",7/32",1/4",9/32",5/16",11/32",3/8",7/16",1/2"
2-1/4"Dr.extension bar:	2",6"
1-1/4"Dr.Flexible ratchet handle	
1-1/4"Dr. ratchet handle	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
12.5/12	485×245×145	1	10

8pcs 1/4"Dr.Deep Socket set



GT-244108



1/4"Dr. deep sockets	6-7-8-9-10-11-12-13mm
----------------------	-----------------------

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
10.8/10.3	295×215×225	1	20



SOCKET SET SERIES



38pcs 1/2"&1/4"Dr.  
Bit Socket Set

☆

☆

⬢

⬢

⬢

32pcs 1/2"Dr. Ribe  
Bit Socket Set

⬢

GT-122038

1/4" Dr.

1/2" Dr.

8-torx bit sockets:	T40-45-50-55-60-70X140mm T80X100mm,T30X300mm(with hole)
6-spline tip bit sockets:	M9X100mm,M10-12-14X140mm M16X100mm,M16X55mm(with hole)
1-spline tip bit socket:	M18X75mm(Cr-Mo)
4-ribe bit sockets:	R7-R8X240mm,R9X100mm,R10X140mm H5X160mm(with ball head)
10-hex bit sockets:	H14-17-19-22-24X55mm H7X230mm,H10-11-13X140mm
9-torx Bit Sockets(with hole) (1/4"):	T10-15-20-25-27-30-40-45-50

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21/20.5	480×195×400	1	2

GT-122032B

1/2" Dr.

9-1/2"Dr.bit sockets(55mm):	R5-6-7-8-9-10-12-13-14
9-1/2"Dr.bit sockets(100mm):	R5-6-7-8-9-10-12-13-14
7-1/2"Dr.bit sockets(140mm):	R7-8-9-10-12-13-14
7-1/2"Dr.bit sockets(200mm):	R7-8-9-10-12-13-14

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
16.5/16	395×265×335	1	3

32pcs 1/2"Dr. Torx  
Bit Socket Set

☆

26pcs 1/2"Dr. Spline  
Bit Socket Set

⬢

GT-122032A

1/2" Dr.

10-1/2"Dr.bit sockets(55mm):	T20-25-27-30-40-45-50-55-60-70
10-1/2"Dr.bit sockets(100mm):	T20-25-27-30-40-45-50-55-60-70
6-1/2"Dr.bit sockets(140mm):	T40-45-50-55-60-70
6-1/2"Dr.bit sockets(200mm):	T40-45-50-55-60-70

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
16/15.5	400×275×325	1	3

GT-122026

1/2" Dr.

8-1/2"Dr.bit sockets(55mm):	M5-6-8-9-10-12-14-16
7-1/2"Dr.bit sockets(100mm):	M5-6-8-9-10-12-14
7-1/2"Dr.bit sockets(140mm):	M5-6-8-9-10-12-14
4-1/2"Dr.bit sockets(200mm):	M8-10-12-14

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
13/12.5	400×275×325	1	3





SOCKET SET SERIES



9pcs 1/2"Dr. Hex Bit Socket set



GT-134009A

9-1/2"Dr. bit sockets(h) 4-5-6-8-10-12-14-17-19mm  
Metal case

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
19/18.5	295×210×225	1	20

19pcs 1/4"&1/2"Dr. Hex Bit Socket set



GT-134019B

6-1/4"Dr. bit sockets(37mm) H3-4-5-6-7-8  
6-1/2"Dr. bit sockets(55mm) H6-7-8-10-12-14  
6-1/2"Dr. bit sockets(100mm) H5-6-7-8-10-12  
1-Metal case

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
19/18.5	345×340×180	1	10

9pcs 1/2"Dr. Torx Bit Socket set



GT-134009B

9-1/2"Dr. bit sockets T20-T25-T27-T30-T40-T45-T50-T55-T60  
Metal case

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
19/18.5	295×210×225	1	20

19pcs 1/4"&1/2"Dr. Torx Bit Socket set



GT-134019A

6-1/4"Dr. bit sockets(37mm) T8-10-15-20-25-27  
6-1/2"Dr. bit sockets(55mm) T30-40-45-50-55-60  
6-1/2"Dr. bit sockets(100mm) T30-40-45-50-55-60  
1-Metal case

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
19/18.5	345×340×180	1	10

17pcs 1/2"Dr. E Type & Torx Bit socket set



GT-134017A

9-1/2"Dr. E type sockets E10-11-12-14-16-18-20-22-24  
7-1/2"Dr. torx bit sockets T30-40-45-50-55-60-70  
1-Metal case

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
15.9/15.4	295×260×210	1	10

8pcs 1/2"Dr.Hex Bit socket set



GT-124008

8-1/2"Dr. bit sockets(140mm) 5-6-7-8-10-12-14-17mm

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
14.5/14	355×285×185	1	10

7pcs 3/8"&1/2"Dr.Torx Bit socket set



GT-134007A

4-3/8"Dr. bit sockets TX20-TX25-TX30-TX40  
3-1/2"Dr. bit sockets TX45-TX50-TX55  
1-Metal case

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
19/18.5	415×245×190	1	20

9pcs 1/2"Dr.Special Socket set



GT-234019

4-1/2"Dr. ribe bit socket: R10X165mm,R12-R13-R14X120mm  
2-1/2"Dr. spline tip bit socket: M10-M12X140mm  
2-1/2"Dr. torx bit socket: T55X140mm,T70X120mm  
1-1/2"Dr. E type bit socket: E12X140mm

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21/20.5	395×345×275	1	8

# SOCKET SET SERIES

## 9pcs 1/2"Dr.Torx Bit socket set



**GT-890098**



1/2"Dr.torx bit sockets T20-T25-T27-T30-T40-T45-T50-T55-T60

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
17.5/17	395×305×275	1	20

## 9pcs 1/4"&3/8"Dr.Torx Bit socket set



**GT-890094**



5-1/4"Dr.torx bit sockets T10-T15-T20-T25-T27  
4-3/8"Dr.torx bit sockets T30-T40-T45-T50

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
15.5/15	395×305×275	1	20

## 6pcs 3/8"Dr.Hex Bit socket set



**GT-890065**



3/8" Dr. bit sockets: H4mm-5mm-6mm-7mm-8mm-10mm

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
16.5/16	395×305×275	1	20

## 6pcs 3/8"Dr.Hex Bit socket set



**GT-890067**



3/8" Dr. bit sockets: H5/32"-3/16"-7/32"-1/4"-5/16"-3/8"

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
16.5/16	395×305×275	1	20

## 8pcs 1/2"Dr.Hex Bit socket set



**GT-134008A**



8-1/2"Dr. bit sockets 4-5-6-7-8-10-12-14mm  
Double blister card

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
23.5/22.5	485×335×235	1	24

## 110pcs Household Set



### GT-900110

6pcs bits for timepiece	#1-#0-1.4-1.8-2.4-3.0
32pcs 25mm long bits	SL3-SL4-SL5-SL6-SL7;PH0-PH1-PH2-PH3; PZ0-PZ1-PZ2 PZ3;T8-T10-T15-T20-T25-T27-T30-T40 H2-H3-H4-H5-H6;S0-S1-S2-S3;M5-M6
1pcs hacksaw frame	
3pcs saw blade	
1pcs utility knife	
1pcs measuring tape	3M*13MM
1pcs digital electric tester	
1pcs LED flashlight	
1pcs adjustable spanner	8"
46pcs rose din set	
8pcs hex key wrench(1pc)	1.5 2 2.5 3 4 5 5.5 6
1pcs claw hammer(1pc)	
1pcs American type long nose pliers	6"
1pcs American type wire cutter	6"
1pcs PH type screwdriver wrench	6*100
1pcs SL typescrewdriver wrench	6*100
1pcs screwdriver nut driver	6.35*100
1pcs insulating tape	18mm*6M
1pcs No.502 glue	
1pcs MFJ450 powder fire extinguisher	


G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
14/13.5	395×180×335	1	5





## SOCKET SERIES

- Cold forging steel shape once.
- Special heat treatment, performance excellent and stability, durable in use.
- Ultra-thin design, available in limited access application.
- Tools meet or exceed ANSI standard, DIN standard.
- High hardness, high flexibility, high grade.



SOCKET SERIES



1/4"Dr. Shallow Socket Series



1/4"Dr. Deep Socket Series



GT-1424



Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-14242204	4	25	10	240
GT-14242245	4.5	25	10	240
GT-14242205	5	25	10	240
GT-14242255	5.5	25	10	240
GT-14242206	6	25	10	240
GT-14242207	7	25	10	240
GT-14242208	8	25	10	240
GT-14242209	9	25	10	240
GT-14242210	10	25	10	240
GT-14242211	11	25	10	240
GT-14242212	12	25	10	240
GT-14242213	13	25	10	240
GT-14242214	14	25	10	240

GT-1424D



Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-14242204D	4	50	10	240
GT-14242245D	4.5	50	10	240
GT-14242205D	5	50	10	240
GT-14242255D	5.5	50	10	240
GT-14242206D	6	50	10	240
GT-14242207D	7	50	10	240
GT-14242208D	8	50	10	240
GT-14242209D	9	50	10	240
GT-14242210D	10	50	10	240
GT-14242211D	11	50	10	240
GT-14242212D	12	50	10	240
GT-14242213D	13	50	10	240
GT-14242214D	14	50	10	240

3/8"Dr. Shallow Socket Series



3/8"Dr. Deep Socket Series



GT-3824



Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-38242206	6	28	10	240
GT-38242207	7	28	10	240
GT-38242208	8	28	10	240
GT-38242209	9	28	10	240
GT-38242210	10	28	10	240
GT-38242211	11	28	10	240
GT-38242212	12	28	10	240
GT-38242213	13	28	10	240
GT-38242214	14	28	10	240
GT-38242215	15	28	10	240
GT-38242216	16	28	10	240
GT-38242217	17	30	10	240
GT-38242218	18	30	10	120
GT-38242219	19	30	10	120
GT-38242220	20	30	10	120
GT-38242221	21	30	10	120
GT-38242222	22	30	10	120
GT-38242223	23	30	10	120
GT-38242224	24	30	10	120

GT-3824D



Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-38242206D	6	63	10	240
GT-38242207D	7	63	10	240
GT-38242208D	8	63	10	240
GT-38242209D	9	63	10	240
GT-38242210D	10	63	10	240
GT-38242211D	11	63	10	240
GT-38242212D	12	63	10	240
GT-38242213D	13	63	10	240
GT-38242214D	14	63	10	240
GT-38242215D	15	63	10	240
GT-38242216D	16	63	10	120
GT-38242217D	17	63	10	120
GT-38242218D	18	63	10	120
GT-38242219D	19	63	10	120
GT-38242220D	20	63	10	120
GT-38242221D	21	63	10	60
GT-38242222D	22	63	10	60
GT-38242223D	23	63	10	60
GT-38242224D	24	63	10	60





SOCKET SERIES



1/2"Dr. Shallow Socket Series



GT-2422

Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-242208	8	38	10	120
GT-242209	9	38	10	120
GT-242210	10	38	10	120
GT-242211	11	38	10	120
GT-242212	12	38	10	120
GT-242213	13	38	10	120
GT-242214	14	38	10	120
GT-242215	15	38	10	120
GT-242216	16	38	10	120
GT-242217	17	38	10	120
GT-242218	18	38	10	120
GT-242219	19	38	10	120
GT-242220	20	38	10	120
GT-242221	21	38	10	120
GT-242222	22	38	10	120
GT-242223	23	38	10	120
GT-242224	24	38	10	120
GT-242225	25	40	10	120
GT-242226	26	40	10	120
GT-242227	27	40	10	120
GT-242228	28	44	10	120
GT-242229	29	44	10	60
GT-242230	30	44	10	60
GT-242232	32	44	10	60

1/2"Dr. Deep Socket Series



GT-2422D

Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-242208D	8	78	10	120
GT-242209D	9	78	10	120
GT-242210D	10	78	10	120
GT-242211D	11	78	10	120
GT-242212D	12	78	10	120
GT-242213D	13	78	10	120
GT-242214D	14	78	10	120
GT-242215D	15	78	10	120
GT-242216D	16	78	10	120
GT-242217D	17	78	10	120
GT-242218D	18	78	10	120
GT-242219D	19	78	10	60
GT-242220D	20	78	10	60
GT-242221D	21	78	10	60
GT-242222D	22	78	10	60
GT-242223D	23	78	10	60
GT-242224D	24	78	10	60
GT-242225D	25	78	10	60
GT-242226D	26	78	10	60
GT-242227D	27	78	6	36
GT-242228D	28	78	6	36
GT-242229D	29	78	6	36
GT-242230D	30	78	6	36
GT-242232D	32	78	6	36

1/2"Dr. Shallow Socket Series



GT-3422

Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-342208	8	38	10	120
GT-342209	9	38	10	120
GT-342210	10	38	10	120
GT-342211	11	38	10	120
GT-342212	12	38	10	120
GT-342213	13	38	10	120
GT-342214	14	38	10	120
GT-342215	15	38	10	120
GT-342216	16	38	10	120
GT-342217	17	38	10	120
GT-342218	18	38	10	120
GT-342219	19	38	10	120
GT-342220	20	38	10	120
GT-342221	21	38	10	120
GT-342222	22	38	10	120
GT-342223	23	38	10	120
GT-342224	24	38	10	120
GT-342225	25	40	10	120
GT-342226	26	40	10	120
GT-342227	27	40	10	120
GT-342228	28	44	10	120
GT-342229	29	44	10	60
GT-342230	30	44	10	60
GT-342232	32	44	10	60

1/2"Dr. Deep Socket Series



GT-3422D

Model	Size(h) (mm)	L (mm)	pcs	pcs
GT-342208D	8	78	10	36
GT-342209D	9	78	10	36
GT-342210D	10	78	10	36
GT-342211D	11	78	10	36
GT-342212D	12	78	10	36
GT-342213D	13	78	10	36
GT-342214D	14	78	10	36
GT-342215D	15	78	10	36
GT-342216D	16	78	10	36
GT-342217D	17	78	10	36
GT-342218D	18	78	10	36
GT-342219D	19	78	10	60
GT-342220D	20	78	10	60
GT-342221D	21	78	10	60
GT-342222D	22	78	10	60
GT-342223D	23	78	10	60
GT-342224D	24	78	10	60
GT-342225D	25	78	10	60
GT-342226D	26	78	10	60
GT-342227D	27	78	6	36
GT-342228D	28	78	6	36
GT-342229D	29	78	6	36
GT-342230D	30	78	6	36
GT-342232D	32	78	6	36

SOCKET SERIES



Extension bar



GT-2881 / 3881 / 1481



Model	Size	pcs	pcs
GT-288102	1/4"×2"	6	240
GT-288104	1/4"×4"	6	240
GT-288106	1/4"×6"	6	240
GT-388103	3/8"×3"	6	240
GT-388106	3/8"×6"	6	120
GT-388110	3/8"×10"	6	60
GT-148103	1/2"×3"	6	60
GT-148105	1/2"×5"	6	60
GT-148110	1/2"×10"	6	60

Sliding bar



GT-3881



Model	Size	pcs	pcs
GT-388106	1/4"×6"	10	120
GT-388107	3/8"×8"	10	120
GT-388108	1/2"×10"	5	50
GT-388109	1/2"×12"	6	48

L-type handle



GT-1483



Model	Size	pcs	pcs
GT-148310	1/2"×10"	6	36
GT-148312	1/2"×12"	6	36

Speed brace wrench



GT-2221



Model	Size	pcs	pcs
GT-2221	1/2"×450mm	5	50

1/2"Dr.Flexible handle



GT-2219



Model	Size	pcs	pcs
GT-2219	1/2"×250mm(10")	6	36
GT-2220	1/2"×360mm(15")	4	24
GT-2223	1/2"×457mm(18")	4	24

Spark plug socket



GT-2486 / 1486



Model	Size	pcs	pcs
GT-248616	3/8"×16mm	10	120
GT-248621	3/8"×21mm	10	120
GT-148616	1/2"×16mm	10	120
GT-148621	1/2"×21mm	10	120

Universal joint



GT-1487



Model	Size	pcs	pcs
GT-388701	1/4"	10	240
GT-138800	3/8"	10	240
GT-148700	1/2"	10	120
GT-548700	3/4"	5	40

Adapter



GT-1486



Model	Size	pcs	pcs
GT-148624	3/8"F×1/4"M	48	480
GT-148625	1/4"F×3/8"M	48	480
GT-148626	3/8"F×1/2"M	12	240
GT-148627	1/2"F×3/8"M	12	240
GT-148628	1/2"F×3/4"M	12	96
GT-148629	3/4"F×1/2"M	12	96
GT-148630	3/4"F×1"M	6	48
GT-148631	1"F×3/4"M	6	48



SOCKET ACCESSORIES SERIES



3-Way adapter



GT-3482



Model	Size	pcs	pcs
GT-348210	3/8"F×1/2"M	10	240
GT-348211	1/2"F×3/8"M	10	240

Bit Coupler



GT-1486



Model	Size	pcs	pcs
GT-148629	1/2"Dr. ×8mm	10	120
GT-148630	3/8"Dr. ×6.35mm	10	120
GT-148631	1/4"Dr. ×6.35mm	10	120

Ratchet handle



GT-9285



Model	Size	pcs	pcs
GT-928512	1/2"	6	36
GT-928538	3/8"	6	60
GT-928514	1/4"	6	60

1/4"Dr. Extension Spinner handle



GT-221615



Model	Size(h) mm	pcs	pcs
GT-221615	1/4"×6"	6	60



# BITS SOCKET SERIES



1/4"Dr. Driver  
Slottet bit socket



## GT-4520



Model	Size	L (mm)	pcs	pcs
GT-45203	SL3	37	10	240
GT-45204	SL4	37	10	240
GT-45205	SL5	37	10	240
GT-45206	SL6	37	10	240
GT-45207	SL7	37	10	240
GT-45208	SL8	37	10	240

1/4"Dr. Driver  
Phillips bit socket




## GT-4620



Model	Size	L (mm)	pcs	pcs
GT-46204	PH1	37	10	240
GT-46205	PH2	37	10	240
GT-46206	PH3	37	10	240

1/4"Dr. Driver  
Pozi bit socket



## GT-4920



Model	Size	L (mm)	pcs	pcs
GT-49201	PZ1	37	10	240
GT-49202	PZ2	37	10	240
GT-49203	PZ3	37	10	240

1/4"Dr. Driver  
Torx bit socket



## GT-4820



Model	Size	L (mm)	pcs	pcs
GT-482008	T8	37	10	240
GT-482010	T10	37	10	240
GT-482015	T15	37	10	240
GT-482020	T20	37	10	240
GT-482025	T25	37	10	240
GT-482027	T27	37	10	240
GT-482030	T30	37	10	240
GT-482040	T40	37	10	240

1/4"Dr. Driver  
Hex bit socket



## GT-4720



Model	Size	L (mm)	pcs	pcs
GT-47203	3	37	10	240
GT-47204	4	37	10	240
GT-47205	5	37	10	240
GT-47206	6	37	10	240
GT-47208	8	37	10	240





# BITS SOCKET SERIES



3/8"Dr. Driver  
Slottet bit socket

## GT-5020



Model	Size	L (mm)	pcs	pcs
GT-50204	SL4	48	10	240
GT-50203	SL3	48	10	240
GT-50205	SL5	48	10	240
GT-50206	SL6	48	10	240
GT-50207	SL7	48	10	240
GT-50208	SL8	48	10	240

3/8"Dr. Driver  
Phillips bit socket


## GT-5120



Model	Size	L (mm)	pcs	pcs
GT-51204	PH1	48	10	240
GT-51205	PH2	48	10	240
GT-51206	PH3	48	10	240

3/8"Dr. Driver  
Pozi bit socket

## GT-5220



Model	Size	L (mm)	pcs	pcs
GT-52201	PZ1	48	10	240
GT-52202	PZ2	48	10	240
GT-52203	PZ3	48	10	240

3/8"Dr. Driver  
Torx bit socket

## GT-5320



Model	Size	L (mm)	pcs	pcs
GT-532010	T10	48	10	240
GT-532015	T15	48	10	240
GT-532020	T20	48	10	240
GT-532025	T25	48	10	240
GT-532027	T27	48	10	240
GT-532030	T30	48	10	240
GT-532040	T40	48	10	240
GT-532045	T45	48	10	240
GT-532050	T50	48	10	240
GT-532055	T55	48	10	240
GT-532060	T60	48	10	240

3/8"Dr. Driver  
Hex bit socket

## GT-5420



Model	Size	L (mm)	pcs	pcs
GT-54203	3	48	1	240
GT-54204	4	48	1	240
GT-54205	5	48	1	240
GT-54206	6	48	1	240
GT-54207	7	48	1	240
GT-54208	8	48	1	240
GT-54210	10	48	1	240

1/2"Dr. Driver T52(M10)  
Long bit socket

## GT-88552



Function: VW Audi tools T10070 Removing and installing polydrive cylinder head bolts Equipment group.

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
13.5/13	270×235×270	10	120

BITS SOCKET SERIES



1/2"Dr. Driver  
Torx bit socket



GT-272



Model	Size	L (mm)	pcs	pcs
GT-27220	T20	55	10	240
GT-27225	T25	55	10	240
GT-27227	T27	55	10	240
GT-27230	T30	55	10	240
GT-27240	T40	55	10	240
GT-27250	T50	55	10	240
GT-27255	T55	55	10	240
GT-27260	T60	55	10	240

1/2"Dr. Driver  
Hex bit socket



GT-883



Model	Size	L (mm)	pcs	pcs
GT-88304	4	55	10	240
GT-88305	5	55	10	240
GT-88306	6	55	10	240
GT-88307	7	55	10	240
GT-88308	8	55	10	240
GT-88310	10	55	10	240
GT-88312	12	55	10	240
GT-88314	14	55	10	240
GT-88317	17	55	10	240
GT-88319	19	55	10	240

1/2"Dr. Driver  
Spline bit socket



GT-884



Model	Size	L (mm)	pcs	pcs
GT-88405	M5	55	10	240
GT-88406	M6	55	10	240
GT-88408	M8	55	10	240
GT-88410	M10	55	10	240
GT-88412	M12	55	10	240
GT-88414	M14	55	10	240
GT-88416	M16	55	10	240
GT-88418	M18	55	10	240

1/2"Dr. Driver Deep  
Torx bit socket



GT-272D



Model	Size	L (mm)	pcs	pcs
GT-27220D	T20	100	10	120
GT-27225D	T25	100	10	120
GT-27227D	T27	100	10	120
GT-27230D	T30	100	10	120
GT-27240D	T40	100	10	120
GT-27250D	T50	100	10	120
GT-27255D	T55	100	10	120
GT-27260D	T60	100	10	120

1/2"Dr. Driver Deep  
Hex bit socket



GT-883D



Model	Size	L (mm)	pcs	pcs
GT-88304D	4	100	10	120
GT-88305D	5	100	10	120
GT-88306D	6	100	10	120
GT-88307D	7	100	10	120
GT-88308D	8	100	10	120
GT-88310D	10	100	10	120
GT-88312D	12	100	10	120
GT-88314D	14	100	10	120
GT-88317D	17	100	10	120
GT-88319D	19	100	10	120

1/2"Dr. Driver Deep  
Spline bit socket



GT-884D



Model	Size	L (mm)	pcs	pcs
GT-88405D	M5	100	10	120
GT-88406D	M6	100	10	120
GT-88408D	M8	100	10	120
GT-88410D	M10	100	10	120
GT-88412D	M12	100	10	120
GT-88414D	M14	100	10	120
GT-88416D	M16	100	10	120
GT-88418D	M18	100	10	120
GT-88510D	M10	120	10	120
GT-88612D	M12	140	10	120



3/4"Dr. SOCKET SERIES



3/4"Dr. Socket Series



GT-342119



Model	Size(h) (mm)	pcs	pcs
GT-342117	17mm(11/16")	8	96
GT-342119	19mm(3/4")	8	96
GT-342120	20mm	8	96
GT-342121	21mm(13/16")	8	96
GT-342122	22mm(7/8")	8	96
GT-342123	23mm	8	96
GT-342124	24mm(15/16")	8	96
GT-342125	25mm	8	96
GT-342126	26mm	8	96
GT-342127	27mm(1-1/16")	8	96
GT-342128	28mm	8	64
GT-342129	29mm(1-1/8")	8	64
GT-342130	30mm(1-3/16")	8	64
GT-342132	32mm(1-1/4")	8	64
GT-342134	34mm	6	54
GT-342135	35mm(1-3/8")	6	54
GT-342136	36mm	6	54
GT-342138	38mm	6	36
GT-342141	41mm(1-5/8")	6	36
GT-342146	46mm(1-13/16")	4	32
GT-342150	50mm(2")	4	32
GT-342155	55mm	4	16
GT-342160	60mm	4	16
GT-342165	65mm	2	12
GT-342170	70mm	2	12

18pcs 3/4"Dr. Socket set



GT-240018



13-3/4"Dr. sockets	19, 21, 22, 23, 24, 27, 30, 32, 36, 38, 41, 46, 50mm
1-3/4"Dr. Ratchet handle	
2-3/4"Dr. Extension bar	4", 8"
1-3/4"Dr. Sliding T bar	20"
1-Metal case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
15/14.5	540×180×80	1	1

18pcs 3/4"Dr. Socket set



GT-240023



16-3/4"Dr. Sockets	19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm
1-3/4"Dr. Quick release ratchet handle	
1-3/4"Dr. Sliding T bar	20"
3-3/4"Dr. Extension bar	4", 8", 16"
1-3/4"Dr. Universal joint	
1-Blow case	

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
15/14.5	560×400×200	1	1

3/4"Dr.Extension Bar



GT-5481



Model	Size	pcs	pcs
GT-548104	3/4"×4"	5	40
GT-548108	3/4"×8"	5	20
GT-548116	3/4"×16"	4	16

3/4"Dr.Sliding T Bar



GT-6481



Model	Size	pcs	pcs
GT-648104	3/4"×18"	5	10
GT-648120	3/4"×20"	4	8

3/4"Dr.L Type Handle



GT-748104



Model	Size	pcs	pcs
GT-748104	3/4"×18"	4	12

3/4"Dr.Ratchet handle



GT-848104



Model	Size	pcs	pcs
GT-848104	3/4"×20"	5	10



## IMPACT DRIVER SET & BITES

- Body is made up of high-grade tool steel with precision machining
- Professional heat treatment, firmly and durable.
- Special German Akzo electric plated makes it good-looking and high-class.
- With imported chrome vanadium steel adapter and impact driver bit.





IMPACT DRIVER SET & BITS



13pcs Impact Driver Set



GT-210113

SL5, SL6, SL8, SL9  
PH1, PH2×2, PH3, PH4  
H4, H5, H6, H8

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
21.5/21	240×210×200	1	20

6pcs Impact Driver Set



GT-210106

80mm length driver bits  
PH2, PH3, SL8, SL10

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
23.5/23	380×210×205	1	20

8pcs Impact Driver Set



GT-210108

36mm length driver bits; PH1, PH2, PH3, PH4, SL6, SL8  
80mm length driver bits PH2, SL8

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
23.5/23	380×210×205	1	20

11pcs Impact Driver Set



GT-210111

36mm length driver bits; PH2, PH3, PH4; SL6, SL8, SL10  
80mm length driver bits PH2, PH3, SL8, SL10

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
10.5/10	290×290×270	1	10

5/16" Impact Driver Bits S2



GT-2301



Model	Size	L (mm)	pcs	pcs
GT-2301S2-36P1	PH1	36	20	800
GT-2301S2-36P2	PH2	36	20	800
GT-2301S2-36P3	PH3	36	20	800
GT-2301S2-36P4	PH4	36	20	800
GT-2301S2-36P6	SL6	36	20	800
GT-2301S2-36P8	SL8	36	20	800
GT-2301S2-80P1	PH1	80	10	400
GT-2301S2-80P2	PH2	80	10	400
GT-2301S2-80P3	PH3	80	10	400
GT-2301S2-80P4	PH4	80	10	400
GT-2301S2-80P6	SL6	80	10	400
GT-2301S2-80P8	SL8	80	10	400

5/16" Impact Driver Bits 6150#



GT-2301S2-806



Model	Size	L (mm)	pcs	pcs
GT-2301S2-366PH1	PH1	36	120	720
GT-2301S2-366PH2	PH2	36	120	720
GT-2301S2-366PH3	PH3	36	120	720
GT-2301S2-366PH4	PH4	36	120	720
GT-2301S2-366S6	SL6	36	120	720
GT-2301S2-366S8	SL8	36	120	720
GT-2301S2-806PH1	PH1	80	60	360
GT-2301S2-806PH2	PH2	80	60	360
GT-2301S2-806PH3	PH3	80	60	360
GT-2301S2-806PH4	PH4	80	60	360
GT-2301S2-806S6	SL6	80	60	360
GT-2301S2-806S8	SL8	80	60	360

Magnetic nut netter



GT-2550 & GT-2565




Model	Size	L (mm)	pcs	pcs
GT-255006	6	50	50	400
GT-255008	8	50	50	400
GT-255010	10	50	50	400
GT-255012	12	50	50	400
GT-256506	6	65	50	400
GT-256508	8	65	50	400
GT-256510	10	65	50	400
GT-256512	12	65	50	400
GT-256513	13	65	50	400
GT-256541	1/4"	65	50	400
GT-256583	3/8"	65	50	400
GT-256521	1/2"	65	50	400



## SOCKET WRENCH SERIES

- Highquality chrome vanadium steel.
- Excellent heat treatment,high hardness, high flexibility.
- Sand blasting finishing with high grade.





**SOCKET WRENCH SERIES**



**GT-2201**

**T Type Socket Wrench**  
 With dipped handle



Model	Size	L (mm)	pcs	pcs
GT-220107	H7	200×310	10	50
GT-220108	H8	200×310	10	50
GT-220109	H9	200×310	10	50
GT-220110	H10	200×310	10	50
GT-220111	H11	200×310	10	50
GT-220112	H12	200×310	10	50
GT-220113	H13	200×310	10	50
GT-220114	H14	200×310	10	50
GT-220115	H15	200×310	10	50
GT-220116	H16	200×310	10	50
GT-220117	H17	200×310	10	50
GT-220118	H18	200×310	10	50
GT-220119	H19	200×310	10	50

**GT-2202**

**T Type Socket Wrench**  
 Black finish



Model	Size	L (mm)	pcs	pcs
GT-220207	H7	200×310	10	50
GT-220208	H8	200×310	10	50
GT-220209	H9	200×310	10	50
GT-220210	H10	200×310	10	50
GT-220211	H11	200×310	10	50
GT-220212	H12	200×310	10	50
GT-220213	H13	200×310	10	50
GT-220214	H14	200×310	10	50
GT-220215	H15	200×310	10	50
GT-220216	H16	200×310	10	50
GT-220217	H17	200×310	10	50
GT-220218	H18	200×310	10	50
GT-220219	H19	200×310	10	50

**GT-2203**

**T Type Socket Wrench**  
 Plated chrome-sanding blasting



Model	Size	L (mm)	pcs	pcs
GT-220307	H7	200×310	10	50
GT-220308	H8	200×310	10	50
GT-220309	H9	200×310	10	50
GT-220310	H10	200×310	10	50
GT-220311	H11	200×310	10	50
GT-220312	H12	200×310	10	50
GT-220313	H13	200×310	10	50
GT-220314	H14	200×310	10	50
GT-220315	H15	200×310	10	50
GT-220316	H16	200×310	10	50
GT-220317	H17	200×310	10	50
GT-220318	H18	200×310	10	50
GT-220319	H19	200×310	10	50

**GT-2205**

**Y Type Socket Wrench**  
 Black finish



Model	Size	L (mm)	pcs	pcs
GT-22050809	8-9-10MM	150	10	50
GT-22050810	8-10-12MM	150	10	50
GT-22051011	10-11-13MM	150	10	50
GT-22051012	10-12-14MM	150	10	50
GT-22051214	12-14-17MM	150	10	50

**GT-2206**

**Y Type Socket Wrench**  
 Plated chrome-sanding blasting



Model	Size	L (mm)	pcs	pcs
GT-22060809	8-9-10MM	150	10	50
GT-22060810	8-10-12MM	150	10	50
GT-22061011	10-11-13MM	150	10	50
GT-22061012	10-12-14MM	150	10	50
GT-22061214	12-14-17MM	150	10	50

**GT-2209**

**3 Ways socket wrench**  
 Plated chrome-sanding blasting




Model	Size	L (mm)	pcs	pcs
GT-22090608	6-8-10MM	150	10	50
GT-22090809	8-9-10MM	150	10	50
GT-22090810	8-10-12MM	150	10	50
GT-22091011	10-11-13MM	150	10	50
GT-22091012	10-12-14MM	150	10	50
GT-22091214	12-14-17MM	150	10	50

**SOCKET WRENCH SERIES**



**GT-2210**

**Rotary T type socket wrench**  
 Plated chrome-sanding blasting




Rotary type

Model	Size	L (mm)	pcs	pcs
GT-221007	H7	200×310	10	50
GT-221008	H8	200×310	10	50
GT-221009	H9	200×310	10	50
GT-221010	H10	200×310	10	50
GT-221011	H11	200×310	10	50
GT-221012	H12	200×310	10	50
GT-221013	H13	200×310	10	50
GT-221014	H14	200×310	10	50
GT-221015	H15	200×310	10	50
GT-221016	H16	200×310	10	50
GT-221017	H17	200×310	10	50
GT-221018	H18	200×310	10	50
GT-221019	H19	200×310	10	50

**GT-2211**

**T type screwdriver wrench**  
 Plated chrome-sanding blasting




Rotary type

Model	Size	L (mm)	pcs	pcs
GT-221105	SL5	200×310	10	50
GT-221106	SL6	200×310	10	50
GT-221107	SL7	200×310	10	50
GT-221111	PH1	200×310	10	50
GT-221112	PH2	200×310	10	50
GT-221113	PH3	200×310	10	50

**GT-2212**

**T type adapter wrench**  
 Plated chrome-sanding blasting



Rotary type

Model	Size	L (mm)	pcs	pcs
GT-221238	3/8"	200×310	10	50
GT-221212	1/2"	200×310	10	50

**GT-2213**

**Screwdriver nut driver**  
 Plated chrome-sanding blasting



Model	Size	L (mm)	pcs	pcs
GT-221306	H6	100×270	12	60
GT-221307	H7	100×270	12	60
GT-221308	H8	100×270	12	60
GT-221309	H9	100×270	12	60
GT-221310	H10	100×270	12	60
GT-221311	H11	100×270	12	60
GT-221312	H12	100×270	12	60
GT-221313	H13	100×270	12	60
GT-221314	H14	100×270	12	60

**GT-2215**

**Screwdriver nut driver**  
 Plated chrome-sanding blasting



Model	Size	L (mm)	pcs	pcs
GT-221506	H6	230	12	72
GT-221507	H7	230	12	72
GT-221508	H8	230	12	72
GT-221509	H9	230	12	72
GT-221510	H10	230	12	72
GT-221511	H11	230	12	72
GT-221512	H12	230	12	72
GT-221513	H13	230	12	72
GT-221514	H14	230	12	72

**GT-2217**

**Screwdriver nut driver**  
 Plated chrome-sanding blasting



Model	Size	L (mm)	pcs	pcs
GT-221706	H6	100×270	12	60
GT-221707	H7	100×270	12	60
GT-221708	H8	100×270	12	60
GT-221709	H9	100×270	12	60
GT-221710	H10	100×270	12	60
GT-221711	H11	100×270	12	60
GT-221712	H12	100×270	12	60
GT-221713	H13	100×270	12	60
GT-221714	H14	100×270	12	60



SOCKET WRENCH SERIES

GT-2208

Sliding T type socket wrench  
Plated chrome-sanding blasting



Model	Size	L (mm)	pcs	pcs
GT-220808	H8	200×310	10	50
GT-220809	H9	200×310	10	50
GT-220810	H10	200×310	10	50
GT-220811	H11	200×310	10	50
GT-220812	H12	200×310	10	50
GT-220813	H13	200×310	10	50
GT-220814	H14	200×310	10	50
GT-220815	H15	200×310	10	50
GT-220816	H16	200×310	10	50
GT-220817	H17	200×310	10	50
GT-220818	H18	200×310	10	50
GT-220819	H19	200×310	10	50

GT-625

Special hex wrench  
Sanding finish



Model	Size	pcs	pcs
GT-6251012	10×12MM	6	60
GT-6251417	14×17MM	6	60
GT-6251422	14×22MM	6	60
GT-6251719	17×19MM	6	60
GT-6251721	17×21MM	6	60
GT-6251722	17×22MM	6	60
GT-6251723	17×23MM	6	60
GT-6251724	17×24MM	6	60
GT-6251923	19×23MM	6	60
GT-6251924	19×24MM	6	60
GT-6252227	22×27MM	6	60

GT-725



3/8"spinner T handle

- 12 inch shaft length
- High quality 3/8 inch drive T handle
- Knurled bearing mounted spinner provides faster and easier removal and installation of bolts and nuts
- Padded grip handle

G.W/N.W (kgs)	CARTON MEAS (mm)	pcs	pcs
23.5/23	370×240×470	10	40

