



# 霹靂馬

工业级气动套筒系列  
Impact Sockets & Accessories





# 目 录

## 公制——六角气动套筒 (METRIC Size-6 Point Impact Sockets)

1/4" 标准 (1/4" Dr, Standard Length) .....	01
1/4" 加长 (1/4" Dr, Deep Length) .....	02
3/8" 标准 (3/8" Dr, Standard Length) .....	03
3/8" 加长 (3/8" Dr, Deep Length) .....	04
3/8" 超薄加长 (3/8" Dr, Extra Thin Wall Deep Length) .....	04
1/2" 标准 (1/2" Dr, Standard Length) .....	06
1/2" 超薄标准 (1/2" Dr, Extra Thin Wall Standard Length) .....	08
1/2" 加长 (1/2" Dr, Deep Length) .....	09
1/2" 半加长 (1/2" Dr, Semi-Deep) .....	10
1/2" 超薄加长 (1/2" Dr, Extra Thin Wall Deep Length) .....	11
1/2" 薄壁超长 (1/2" Dr, Thin Wall Extra Long) .....	12
3/4" 标准 (3/4" Dr, Standard Length) .....	19
3/4" 重工业级标准 (3/4" Dr, Heavy Duty Type Standard Length) .....	20
3/4" 半加长 (3/4" Dr, Semi-Deep) .....	22
3/4" 加长 (3/4" Dr, Deep Length) .....	23
3/4" 薄壁加长 (3/4" Dr, Thin Wall Deep Length) .....	24
3/4" & 1" 超薄加长 (3/4" & 1" Dr, Extra Thin Wall Deep length) .....	72
1" 标准 (1" Dr, Standard Length) .....	27-28
1" 重工业级标准 (1" Dr, Heavy Duty Type Standard Length) .....	29
1" 半加长 (1" Dr, Semi-Deep) .....	30
1" 加长 (1" Dr, Deep Length) .....	31-32
1-1/2" 标准 (1-1/2" Dr, Standard Length) .....	35
1-1/2" 加长 (1-1/2" Dr, Deep Length) .....	36
2-1/2" 标准 (2-1/2" Dr, Standard Length) .....	39
#5花键标准 (#5Spline Dr, Standard Length) .....	41
#5花键薄壁加长 (#5Spline Dr, Thin Wall Deep Length) .....	44

## 英制——六角气动套筒 (SAE Size-6 Point Impact Sockets)

1/4" 标准 (1/4" Dr, Standard Length) .....	01
1/4" 加长 (1/4" Dr, Deep Length) .....	02
3/8" 标准 (3/8" Dr, Standard Length) .....	03
3/8" 加长 (3/8" Dr, Deep Length) .....	05
1/2" 标准 (1/2" Dr, Standard Length) .....	13
1/2" 超薄标准 (1/2" Dr, Extra Thin Wall Standard Length) .....	15
1/2" 加长 (1/2" Dr, Deep Length) .....	16
1/2" 超薄加长 (1/2" Dr, Extra Thin Wall Deep Length) .....	17
1/2" 薄壁超长 (1/2" Dr, Thin Wall Extra Long) .....	18




3/4" 薄壁加长(3/4" Dr, Thin Wall Deep Length) .....	24
3/4" 标准(3/4" Dr, Standard Length) .....	25
3/4" 加长(3/4" Dr, Deep Length) .....	26
3/4" & 1" 超薄加长(3/4&1" Extra Thin Wall Deep Length) .....	72
1" 标准(1" Dr, Standard Length) .....	33
1" 加长(1" Dr, Deep Length) .....	34
1-1/2" 加长(1-1/2" Dr, Deep Length) .....	36
1-1/2" 标准(1-1/2" Dr, Standard Length) .....	37-38
2-1/2" 标准(2-1/2" Dr, Standard Length) .....	40
#5花键标准(#5Spline Dr, Standard Length) .....	42
#5花键薄壁加长(#5Spline Dr, Thin Wall Deep Length) .....	44
<b>公制——十二角气动套筒(METRIC Size-12 Point Impact Sockets)</b>	
1/2" 标准(1/2" Dr, Standard Length) .....	07
3/4" 标准(3/4" Dr, Standard Length) .....	21
<b>英制——十二角气动套筒(SAE Size-12 Point Impact Sockets)</b>	
1/2" 标准(1/2" Dr, Standard Length) .....	14
<b>公制——万向气动套筒, 六角(METRIC Universal Impact Sockets-6 Point)</b>	
1/4" 标准(1/4" Dr, Standard Length) .....	45
3/8" 标准(3/8" Dr, Standard Length) .....	46
3/8" 加长(3/8" Dr, Deep Length) .....	47
1/2" 标准(1/2" Dr, Standard Length) .....	48
1/2" 加长(1/2" Dr, Deep Length) .....	49
3/4" 标准(3/4" Dr, Standard Length) .....	51
1" 重工业级标准(1" Dr, Heavy Duty Standard Length) .....	53
<b>英制——万向气动套筒, 六角(SAE Universal Impact Sockets 6-Point)</b>	
1/4" 标准(1/4" Dr, Standard Length) .....	45
3/8" 标准(3/8" Dr, Standard Length) .....	46
3/8" 加长(3/8" Dr, Deep Length) .....	47
1/2" 标准(1/2" Dr, Standard Length) .....	48
1/2" 加长(1/2" Dr, Deep Length) .....	49
3/4" 标准(3/4" Dr, Standard Length) .....	50
1" 重工业级标准(1" Dr, Heavy Duty Stand Length) .....	52
3/8" & 1/2" 万向外星型气动套筒	
(3/8" & 1/2" Dr, External Torx Universal Impact Sockets) .....	54
3/8" & 1/2" 内六角万向气动套筒	
(3/8" & 1/2" Dr, Universal Impact Hex Driver Sockets) .....	55-56
3/8" & 1/2" 内星型万向气动套筒(3/8" & 1/2" Dr, Torx Universal Impact Sockets) .....	
3/8" & 1/2" 公制接杆式万向套筒, 六角	
(3/8" & 1/2" "METRIC" Universal Extension Impact Sockets, 6-Point) .....	58-59
气动万向接头(Impact Universal Joints) .....	
60	



气动转接头 (Impact Adapters) .....	61
气动延长杆 (Impact Extension Bars) .....	62-67
1/2" 方头, 双头式气动套筒 (1/2" Dr, Flip Impact Sockets) .....	68
轮胎专用系列, 四角型焊栓专用套筒 (Budd Wheel Impact Sockets, 4-Point) .....	69
3/4" & 1" 四方型及六角型双层气动套筒 (3/4" & 1" Dr, Combination Budd Wheel Impact Sockets) .....	70
3/4" & 1" 汽车方向盘传动轴专用气动套筒, 六角 (3/4" & 1" Dr, Budd Wheel Impact Sockets Control Depth Hex) .....	71
3/8"、1/2" & 3/4" 公制接杆式套筒, 六角 (3/8"、1/2" & 3/4" "METRIC" Extension Impact Sockets, 6-Point) .....	73-75
1" 超长轮胎螺栓专用套筒 (1" Dr, Extra Long Impact Sockets For Wheel Nuts) .....	75-76
3/8"、1/2"、3/4"、1" & 1-1/2" 内六角气动套筒 (3/8"、1/2"、3/4"、1" & 1-1/2" Impact Hex Driver Sockets) .....	77-81
1/4"、3/8" & 1/2" 内星型气动专用套筒 (1/4"、3/8" & 1/2" Dr, Internal Torx <sup>®</sup> Impact Sockets) .....	82-83
3/8" & 1/2" 内十二角气动套筒 (3/8" & 1/2" Dr, Triple Square Bit Impact Sockets) .....	84-85
1/4"、3/8"、1/2" & 3/4" 外星型气动专用套筒 (1/4"、3/8"、1/2" & 3/4" Dr, External Torx <sup>®</sup> Impact Sockets Standard) .....	86-89
1/4"、3/8" & 1/2" 大圆弧专用套筒 (1/4"、3/8" & 1/2" Dr, Surface Drive Impact Sockets) .....	90-97
1/2"、3/4" & 1" 八角气动套筒 (1/2"、3/4" & 1" Dr, Double Square Impact Sockets) .....	98-100
1/2" 轮胎专用磨损螺母拆卸套筒 (1/2" Dr, Impact Sockets Standard Length For Removing Wheel Lug Nuts) .....	101
3/8" & 1/2" 双头螺栓专用气动套筒 (3/8" & 1/2" Dr, Stud Bolt Impact Sockets Standard Length) .....	102
3/8" & 1/2" 圆螺母专用气动套筒 .....	103
液压套筒 (Sleeve Drive Impact) .....	104-106
磁性套筒 (Impact Sockets With Magnetic) .....	107-112
1/2" 方头, 轿车轮毂专用套筒 (1/2" Dr, Wheel Nut Impact Socket) .....	113
转换头 (Impact Adapters) .....	114
手动扳杆 (Sliding "T" Handles and "L" Bars) .....	115
插销 (Locking Pins) .....	116
"O" 型环 (O-Rings) .....	117
1/2" 方头, 扭力接杆及套筒 .....	118-120
3/4" & 1" 外六角转换头 .....	121
轮毂螺栓适用扭力一览表 .....	122-123
公英制换算表 .....	124





Shape A

### 1/4 " 方头，公制标准型气动套筒，六角

### 1/4 " Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point



Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60500040	4	A	13	7.6	4	23
60500045	4.5	A	13	8.2	5	23
60500050	5	A	13	8.8	5	23
60500055	5.5	A	13	9.5	5	23
60500060	6	A	13	10	6	23
60500070	7	A	13	11.3	6	23
60500080	8	A	13	12.5	7	23
60500090	9	B	13	13.8	7	23
60500100	10	B	13	15	7	23
60500110	11	B	13	16.3	8	23
60500120	12	B	13	17	8	23
60500130	13	B	13	18.8	8	23
60500140	14	B	13	20	8	23
60500150	15	B	13	21	8	23

### 1/4 " 方头，英制标准型气动套筒，六角

### 1/4 " Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point




Shape B

Order No.	inch	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60400006	3/16"	A	13	8.5	5	23
60400007	7/32"	A	13	9.5	5	23
60400008	1/4"	A	13	10.3	6	23
60400009	9/32"	A	13	11.3	6	23
60400010	5/16"	A	13	12.5	7	23
60400011	11/32"	B	13	13.8	7	23
60400012	3/8"	B	13	15	7	23
60400014	7/16"	B	13	16.3	8	23
60400016	1/2"	B	13	18.8	8	23
60400018	9/16"	B	13	20	8	23



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





1/4 " 方头，公制加长型气动套筒，六角

1/4 " Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60502040	4	A	13	7.6	4	50
60502045	4.5	A	13	8.2	6	50
60502050	5	A	13	8.8	6	50
60502055	5.5	A	13	9.5	6	50
60502060	6	A	13	10	7	50
60502070	7	A	13	11.3	7	50
60502080	8	A	13	12.5	9	50
60502090	9	B	13	13.8	9	50
60502100	10	B	13	15	9	50
60502110	11	B	13	16.3	9	50
60502120	12	B	13	17	9	50
60502130	13	B	13	18.8	9	50
60502140	14	B	13	20	9	50
60502150	15	B	13	21	9	50



Shape A

1/4 " 方头，英制加长型气动套筒，六角

1/4 " Sq. Dr., "SAE" Deep Length Impact Sockets, 6-Point



Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
60402006	3/16"	A	13	8.5	6	50
60402007	7/32"	A	13	9.5	6	50
60402008	1/4"	A	13	10.3	7	50
60402009	9/32"	A	13	11.3	7	50
60402010	5/16"	A	13	12.5	9	50
60402011	11/32"	B	13	13.8	9	50
60402012	3/8"	B	13	15	9	50
60402014	7/16"	B	13	16.3	9	50
60402016	1/2"	B	13	18.8	9	50
60402018	9/16"	B	13	20	9	50




Shape B



### 3/8" 方头，公制标准型气动套筒，六角

### 3/8" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point




Shape A



Shape B




Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
61110006	6	A	19	10.5	4	30
61110007	7	A	19	11.5	8	30
61110008	8	A	19	12.5	8	30
61110009	9	A	19	14	8	30
61110010	10	A	19	15	8	30
61110011	11	A	19	17	9	30
61110012	12	A	19	17.5	9	30
61110013	13	B	19	19	9	30
61110014	14	B	20	20	9	30
60510015	15	B	22	22	11	30
60510016	16	C	22	24	11	30
60510017	17	C	22	25	11	30
60510018	18	C	22	26	11	30
60510019	19	C	22	27.5	11	30
60510020	20	C	22	28	12	30
60510021	21	C	22	30	13	30
60510022	22	C	23	32	13	30
60510024	24	C	23	34	13	30

### 3/8" 方头，英制标准型气动套筒，六角

### 3/8" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60010008	1/4"	A	19	11	4	30
60010010	5/16"	A	19	12.5	8	30
60010012	3/8"	A	19	14.5	8	30
60010014	7/16"	A	19	17	9	30
60010016	1/2"	B	19	19	9	30
60010018	9/16"	B	20	20	9	30
60010020	5/8"	B	24	24	11	30
60010022	11/16"	B	24	24	11	30
60010024	3/4"	B	26	26	11	30
60010026	13/16"	B	28	28	13	30
60010028	7/8"	B	30	30	13	30
60010030	15/16"	B	32	32	13	30
60010100	1"	B	34	34	13	30



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.






**3/8"**

**3/8" 方头，公制加长型气动套筒，六角**

**3/8" Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point**




Shape A



Shape B




Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
	mm		mm	mm	mm	mm
60512007	7	A	19	12.5	12	65
60512008	8	A	19	13.8	12	65
60512009	9	A	19	15	12	65
60512010	10	A	19	16	12	65
60512011	11	A	19	17.5	25	65
60512012	12	B	19	19	25	65
60512013	13	A	22	20	25	65
60512014	14	A	22	21	25	65
60512015	15	B	22	22	25	65
60512016	16	C	22	24	25	65
60512017	17	C	22	25	25	65
60512018	18	C	22	26	25	65
60512019	19	C	22	27.5	25	65
60512020	20	C	22	28	25	65
60512021	21	C	22	30	25	65
60512022	22	C	23	32	25	65
60512024	24	C	23	34	25	65


**3/8" 方头，公制超薄加长型气动套筒，六角**

**3/8" Sq. Dr., "METRIC" Extra Thin Wall  
Deep Length Impact Sockets, 6-Point**

Order No.	mm	Shape				
			D2	D1	L2	L
	mm		mm	mm	mm	mm
61112007	7	A	19	11.5	12	65
61112008	8	A	19	12.5	12	65
61112009	9	A	19	14	12	65
61112010	10	A	19	15	25	65
61112011	11	A	19	17	25	65
61112012	12	A	19	17.5	25	65
61112013	13	B	19	19	25	65
61112014	14	B	20	20	25	65
61112015	15	A	22	21	25	65
61112016	16	C	22	22.5	25	65
61112017	17	C	22	24	25	65
61112018	18	C	22	25	25	65
61112019	19	C	22	26	25	65
61112020	20	C	22	27	25	65
61112021	21	C	22	28	25	65
61112022	22	C	23	30	25	65

☆Extra thin wall sockets are not covered by the ACTION warranty





Shape A



Shape B

3/8" 方头，英制加长型气动套筒，六角  
3/8" Sq. Dr., "SAE" Deep Length Impact Sockets, 6-Point




Order No.	inch	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60012010	5/16"	A	19	12.5	12	65
60012012	3/8"	A	19	14.5	12	65
60012014	7/16"	A	19	17	25	65
60012016	1/2"	B	19	19	25	65
60012018	9/16"	B	20	20	25	65
60012020	5/8"	B	24	24	25	65
60012022	11/16"	B	24	24	25	65
60012024	3/4"	B	26	26	25	65
60012026	13/16"	B	28	28	25	65
60012028	7/8"	B	30	30	25	65
60012030	15/16"	B	32	32	25	65
60012100	1"	B	34	34	25	65



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





**1/2" 方头，公制标准型气动套筒，六角**

**1/2" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point**



Shape A




Shape B



Shape C

Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60720008	8	A	25	14	9	38
60720009	9	A	25	15	12	38
60720010	10	A	25	16	12	38
60720011	11	A	25	17.5	12	38
60720012	12	A	25	19	12	38
60720013	13	A	25	20	12	38
60720014	14	A	25	22	12	38
60720015	15	A	25	23	12	38
60720016	16	B	25	25	12	38
60720017	17	B	26	26	13	38
60720018	18	B	26	26	13	38
60720019	19	B	28	28	13	38
60520020	20	B	30	30	13	38
60520021	21	B	30	30	13	38
60520022	22	C	30	32	13	38
60520023	23	C	30	32	13	38
60520024	24	C	30	35	20	45
60520025	25	C	30	36	20	45
60520026	26	C	30	38	22	50
60520027	27	C	30	38.7	22	50
60520028	28	C	30	40	22	50
60520029	29	C	30	40	22	50
60520030	30	C	30	42	22	50
60520031	31	C	30	43	28	50
60520032	32	C	30	44	28	50
60520033	33	C	30	45	28	50
60520035	35	C	30	47	28	50
60520036	36	C	30	49	28	50





1/2" 方头, 公制标准型气动套筒, 十二角  
1/2" Sq. Dr., "METRIC" Standard Length Impact Sockets, 12-Point




Shape A



Shape B




Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63825008	8	A	24	15	9	38
63825009	9	A	24	15	12	38
63825010	10	A	24	17	12	38
63825011	11	A	24	18	12	38
63825012	12	A	24	19	12	38
63825013	13	A	24	20	12	38
63825014	14	A	24	22	12	38
63825015	15	B	24	24	12	38
63825016	16	B	24	24	12	38
63825017	17	B	26	26	13	38
63825018	18	B	26	26	13	38
63825019	19	B	28	28	13	38
63825020	20	B	30	30	13	38
63825021	21	B	30	30	13	38
63825022	22	B	32	32	13	38
63825023	23	B	32	32	13	38
63825024	24	B	34	34	19	45
63825025	25	B	36	36	19	45
63825026	26	B	36	36	20	50
63825027	27	B	38	38	20	50
63825028	28	C	38	40	20	50
63825029	29	C	38	40	20	50
63825030	30	C	38	42	20	50
63825032	32	C	38	44	20	50
63825033	33	C	38	45	25	50
63825036	36	C	38	48	25	50



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





1/2" 方头, 公制超薄标准型气动套筒, 六角  
1/2" Sq. Dr., "METRIC" Extra Thin Wall  
Standard Length Impact Sockets, 6-Point




Shape A



Shape B




Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
61120008	8	A	22	14	9	38
61120009	9	A	22	14.5	12	38
61120010	10	A	22	15.5	12	38
61120011	11	A	22	16.7	12	38
61120012	12	A	22	18	12	38
61120013	13	A	24	19.2	12	38
61120014	14	A	24	21	12	38
61120015	15	A	24	21.7	12	38
61120016	16	A	24	23	12	38
61120017	17	B	24	24	13	38
61120018	18	B	25	25	13	38
61120019	19	B	26	26	13	38
61120020	20	B	27.5	27.5	13	38
61120021	21	B	28	28	13	38
61120022	22	B	29.5	29.5	13	38
61120023	23	B	30.5	30.5	13	38
61120024	24	B	32	32	20	45
61120025	25	B	33	33	20	45
61120026	26	B	35	35	22	50
61120027	27	B	36	36	22	50
61120028	28	B	37.5	37.5	22	50
61120029	29	C	38	38.5	22	50
61120030	30	C	38	40	22	50
61120031	31	C	38	41	22	50
61120032	32	C	38	42	22	50

☆Extra thin wall sockets are not covered by the ACTION warranty





**1/2" 方头，公制加长型气动套筒，六角**

**1/2" Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point**



Shape A



Shape B




Shape C

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60522008	8	A	25	15	13	78
60522009	9	A	25	16	14	78
60522010	10	A	25	17.5	14	78
60522011	11	A	25	18.7	14	78
60522012	12	A	25	20	14	78
60522013	13	A	25	21	14	78
60522014	14	A	25	22.5	24	78
60522015	15	A	30	23.7	24	78
60522016	16	A	30	25	24	78
60522017	17	A	30	26	24	78
60522018	18	A	30	27.5	24	78
60522019	19	A	30	28.7	24	78
60522020	20	B	30	30	24	78
60522021	21	B	30	30	24	78
60522022	22	C	30	32	24	78
60522023	23	C	30	32	24	78
60522024	24	C	30	35	24	78
60522025	25	C	30	36	24	78
60522026	26	C	30	38	24	78
60522027	27	C	30	38.7	24	78
60522028	28	C	30	40	24	78
60522029	29	C	30	40	24	78
60522030	30	C	30	42	24	78
60522031	31	C	30	43	24	78
60522032	32	C	30	44	24	78
60522033	33	C	30	45	35	78
60522034	34	C	30	46	36	78
60522035	35	C	30	47	37	78
60522036	36	C	30	49	38	78



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





Shape A



Shape B



Shape C


1/2" 方头，公制半加长型气动套筒，六角

1/2" Sq. Dr., "METRIC" Semi-Deep Impact Sockets, 6-Point



Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60721010	10	A	26	16	14	52
60721011	11	A	26	17.5	14	52
60721012	12	A	26	19	14	52
60721013	13	A	26	20	14	52
60721014	14	A	26	22	17	52
60721016	16	B	26	26	17	52
60721017	17	B	26	26	17	52
60721018	18	B	26	26	17	52
60721019	19	B	28	28	19	52
60721021	21	C	28	30	24	52
60721022	22	C	28	32	24	52
60721023	23	C	28	32	24	52
60721024	24	C	28	34	24	52





1/2" 方头，公制超薄加长型气动套筒，六角  
1/2" Sq. Dr., "METRIC" Extra Thin Wall  
Deep Length Impact Sockets, 6-Point



Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
61122008	8	A	22	14	13	78
61122009	9	A	22	14.5	14	78
61122010	10	A	22	15.5	14	78
61122011	11	A	22	16.7	14	78
61122012	12	A	22	18	14	78
61122013	13	A	24	19.2	14	78
61122014	14	A	24	21	17	78
61122015	15	A	24	21.7	17	78
61122016	16	A	24	23	17	78
61122017	17	B	24	24	17	78
61122018	18	B	25	25	17	78
61122019	19	B	26	26	19	78
61122020	20	B	27.5	27.5	19	78
61122021	21	B	28	28	24	78
61122022	22	B	29.5	29.5	24	78
61122023	23	B	30.5	30.5	24	78
61122024	24	B	32	32	24	78
61122025	25	B	33	33	24	78
61122026	26	B	35	35	24	78
61122027	27	B	36	36	24	78
61122028	28	B	37.5	37.5	24	78
61122029	29	C	38	38.5	54	78
61122030	30	C	38	40	54	78
61122031	31	C	38	41	54	78
61122032	32	C	38	42	54	78



Shape A



Shape B




Shape C

☆Extra thin wall sockets are not covered by the ACTION warranty



**1/2" 方头，公制薄壁超长型冲击套筒，六角**  
**1/2" Sq. Dr., " METRIC " Thin Wall Extra Long**  
**Impact Sockets, 6-Point**



Shape A



Shape B




Shape C

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm	
60124008	8	A	24	15	13	127	
60124009	9	A	24	15	14	127	
60124010	10	A	24	17	14	127	
60124011	11	A	24	18	14	127	
60124012	12	A	24	19	14	127	
60124013	13	A	24	20	14	127	
60124014	14	A	24	22	24	127	
60124015	15	B	24	24	24	127	
60124016	16	B	24	24	24	127	
60124017	17	B	26	26	24	127	
60124018	18	B	26	26	24	127	
60124019	19	B	28	28	24	127	
60124020	20	B	30	30	24	127	
60124021	21	B	30	30	24	127	
60124022	22	B	32	32	24	127	
60124023	23	B	34	32	24	127	★
60124024	24	B	36	34	24	127	
60124025	25	B	36	36	24	127	★
60124026	26	B	38	36	24	127	★
60124027	27	B	38	38	24	127	
60124028	28	C	38	40	24	127	★
60124029	29	C	38	40	24	127	★
60124030	30	C	38	42	24	127	
60124032	32	C	38	44	24	127	
60124033	33	C	38	45	24	127	★
60124034	34	C	38	46	24	127	★
60124035	35	C	38	48.5	24	127	
60124036	36	C	38	48.5	24	127	★

“★” 交货期待定





Shape A



Shape B



Shape C

1/2" 方头，英制标准型气动套筒，六角

1/2" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point




Order No.	inch	Shape	D2	D1	L2	L	
			mm	mm	mm	mm	
60020010	5/16"	A	22	15	9	38	★
60020012	3/8"	A	22	16	12	38	★
60020014	7/16"	A	22	18	12	38	★
60020016	1/2"	A	22	20	12	38	★
60020018	9/16"	A	24	22	12	38	
60020020	5/8"	B	25	25	12	38	★
60020022	11/16"	B	26	26	13	38	★
60020024	3/4"	B	28	28	13	38	★
60020026	13/16"	B	30	30	13	38	
60020028	7/8"	B	32	32	13	38	★
60020030	15/16"	B	34	34	13	38	★
60020100	1"	B	36	36	14	38	★
60020102	1-1/16"	B	38	38	16	40	★
60020104	1-1/8"	C	38	40	16	40	
60020106	1-3/16"	C	38	42	16	40	★
60020108	1-1/4"	C	38	44	18	40	★
60020110	1-5/16"	C	38	45	21	43	
60020112	1-3/8"	C	38	48.5	26	50	
60020114	1-7/16"	C	38	50.5	26	50	
60020116	1-1/2"	C	38	52.5	26	50	

“★” 交货期待定



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A




Shape B




Shape C

**1/2" 方头，英制标准型气动套筒，十二角**  
**1/2" Sq. Dr., "SAE" Standard Length Impact Sockets, 12-Point**

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63820010	5/16"	A	24	15	9	38
63820012	3/8"	A	24	16	12	38
63820014	7/16"	A	24	18	12	38
63820016	1/2"	A	24	20	12	38
63820018	9/16"	A	24	22	12	38
63820020	5/8"	B	24	24	12	38
63820022	11/16"	B	26	26	13	38
63820024	3/4"	B	28	28	13	38
63820026	13/16"	B	30	30	13	38
63820028	7/8"	B	32	32	13	38
63820030	15/16"	B	34	34	19	45
63820100	1"	B	36	36	19	45
63820102	1-1/16"	B	38	38	20	50
63820104	1-1/8"	C	38	40	20	50
63820106	1-3/16"	C	38	42	20	50
63820108	1-1/4"	C	38	44	20	50
63820110	1-5/16"	C	38	45	25	50
63820112	1-3/8"	C	38	47	25	50
63820114	1-7/16"	C	38	48.5	25	50
63820116	1-1/2"	C	38	50.5	25	50





Shape A



Shape B



Shape C

1/2" 方头, 英制超薄标准型气动套筒, 六角  
1/2" Sq. Dr., "SAE" Extra Thin Wall  
Standard Length Impact Sockets, 6-Point




Order No.	inch	Shape	D2	D1	L2	L	
			mm	mm	mm	mm	
61020010	5/16"	A	22	14	9	38	★
61020012	3/8"	A	22	15	12	38	★
61020014	7/16"	A	22	17	12	38	★
61020016	1/2"	A	22	18.7	12	38	★
61020018	9/16"	A	24	21	12	38	★
61020020	5/8"	A	24	23	12	38	★
61020022	11/16"	A	26	24.5	13	38	★
61020024	3/4"	B	26	26	13	38	★
61020026	13/16"	B	28	28	13	38	★
61020028	7/8"	B	30	30	13	38	★
61020030	15/16"	B	32	32	20	45	★
61020100	1"	B	34	34	22	50	★
61020102	1-1/16"	B	36	36	22	50	★
61020104	1-1/8"	B	38	38	22	50	★
61020106	1-3/16"	C	38	40	22	50	★
61020108	1-1/4"	C	38	42	22	50	★

“★” 交货期待定

☆Extra thin wall sockets are not covered by the ACTION warranty



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B



Shape C


**1/2" 方头，英制加长型气动套筒，六角**

**1/2" Sq. Dr., "SAE" Deep Length Impact Sockets, 6-Point**



Order No.	inch	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60022010	5/16"	A	22	15	13	78
60022012	3/8"	A	22	16	14	78
60022014	7/16"	A	22	18	14	78
60022016	1/2"	A	22	20	14	78
60022018	9/16"	A	24	22	17	78
60022020	5/8"	B	24	24	17	78
60022022	11/16"	B	26	26	17	78
60022024	3/4"	B	28	28	19	78
60022026	13/16"	B	30	30	24	78
60022028	7/8"	B	32	32	24	78
60022030	15/16"	B	34	34	24	78
60022100	1"	B	36	36	24	78
60022102	1-1/16"	B	38	38	24	78
60022104	1-1/8"	C	38	40	54	78
60022106	1-3/16"	C	38	42	54	78
60022108	1-1/4"	C	38	44	54	78
60022110	1-5/16"	C	38	45	54	78
60022112	1-3/8"	C	38	48.5	54	78
60022114	1-7/16"	C	38	50.5	54	78
60022116	1-1/2"	C	38	52.5	54	78





Shape A




Shape B



Shape C

**1/2" 方头，英制超薄加长型气动套筒，六角**  
**1/2" Sq. Dr., "SAE" Extra Thin Wall**  
**Deep Length Impact Sockets, 6-Point**


Order No.	inch	Shape					
			D2	D1	L2	L	
			mm	mm	mm	mm	
61022010	5/16"	A	22	14	13	78	★
61022012	3/8"	A	22	15	14	78	★
61022014	7/16"	A	22	17	14	78	★
61022016	1/2"	A	22	18.7	14	78	★
61022018	9/16"	A	24	21	17	78	
61022020	5/8"	A	24	23	17	78	★
61022022	11/16"	A	26	24.5	17	78	
61022024	3/4"	B	26	26	19	78	
61022026	13/16"	B	28	28	24	78	
61022028	7/8"	B	30	30	24	78	
61022030	15/16"	B	32	32	24	78	★
61022100	1"	B	34	34	24	78	★
61022102	1-1/16"	B	36	36	24	78	
61022104	1-1/8"	B	38	38	24	78	★
61022106	1-3/16"	C	38	40	54	78	★
61022108	1-1/4"	C	38	42	54	78	★

“★” 交货期待定

☆ Extra thin wall sockets are not covered by the ACTION warranty



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B



Shape C

1/2" 方头，英制薄壁超长型气动套筒，六角  
1/2" Sq. Dr., "SAE" Thin Wall Extra Long  
Impact Sockets, 6-Point




Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
60024010	5/16	A	24	15	13	127
60024012	3/8	A	24	16	14	127
60024014	7/16	A	24	18	14	127
60024016	1/2	A	24	20	14	127
60024018	9/16	A	24	22	24	127
60024020	5/8	B	24	24	24	127
60024022	11/16	B	26	26	24	127
60024024	3/4	B	28	28	24	127
60024026	13/16	B	30	30	24	127
60024028	7/8	B	32	32	24	127
60024030	15/16	B	34	34	24	127
60024100	1"	B	36	36	24	127
60024102	1-1/16	B	38	38	24	127
60024104	1-1/8	C	38	40	24	127
60024106	1-3/16	C	38	42	24	127
60024108	1-1/4	C	38	44	24	127
60024110	1-5/16	C	38	46	24	127
60024112	1-3/8	C	38	48.5	24	127
60024114	1-7/16	C	38	50.5	24	127
60024116	1-1/2	C	38	52.5	24	127



# 3/4" 方头，公制标准型气动套筒，六角

## 3/4" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point




Shape A



Shape B




Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60140013	13	A	38	22	12	50
60140014	14	A	38	25.5	12	50
60140015	15	A	38	26	12	50
60140016	16	A	38	27.5	12	50
60140017	17	A	38	28.5	12	50
60140018	18	A	38	29.5	12	50
60140019	19	A	38	30	14	50
60140020	20	A	38	31	16	52
60140021	21	A	38	32	16	52
60140022	22	A	38	34	16	52
60140023	23	A	38	35	16	52
60140024	24	A	38	36	16	52
60140025	25	B	38	38	16	52
60140026	26	C	38	40	16	52
60140027	27	C	38	40	16	52
60140028	28	B	42	42	20	52
60140029	29	B	42	42	20	52
60140030	30	B	44	44	20	52
60140031	31	B	44	44	20	52
60140032	32	B	44	44	20	52
60140033	33	C	44	47	23	56
60140034	34	C	44	48	23	56
60140035	35	C	44	50	23	56
60140036	36	C	44	51	23	56
60140037	37	C	44	51	23	56
60140038	38	C	44	53	23	56
60140039	39	C	44	56	27	62
60140040	40	C	44	56	27	62
60140041	41	C	44	58	27	62
60140042	42	C	44	61	27	62
60540043	43	C	44	63	27	63
60540044	44	C	44	65	27	63
60540045	45	C	44	66	27	63
60540046	46	C	44	67	27	63
60540047	47	C	44	68	32	68
60540048	48	C	44	69	32	68
60540049	49	C	44	70	34	70
60540050	50	C	54	71	35	72
60540052	52	C	54	74	35	72
60540054	54	C	54	77	35	72
60540055	55	C	54	77	35	74
60540056	56	C	54	80	35	74
60540060	60	C	54	84	35	75
60540063	63	C	54	86	35	75
60540065	65	C	54	88	38	78
60540067	67	C	54	90	40	80



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**3/4 " 方头，公制重工业级标准型气动套筒，六角**  
**3/4 " Sq. Dr., "METRIC" Heavy Duty Type**  
**Standard Length Impact Sockets, 6-Point**



Shape A



Shape B




Shape C

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60540013	13	A	44	25	12	50
60540014	14	A	44	25	12	50
60540015	15	A	44	26	12	50
60540016	16	A	44	27	12	50
60540017	17	A	44	31	12	50
60540018	18	A	44	32	12	50
60540019	19	A	44	33	14	50
60540020	20	A	44	34	16	50
60540021	21	A	44	35	16	50
60540022	22	A	44	37	16	50
60540023	23	A	44	38	16	50
60540024	24	A	44	39	16	50
60540025	25	A	44	40	16	50
60540026	26	A	44	41	16	50
60540027	27	A	44	43	16	54
60540028	28	B	44	44	23	54
60540029	29	C	44	45	23	54
60540030	30	C	44	47	23	54
60540031	31	C	44	48	23	56
60540032	32	C	44	49	23	56
60540033	33	C	44	51	23	56
60540034	34	C	44	52	23	56
60540035	35	C	44	53	23	56
60540036	36	C	44	54	23	56
60540037	37	C	44	56	24	58
60540038	38	C	44	57	24	58
60540039	39	C	44	58	24	58
60540040	40	C	44	58	24	58
60540041	41	C	44	60	24	58
60540042	42	C	44	62	24	58



**3/4" 方头，公制标准型气动套筒，十二角**

**3/4" Sq. Dr., "METRIC" Standard Length Impact Sockets, 12-Point**



Shape A



Shape B




Shape C

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
63845013	13	A	38	23	12	50
63845014	14	A	38	24	12	50
63845015	15	A	38	26	12	50
63845016	16	A	38	27	12	50
63845017	17	A	38	28	12	50
63845018	18	A	38	29	12	50
63845019	19	A	38	30	14	50
63845020	20	A	38	31	16	52
63845021	21	A	38	32	16	52
63845022	22	A	38	34	16	52
63845023	23	A	38	35	16	52
63845024	24	A	38	36	18	52
63845025	25	B	38	38	18	52
63845026	26	C	38	40	23	52
63845027	27	C	38	40	23	52
63845028	28	C	38	42	23	52
63845029	29	C	38	43	23	52
63845030	30	C	38	43	23	52
63845031	31	C	38	44	24	56
63845032	32	C	38	45	24	56
63845033	33	C	38	46	24	56
63845034	34	C	38	48	24	56
63845035	35	C	38	50	24	56
63845036	36	C	38	51	24	56
63845037	37	C	38	52	24	56
63845038	38	C	38	53	24	56
63845039	39	C	38	55	28	62
63845040	40	C	38	56	28	62
63845041	41	C	38	58	28	62
63845042	42	C	38	61	28	62
63845043	43	C	38	63	28	62
63845044	44	C	38	65	28	63
63845046	46	C	38	67	33	68
63845048	48	C	38	69	34	68
63845050	50	C	38	71	34	70
63845054	54	C	54	77	35	72
63845055	55	C	54	77	35	74
63845056	56	C	54	77	35	74
63845060	60	C	54	84	35	75
63845063	63	C	54	86	37	78
63845065	65	C	54	88	38	78
63845067	67	C	54	90	40	80



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A




Shape B



Shape C


**3/4"方头, 公制半加长型气动套筒, 六角**  
**3/4"Sq. Dr., "METRIC" Semi-Deep Impact Sockets, 6-Point**

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60740014	14	A	38	22	19	60
60740017	17	A	38	24.5	19	60
60740019	19	A	38	27	19	60
60740020	20	A	38	28.5	19	60
60740021	21	A	38	29.5	19	60
60740022	22	A	38	30.5	19	60
60740023	23	A	38	31.5	19	60
60740024	24	A	38	33	19	60
60740026	26	B	38	38	20	60
60740027	27	C	38	39	29	60
60741026	26	B	38	38	20	85
60741027	27	C	38	39	52	85
60741029	29	C	38	42	52	85
60741030	30	C	38	43	52	85
60741032	32	C	38	44	52	85
60741035	35	C	38	50	52	85



### 3/4"方头, 公制加长型气动套筒, 六角

### 3/4" Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point



Shape A



Shape B




Shape C

Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60542013	13	A	44	25	20	95
60542014	14	A	44	25	20	95
60542015	15	A	44	26	20	95
60542016	16	A	44	27	20	95
60542017	17	A	44	31	20	95
60542018	18	A	44	32	20	95
60542019	19	A	44	33	23	95
60542020	20	A	44	34	23	95
60542021	21	A	44	35	23	95
60542022	22	A	44	37	23	95
60542023	23	A	44	38	23	95
60542024	24	A	44	39	51	95
60542025	25	A	44	40	51	95
60542026	26	A	44	41	51	95
60542027	27	A	44	43	62	95
60542028	28	B	44	44	62	95
60542029	29	C	44	45	62	95
60542030	30	C	44	47	62	95
60542031	31	C	44	48	62	95
60542032	32	C	44	49	62	95
60542033	33	C	44	51	62	95
60542034	34	C	44	52	62	95
60542035	35	C	44	53	62	95
60542036	36	C	44	54	62	95
60542037	37	C	44	56	62	95
60542038	38	C	44	57	60	95
60542039	39	C	44	58	60	95
60542040	40	C	44	58	60	95
60542041	41	C	44	60	60	95
60542042	42	C	44	62	60	95
60542043	43	C	44	63	60	95
60542044	44	C	44	65	60	95
60542046	46	C	44	67	58	95
60542047	47	C	44	68	58	95
60542048	48	C	44	69	58	95
60542049	49	C	44	70	58	95
60542050	50	C	54	71	58	95
60542052	52	C	54	74	58	95
60542055	55	C	54	77	58	100
60542060	60	C	54	84	58	105
60542065	65	C	54	88	58	105



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**3/4"方头, 公制超薄加长型气动套筒, 六角**  
**3/4" Sq. Dr., "METRIC" Thin Wall**  
**Deep Length Impact Sockets, 6-Point**



Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
61141017	17	A	44	25.5	17	95
61141019	19	A	44	28.5	17	95
61141022	22	A	44	33.5	23	95
61141024	24	A	44	36.5	40	95
61141027	27	A	44	40.5	62	95
61141030	30	A	44	43.5	62	95
61141032	32	B	44	46.5	62	95
61141033	33	B	44	47.5	62	95
61141035	35	B	44	51	62	95
61141036	36	B	44	52	62	95
61141038	38	B	44	54	62	95
61141041	41	B	44	57	60	95



Shape A

**3/4"方头, 英制超薄加长型气动套筒, 六角**  
**3/4" Sq. Dr., "SAE" Thin Wall**  
**Deep Impact Sockets, 6-Point**




Order No.	inch	Shape	D2	D1	L2	L
			mm	mm	mm	mm
61041108	1-1/4"	B	44	46.5	62	95
61041110	1-5/16"	B	44	47.5	62	95
61041112	1-3/8"	B	44	51	62	95
61041116	1-1/2"	B	44	54	62	95
61041120	1-5/8"	B	44	57	60	95



Shape B

☆Thin wall sockets are not covered by the ACTION warranty





Shape A



Shape B



Shape C

### 3/4" 方头，英制标准型气动套筒，六角

### 3/4" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point




Order No.	inch	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60040016	1/2"	A	38	22	12	50
60040018	9/16"	A	38	25.5	12	50
60040020	5/8"	A	38	27.5	12	50
60040022	11/16"	A	38	29	12	50
60040024	3/4"	A	38	30	14	50
60040026	13/16"	A	38	32	16	52
60040028	7/8"	A	38	34	16	52
60040030	15/16"	A	38	36	16	52
60040100	1"	C	38	40	16	52
60040102	1-1/16"	C	38	40	16	52
60040104	1-1/8"	B	42	42	20	52
60040106	1-3/16"	B	44	44	20	52
60040108	1-1/4"	B	44	44	20	52
60040110	1-5/16"	C	44	47	23	56
60040112	1-3/8"	C	44	50	23	56
60040114	1-7/16"	C	44	51	23	56
60040116	1-1/2"	C	44	53	23	56
60040118	1-9/16"	C	44	56	27	62
60040120	1-5/8"	C	44	58	27	62
60040122	1-11/16"	C	44	63.5	27	62
60040124	1-3/4"	C	44	65	27	62
60040126	1-13/16"	C	44	67	32	68
60040128	1-7/8"	C	44	68	32	68
60040130	1-15/16"	C	44	70	34	70
60040200	2"	C	54	71	35	72
60040202	2-1/16"	C	54	74	35	72
60040204	2-1/8"	C	54	77	35	72
60040206	2-3/16"	C	54	77	35	74
60040208	2-1/4"	C	54	80	35	74
60040210	2-5/16"	C	54	82	35	75
60040212	2-3/8"	C	54	84	35	75
60040214	2-7/16"	C	54	85	35	75
60040216	2-1/2"	C	54	86	35	75



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

### 3/4"方头, 英制加长型气动套筒, 六角

### 3/4" Sq. Dr., "SAE" Deep Length Impact Sockets, 6-Point




Shape A




Shape B



Shape C

Order No.	inch	Shape				
			D2 mm	D1 mm	L2 mm	L mm
60042016	1/2"	A	38	22	20	85
60042018	9/16"	A	38	25.5	20	85
60042020	5/8"	A	38	27.5	20	85
60042022	11/16"	A	38	29	20	85
60042024	3/4"	A	38	30	23	85
60042026	13/16"	A	38	32	23	85
60042028	7/8"	A	38	34	23	85
60042030	15/16"	A	38	36	41	85
60042100	1"	C	38	40	41	85
60042102	1-1/16"	C	38	40	52	85
60042104	1-1/8"	B	42	42	52	85
60042106	1-3/16"	B	44	44	52	85
60042108	1-1/4"	C	44	49	52	85
60042110	1-5/16"	C	44	50	52	85
60042112	1-3/8"	C	44	50	52	85
60042114	1-7/16"	C	44	51	52	85
60043116	1-1/2"	C	44	57	60	95
60043118	1-9/16"	C	44	58	60	95
60043120	1-5/8"	C	44	60	60	95
60043122	1-11/16"	C	44	63	60	95
60043124	1-3/4"	C	44	65	60	95
60043126	1-13/16"	C	44	67	58	95
60043128	1-7/8"	C	44	68	58	95
60043130	1-15/16"	C	44	70	58	95
60043200	2"	C	54	71	58	95
60042202	2-1/16"	C	54	74	58	95
60042204	2-1/8"	C	54	77	58	95
60042206	2-3/16"	C	54	77	58	100
60042208	2-1/4"	C	54	80	58	100
60042210	2-5/16"	C	54	82	58	100
60042212	2-3/8"	C	54	84	58	105
60042214	2-7/16"	C	54	85	58	105
60042216	2-1/2"	C	54	86	58	105





### 1"方头, 公制标准型气动套筒, 六角

### 1" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point




Shape A



Shape B




Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60150017	17	A	51	34	17	58
60150018	18	A	51	35	17	58
60150019	19	A	51	36	17	58
60150020	20	A	51	37	17	58
60150021	21	A	51	38	17	58
60150022	22	A	51	39	17	58
60150023	23	A	51	40	17	58
60150024	24	A	51	40	17	58
60150025	25	A	51	41	17	58
60150026	26	A	51	42.5	17	58
60150027	27	A	51	44	17	58
60150028	28	A	51	45	17	58
60150029	29	A	51	46	19	60
60150030	30	A	51	48	21	60
60150031	31	A	51	48	21	60
60150032	32	B	51	51	21	60
60150033	33	C	52	53	21	62
60150034	34	C	52	54	21	62
60150035	35	C	52	54	21	62
60150036	36	C	52	56	26	62
60150037	37	C	52	57	26	62
60150038	38	C	52	58	26	62
60150039	39	C	52	59	26	62
60150040	40	C	52	60	26	62

To be continued



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



### 1"方头, 公制标准型气动套筒, 六角


### 1" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point



Shape C

Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60150041	41	C	52	61.5	26	62
60150042	42	C	52	63	27	64
60150043	43	C	52	65	27	64
60150044	44	C	52	65	27	64
60150045	45	C	58	66	27	64
60150046	46	C	58	68	27	64
60150047	47	C	58	69	28	66
60150048	48	C	58	70	30	68
60150050	50	C	58	73	30	70
60150051	51	C	58	74	31	70
60150052	52	C	58	75	31	70
60150053	53	C	58	75	31	70
60150054	54	C	58	78	31	70
60150055	55	C	62	79	32	72
60150056	56	C	62	80	34	74
60150057	57	C	62	84	35	75
60150058	58	C	62	85	35	75
60150060	60	C	62	87	35	78
60150063	63	C	62	91	36	80
60150065	65	C	62	93	36	80
60150067	67	C	62	95	38	82
60150070	70	C	62	98	40	85
60150071	71	C	62	100	40	87
60550075	75	C	86	104	52	98
60550080	80	C	86	109	52	100
60550085	85	C	86	115	52	100
60550090	90	C	86	125	55	105
60550095	95	C	86	130	55	105
60550100	100	C	95	137	55	105
60550105	105	C	95	143	55	105
60550110	110	C	95	147	55	105
60550115	115	C	95	152	55	105





Shape A



Shape B


**1"方头, 公制重工等级标准型气动套筒, 六角**  
**1"Sq.Dr., "METRIC" Heavy Duty Type Standard Length Impact Sockets, 6-Point**



			D2	D1	L2	L
Order No.	mm	Shape	mm	mm	mm	mm
60550017	17	A	54	34	17	58
60550018	18	A	54	34.5	17	58
60550019	19	A	54	35.5	17	58
60550020	20	A	54	36.5	17	58
60550021	21	A	54	37.5	17	58
60550022	22	A	54	40	17	58
60550023	23	A	54	41	17	58
60550024	24	A	54	42	17	58
60550025	25	A	54	43	17	58
60550026	26	A	54	44.5	17	58
60550027	27	A	54	46	17	58
60550028	28	A	54	47	17	58
60550029	29	A	54	48	19	60
60550030	30	A	54	50	21	60
60550031	31	A	54	51	21	60
60550032	32	A	54	52	21	60
60550033	33	A	54	53	21	60
60550034	34	B	54	55	21	62
60550035	35	B	54	55	21	62
60550036	36	B	54	56	30	65
60550037	37	B	54	59	30	65
60550038	38	B	54	59	30	65
60550039	39	B	54	60	31	67
60550040	40	B	54	62	31	67
60550041	41	B	54	63	31	67
60550042	42	B	54	64	36	74
60550043	43	B	54	66	36	74
60550044	44	B	54	67	36	74
60550045	45	B	54	68	36	74
60550046	46	B	54	69	36	74
60550047	47	B	54	72	36	74
60550048	48	B	54	73	36	74
60550050	50	B	54	74	42	80
60550051	51	B	54	76	42	80
60550052	52	B	54	77	44	84
60550053	53	B	54	78	44	84
60550054	54	B	54	79	44	84
60550055	55	B	54	80	44	84
60550056	56	B	54	81	44	84
60550057	57	B	54	82	44	84
60550058	58	B	54	84	44	87
60550060	60	B	54	86	44	87
60550062	62	B	54	88	44	87
60550063	63	B	54	90	44	87
60550065	65	B	54	92	46	90
60550067	67	B	54	95	48	92
60550070	70	B	54	99	51	96
60550075	75	B	86	104	52	98



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B



Shape C

1"方头, 公制半加长型气动套筒, 六角

1" Sq. Dr., "METRIC" Semi-Deep Impact Sockets, 6-Point




Order No.	mm	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60751027	27	A	51	42	23	80
60751030	30	A	51	46	30	80
60751032	32	A	52	48	30	80
60751033	33	B	52	52	30	80
60751035	35	B	52	52	30	80
60751036	36	C	52	54	45	80
60751038	38	C	52	56	45	80
60751041	41	C	52	58	25	80



# 1"方头, 公制加长型气动套筒, 六角


## 1" Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point



Shape A




Shape B

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60552017	17	A	54	34	21	100
60552018	18	A	54	34.5	21	100
60552019	19	A	54	35.5	21	100
60552020	20	A	54	36.5	21	100
60552021	21	A	54	37.5	21	100
60552022	22	A	54	40	21	100
60552023	23	A	54	41	21	100
60552024	24	A	54	42	21	100
60552025	25	A	54	43	21	100
60552026	26	A	54	44.5	21	100
60552027	27	A	54	46	23	100
60552028	28	A	54	47	23	100
60552029	29	A	54	48	50	100
60552030	30	A	54	50	50	100
60552031	31	A	54	51	50	100
60552032	32	A	54	52	50	100
60552033	33	A	54	53	50	100
60552034	34	B	54	55	50	100
60552035	35	B	54	55	50	100
60552036	36	B	54	56	64	100
60552037	37	B	54	59	64	100
60552038	38	B	54	59	64	100
60552039	39	B	54	60	64	100
60552040	40	B	54	62	64	100
60552041	41	B	54	63	64	100
60552042	42	B	54	64	64	100
60552043	43	B	54	66	64	100
60552044	44	B	54	67	62	100
60552045	45	B	54	68	62	100
60552046	46	B	54	69	62	100
60552047	47	B	54	72	62	100
60552048	48	B	54	73	62	100
60552050	50	B	54	74	62	100

To be continued



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1"方头, 公制加长型气动套筒, 六角

1" Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point




Shape B

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60552051	51	B	54	76	60	100
60552052	52	B	54	77	60	100
60552053	53	B	54	78	60	100
60552054	54	B	54	79	60	100
60552055	55	B	54	80	60	100
60552056	56	B	54	81	65	105
60552057	57	B	54	82	65	105
60552058	58	B	54	84	65	105
60552060	60	B	54	86	77	120
60552062	62	B	54	88	77	120
60552063	63	B	54	90	77	120
60552065	65	B	54	92	80	125
60552067	67	B	54	95	80	125
60552070	70	B	54	99	80	125
60552075	75	B	86	104	87	135
60552080	80	B	86	109	87	135
60552085	85	B	86	115	90	140
60552090	90	B	86	125	90	140
60552095	95	B	86	130	90	140
60552100	100	B	95	137	90	140
60552105	105	B	95	143	100	155
60552110	110	B	95	147	100	155
60552115	115	B	95	152	100	155



# 1"方头, 英制标准型气动套筒, 六角

## 1" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point



Shape A



Shape B



Shape C

Order No.	inch	Shape	D2	D1	L2	L
			mm	mm	mm	mm
60050020	5/8"	A	51	32	17	58
60050022	11/16"	A	51	34	17	58
60050024	3/4"	A	51	36	17	58
60050026	13/16"	A	51	38	17	58
60050028	7/8"	A	51	39	17	58
60050030	15/16"	A	51	40	17	58
60050100	1"	A	51	42	17	58
60050102	1-1/16"	A	51	44	17	58
60050104	1-1/8"	A	51	46	19	58
60050106	1-3/16"	A	51	48	21	60
60050108	1-1/4"	B	51	51	21	60
60050110	1-5/16"	C	52	53	21	62
60050112	1-3/8"	C	52	54	21	62
60050114	1-7/16"	C	52	56	26	62
60050116	1-1/2"	C	52	58	26	62
60050118	1-9/16"	C	52	60	26	62
60050120	1-5/8"	C	52	61.5	26	62
60050122	1-11/16"	C	52	65	27	64
60050124	1-3/4"	C	58	66	27	64
60050126	1-13/16"	C	58	68	27	64
60050128	1-7/8"	C	58	70	28	66
60050130	1-15/16"	C	58	72	28	68
60050200	2"	C	58	74	31	70
60050202	2-1/16"	C	58	75	31	70
60050204	2-1/8"	C	58	78	31	70
60050206	2-3/16"	C	62	80	32	72
60050208	2-1/4"	C	62	84	34	75
60050210	2-5/16"	C	62	86	34	75
60050212	2-3/8"	C	62	87	35	78
60050214	2-7/16"	C	62	89	35	78
60050216	2-1/2"	C	62	91	36	80
60050218	2-9/16"	C	62	93	36	80
60050220	2-5/8"	C	62	95	38	82
60050222	2-11/16"	C	62	97	38	82
60050224	2-3/4"	C	62	98	40	85
60050226	2-13/16"	C	62	100	40	87
60050228	2-7/8"	C	62	102	41	87
60050230	2-15/16"	C	86	104	48	95
60050300	3"	C	86	106	52	98
60050304	3-1/8"	C	86	109	52	100
60050308	3-1/4"	C	86	113	52	100
60050312	3-3/8"	C	86	115	52	100
60050316	3-1/2"	C	86	125	52	105
60050320	3-5/8"	C	86	127	52	105
60050324	3-3/4"	C	86	130	52	105
60050328	3-7/8"	C	95	136	52	105
60050400	4"	C	95	140	52	105
60050404	4-1/8"	C	95	143	52	105
60050408	4-1/4"	C	95	146	52	105
60050416	4-1/2"	C	95	152	52	105




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



# 1"方头, 英制加长型气动套筒, 六角

## 1" Sq. Dr., "SAE" Deep Length Impact Sockets, 6-Point




Shape A



Shape B




Shape C

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60052020	5/8"	A	51	32	21	90
60052022	11/16"	A	51	34	21	90
60052024	3/4"	A	51	36	21	90
60052026	13/16"	A	51	38	21	90
60052028	7/8"	A	51	39	21	90
60052030	15/16"	A	51	40	21	90
60052100	1"	A	51	42	21	90
60052102	1-1/16"	A	51	44	23	90
60052104	1-1/8"	A	51	46	40	90
60052106	1-3/16"	A	51	48	40	90
60052108	1-1/4"	B	51	51	40	90
60052110	1-5/16"	C	52	53	40	90
60052112	1-3/8"	C	52	54	40	90
60052114	1-7/16"	C	52	56	54	90
60052116	1-1/2"	C	52	58	54	92
60052118	1-9/16"	C	52	60	54	92
60052120	1-5/8"	C	52	61.5	54	92
60052122	1-11/16"	C	52	65	54	92
60052124	1-3/4"	C	58	66	54	92
60052126	1-13/16"	C	58	68	54	92
60052128	1-7/8"	C	58	70	54	92
60052130	1-15/16"	C	58	72	54	92
60052200	2"	C	58	74	54	95
60052202	2-1/16"	C	58	75	54	95
60052204	2-1/8"	C	58	78	60	100
60052206	2-3/16"	C	62	80	60	100
60052208	2-1/4"	C	62	84	60	100
60052210	2-5/16"	C	62	86	62	105
60052212	2-3/8"	C	62	87	62	105
60052214	2-7/16"	C	62	89	67	110
60052216	2-1/2"	C	62	91	67	110
60052218	2-9/16"	C	62	93	75	120
60052220	2-5/8"	C	62	95	75	120
60052222	2-11/16"	C	62	97	78	124
60052224	2-3/4"	C	62	98	78	124
60052226	2-13/16"	C	62	100	80	128
60052228	2-7/8"	C	62	102	80	128
60052230	2-15/16"	C	86	104	85	135
60052300	3"	C	86	106	85	135
60052304	3-1/8"	C	86	109	85	135
60052308	3-1/4"	C	86	113	85	135
60052312	3-3/8"	C	86	115	85	140
60052316	3-1/2"	C	86	125	85	140
60052320	3-5/8"	C	86	127	85	140
60052324	3-3/4"	C	86	130	85	140
60052328	3-7/8"	C	95	136	82	140
60052400	4"	C	95	140	82	155
60052404	4-1/8"	C	95	143	82	155
60052408	4-1/4"	C	95	146	82	155
60052416	4-1/2"	C	95	152	82	155



**1-1/2"方头, 公制标准型气动套筒, 六角**

**1-1/2" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point**




Shape A



Shape B



Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60560030	30	A	86	56	23	78
60560032	32	A	86	58	23	78
60560035	35	A	86	62	23	78
60560036	36	A	86	64	23	78
60560037	37	A	86	65	23	78
60560038	38	A	86	66	24	78
60560040	40	A	86	68	24	78
60560041	41	A	86	70	26	80
60560042	42	A	86	71	26	80
60560045	45	A	86	75	27	84
60560046	46	A	86	76	27	84
60560047	47	A	86	77	29	84
60560048	48	A	86	79	29	84
60560050	50	A	86	81	29	87
60560052	52	A	86	83	31	87
60560054	54	B	86	86	36	90
60560055	55	B	86	86	36	90
60560056	56	B	86	86	38	92
60560058	58	C	86	92	38	92
60560060	60	C	86	93	38	92
60560061	61	C	86	95	40	95
60560062	62	C	86	96	40	95
60560063	63	C	86	97	40	95
60560065	65	C	86	97	40	95
60560068	68	C	86	104	43	100
60560070	70	C	86	105	43	100
60560072	72	C	86	108	45	103
60560075	75	C	86	110	45	103
60560078	78	C	86	115	50	110
60560080	80	C	86	116	50	110
60560085	85	C	86	125	55	118
60560088	88	C	86	128	55	118
60560090	90	C	86	130	55	118
60560095	95	C	95	137	55	118
60560100	100	C	95	140	58	125
60560105	105	C	95	150	58	125
60560110	110	C	95	156	58	125
60560115	115	C	95	160	65	135
60560120	120	C	95	168	65	135
60560125	125	C	95	175	65	135
60560130	130	C	95	175	65	140




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**1-1/2"方头, 公制加长型气动套筒, 六角**

**1-1/2" Sq. Dr., "METRIC" Deep Length Impact Sockets, 6-Point**



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60562041	41	A	86	72	30	115
60562042	42	A	86	72	32	115
60562046	46	A	86	78	34	115
60562050	50	A	86	81	36	135
60562054	54	B	86	86	39	140
60562055	55	B	86	86	39	140
60562060	60	C	86	94	41	150
60562063	63	C	86	97	43	150
60562065	65	C	86	100	45	150
60562070	70	C	86	106	47	160
60562075	75	C	86	112	51	170
60562077	77	C	86	115	51	170
60562080	80	C	86	118	51	170
60562085	85	C	86	125	56	170
60562090	90	C	86	125	56	170
60562095	95	C	86	125	56	180

**1-1/2"方头, 英制加长型气动套筒, 六角**

**1-1/2" Sq. Dr., "SAE" Deep Length Impact Sockets, 6-Point**



Shape A




Shape B



Shape C

Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
60462120	1-5/8"	A	86	72	30	115
60462122	1-11/16"	A	86	74	34	115
60462124	1-3/4"	A	86	75	34	115
60462126	1-13/16"	A	86	78	34	115
60462128	1-7/8"	A	86	80	36	115
60462130	1-15/16"	A	86	81	36	115
60462200	2"	A	86	83	36	135
60462202	2-1/16"	A	86	84	39	140
60462204	2-1/8"	B	86	86	39	140
60462206	2-3/16"	C	86	88	39	140
60462208	2-1/4"	C	86	90	41	150
60462210	2-5/16"	C	86	92	41	150
60462212	2-3/8"	C	86	94	43	150
60462214	2-7/16"	C	86	96	43	150
60462216	2-1/2"	C	86	98	43	150
60462218	2-9/16"	C	86	100	45	150
60462220	2-5/8"	C	86	102	47	150
60462222	2-11/16"	C	86	104	47	150
60462224	2-3/4"	C	86	106	47	160
60462226	2-13/16"	C	86	108	49	160
60462228	2-7/8"	C	86	109	49	160
60462230	2-15/16"	C	86	112	51	170
60462300	3"	C	86	114	53	170
60462302	3" -1/16"	C	86	116	53	170
60462304	3-1/8"	C	86	118	53	170
60462308	3-1/4"	C	86	125	55	170
60462310	3-5/16"	C	86	125	58	170
60462312	3-3/8"	C	86	125	58	170
60462316	3-1/2"	C	86	130	62	170
60462320	3-5/8"	C	86	130	62	170
60462324	3-3/4"	C	95	137	65	180
60462400	4"	C	95	140	68	190
60462404	4-1/8"	C	95	150	70	190
60462408	4-1/4"	C	95	150	75	190
60462416	4-1/2"	C	95	160	80	210
60462420	4-5/8"	C	95	165	85	210
60462424	4-3/4"	C	95	168	85	210





# 1-1/2"方头, 英制标准型气动套筒, 六角

## 1-1/2" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point



Shape A



Shape B



Shape C


Order No.	inch	Shape	D2	D1	L2	L	
			mm	mm	mm	mm	
60460106	1-3/16"	A	86	56	23	78	★
60460108	1-1/4"	A	86	58	23	78	
60460110	1-5/16"	A	86	60	23	78	
60460112	1-3/8"	A	86	62	23	78	
60460114	1-7/16"	A	86	64	23	78	
60460116	1-1/2"	A	86	66	24	78	★
60460118	1-9/16"	A	86	68	24	78	
60460120	1-5/8"	A	86	70	26	80	
60460122	1-11/16"	A	86	71	26	80	
60460124	1-3/4"	A	86	75	27	84	
60460126	1-13/16"	A	86	76	27	84	
60460128	1-7/8"	A	86	78	29	84	
60460130	1-15/16"	A	86	80	29	87	
60460200	2"	A	86	82	29	87	
60460202	2-1/16"	A	86	83	30	87	
60460204	2-1/8"	B	86	86	36	90	
60460206	2-3/16"	B	86	86	36	90	
60460208	2-1/4"	B	86	86	38	92	
60460210	2-5/16"	C	86	92	38	92	
60460212	2-3/8"	C	86	93	38	92	
60460214	2-7/16"	C	86	96	40	95	
60460216	2-1/2"	C	86	97	40	95	
60460218	2-9/16"	C	86	97	40	95	
60460220	2-5/8"	C	86	103	43	100	
60460222	2-11/16"	C	86	104	43	100	
60460224	2-3/4"	C	86	105	43	100	
60460226	2-13/16"	C	86	108	45	103	
60460228	2-7/8"	C	86	108	45	103	
60460230	2-15/16"	C	86	110	45	103	
60460300	3"	C	86	110	45	103	

To be continued

“★” 交货期待定



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1-1/2"方头, 英制标准型气动套筒, 六角


1-1/2" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point



Shape C

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60460302	3-1/16"	C	86	115	50	110
60460304	3-1/8"	C	86	116	50	110
60460306	3-3/16"	C	86	125	50	110
60460308	3-1/4"	C	86	125	50	110
60460310	3-5/16"	C	86	125	55	118
60460312	3-3/8"	C	86	125	55	118
60460314	3-7/16"	C	86	128	55	118
60460316	3-1/2"	C	86	130	55	118
60460318	3-9/16"	C	86	130	55	118
60460320	3-5/8"	C	86	130	55	118
60460322	3-11/16"	C	86	130	55	118
60460324	3-3/4"	C	95	137	55	118
60460326	3-13/16"	C	95	140	58	125
60460328	3-7/8"	C	95	140	58	125
60460330	3-15/16"	C	95	140	58	125
60460400	4"	C	95	140	58	125
60460402	4-1/16"	C	95	146	58	125
60460404	4-1/8"	C	95	150	58	125
60460406	4-3/16"	C	95	150	58	125
60460408	4-1/4"	C	95	150	58	125
60460410	4-5/16"	C	95	156	58	125
60460412	4-3/8"	C	95	160	58	125
60460414	4-7/16"	C	95	160	58	125
60460416	4-1/2"	C	95	160	65	135
60460420	4-5/8"	C	95	165	65	135
60460424	4-3/4"	C	95	168	65	135






**2-1/2"方头, 公制标准型气动套筒, 六角**  
**2-1/2" Sq. Dr., "METRIC" Standard Length Impact Sockets, 6-Point**



Shape A




Shape B

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
60581075	75	A	127	118	46	140
60581077	77	A	127	122	48	140
60581080	80	A	127	124	51	140
60581085	85	B	127	130	51	140
60581090	90	B	127	136	54	145
60581095	95	B	127	143	54	145
60581100	100	B	127	149	57	150
60581105	105	B	127	155	61	155
60581110	110	B	127	161	64	160
60581115	115	B	127	167	67	165
60581120	120	B	127	176	71	170
60581125	125	B	127	181	75	175
60581130	130	B	127	188	75	175
60581135	135	B	127	195	79	180
60581140	140	B	127	202	79	180
60581145	145	B	127	208	83	185
60581150	150	B	127	215	87	185
60581155	155	B	127	223	91	190
60581160	160	B	127	227	91	190
60581165	165	B	127	235	95	195
60581170	170	B	127	241	100	195
60581175	175	B	127	248	105	200
60581180	180	B	127	254	105	200
60581185	185	B	152	258	110	210
60581190	190	B	152	265	110	210
60581200	200	B	152	275	115	220



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B



Shape C

## 2-1/2"方头, 英制标准型气动套筒, 六角

## 2-1/2" Sq. Dr., "SAE" Standard Length Impact Sockets, 6-Point




Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
60481300	3"	A	127	120	46	140
60481304	3-1/8"	A	127	124	51	140
60481308	3-1/4"	B	127	127	51	140
60481312	3-3/8"	C	127	131	51	140
60481316	3-1/2"	C	127	135	51	140
60481320	3-5/8"	C	127	139	54	145
60481324	3-3/4"	C	127	143	54	145
60481328	3-7/8"	C	127	147	57	150
60481400	4"	C	127	151	57	150
60481404	4-1/8"	C	127	155	61	155
60481408	4-1/4"	C	127	159	64	160
60481412	4-3/8"	C	127	163	67	165
60481416	4-1/2"	C	127	167	67	165
60481420	4-5/8"	C	127	172	71	170
60481424	4-3/4"	C	127	176	71	170
60481428	4-7/8"	C	127	181	75	175
60481500	5"	C	127	185	75	175
60481504	5-1/8"	C	127	188	75	175
60481508	5-1/4"	C	127	193	75	175
60481512	5-3/8"	C	127	197	79	180
60481516	5-1/2"	C	127	202	79	180
60481520	5-5/8"	C	127	206	83	185
60481524	5-3/4"	C	127	210	83	185
60481528	5-7/8"	C	127	215	87	185
60481600	6"	C	127	218	87	185
60481604	6-1/8"	C	127	223	91	190
60481608	6-1/4"	C	127	227	91	190
60481612	6-3/8"	C	127	231	95	195
60481616	6-1/2"	C	127	235	95	195
60481620	6-5/8"	C	127	240	100	195
60481624	6-3/4"	C	127	244	100	195
60481628	6-7/8"	C	127	248	105	200
60481700	7"	C	127	252	105	200
60481716	7-1/2"	C	152	265	110	210
60481720	7-5/8"	C	152	268	110	210
60481728	7-7/8"	C	152	275	115	220
60481800	8"	C	152	278	115	220



5号花键, 公制标准型气动套筒, 六角

#5 Spline Dr., "METRIC" Standard Length Impact Sockets, 6-Point




Shape A



Shape B



Shape C

Order No.	mm	Shape					
			D2	D1	L2	L	
			mm	mm	mm	mm	
67005022	22	A	55	44	24	80	★
67005024	24	A	55	44	24	80	★
67005025	25	A	55	46	24	80	★
67005027	27	A	55	48	24	80	★
67005029	29	A	55	48	24	80	★
67005030	30	A	55	51	24	80	★
67005032	32	B	55	55	24	80	★
67005033	33	B	55	55	24	80	★
67005035	35	C	55	57	24	80	★
67005037	37	C	55	60	24	80	★
67005038	38	C	55	60	24	80	★
67005040	40	C	55	67	24	80	★
67005041	41	C	55	67	24	80	★
67005043	43	C	55	67	30	80	★
67005045	45	C	65	73	38	98	★
67005046	46	C	65	73	38	98	★
67005048	48	C	65	73	38	98	★
67005050	50	C	65	75	38	98	★
67005051	51	C	65	79	38	98	★
67005053	53	C	65	79	38	98	★
67005054	54	C	65	79	38	98	★
67005055	55	C	65	79	38	98	
67005056	56	C	65	83	38	98	★
67005057	57	C	65	86	46	106	★
67005059	59	C	65	86	46	106	★
67005060	60	C	65	86	46	106	★
67005062	62	C	65	86	46	106	★
67005064	64	C	86	99	57	117	★
67005065	65	C	86	99	57	117	
67005067	67	C	86	99	57	117	★
67005070	70	C	86	99	57	117	★
67005072	72	C	86	105	57	117	★
67005075	75	C	86	105	57	117	★
67005076	76	C	86	111	75	135	★
67005080	80	C	86	111	75	135	★

“★” 交货期待定




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



## 5号花键, 英制标准型气动套筒, 六角

## #5 Spline Dr., "SAE" Standard Length Impact Sockets, 6-Point




Shape A




Shape B



Shape C

Order No.	inch	Shape				
			D2 mm	D1 mm	L2 mm	L mm
67000028	7/8"	A	55	44	24	80
67000030	15/16"	A	55	44	24	80
67000100	1"	A	55	46	24	80
67000102	1-1/16"	A	55	48	24	80
67000104	1-1/8"	A	55	48	24	80
67000106	1-3/16"	A	55	51	24	80
67000108	1-1/4"	B	55	55	24	80
67000110	1-5/16"	B	55	55	24	80
67000112	1-3/8"	C	55	57	24	80
67000114	1-7/16"	C	55	60	24	80
67000116	1-1/2"	C	55	60	24	80
67000118	1-9/16"	C	55	67	24	80
67000120	1-5/8"	C	55	67	24	80
67000122	1-11/16"	C	55	67	30	80
67000124	1-3/4"	C	65	73	38	98
67000126	1-13/16"	C	65	73	38	98
67000128	1-7/8"	C	65	73	38	98
67000130	1-15/16"	C	65	73	38	98
67000200	2"	C	65	79	38	98
67000202	2-1/16"	C	65	79	38	98
67000204	2-1/8"	C	65	79	38	98
67000206	2-3/16"	C	65	83	38	98
67000208	2-1/4"	C	65	86	46	106
67000210	2-5/16"	C	65	86	46	106
67000212	2-3/8"	C	65	86	46	106
67000214	2-7/16"	C	65	86	46	106
67000216	2-1/2"	C	86	99	57	117
67000218	2-9/16"	C	86	99	57	117
67000220	2-5/8"	C	86	99	57	117
67000224	2-3/4"	C	86	99	57	117
67000226	2-13/16"	C	86	105	57	117
67000228	2-7/8"	C	86	105	57	117
67000230	2-15/16"	C	86	105	57	117
67000300	3"	C	86	111	75	135
67000304	3-1/8"	C	86	111	75	135





5号花键, 英制轮胎用特殊气动套筒, 四角标准型  
#5 Spline Dr., Budd Wheel Impact Sockets, 4-Point Standard Length

Order No.	inch	D2 mm	D1 mm	L2 mm	L mm
67200026	13/16"	55	44	24	68
67200030	15/16"	55	44	24	68

5号花键, 公制轮胎用特殊气动套筒, 四角标准型  
#5 Spline Dr., Budd Wheel Impact Sockets, Double Square, Standard Length

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
67245017	17	55	52	24	77
67245021	21	55	52	24	77


5号花键, 英制四方型及六角型双层气动套筒  
#5 Spline Dr., Combination Budd Wheel Impact Sockets

Order No.	inch	inch	D2 mm	D1 mm	L2 mm	L mm
67011116	1-1/2"	13/16"	58	58	14	108

5号花键, 英制六角加长型气动套筒  
#5 Spline Dr., Budd Wheel Impact Sockets, Control Depth Hex., Deep Length, 6-Point

Order No.	inch	D2 mm	D1 mm	d mm	L2 mm	L mm
67040116	1-1/2"	60	60	35	14	102
67042116	1-1/2"	60	60	35	22	105





Shape A




Shape B



### 5号花键, 超薄加长型气动套筒, 六角

### #5 Spline Dr., Thin Wall Deep Impact Sockets, 6-Point


			D2	D1	L2	L	
Order No.	inch	Shape	mm	mm	mm	mm	
67101102	1-1/16"	A	54	42.5	25	106	
67101104	1-1/8"	A	54	43	25	106	
67101108	1-1/4"	A	54	47	25	106	
67101110	1-5/16"	A	54	49	25	106	
67101112	1-3/8"	A	54	51	25	108	★
67101116	1-1/2"	B	54	54	25	108	
67101120	1-5/8"	B	57	57	25	108	★
	mm		mm	mm	mm	mm	
67106027	27	A	54	42.5	25	106	★
67106032	32	A	54	47	25	106	★
67106033	33	A	54	49	25	106	★
67106035	35	A	54	51	25	108	
67106038	38	B	54	54	25	108	★
67106041	41	B	57	57	25	108	

☆Thin wall sockets are not covered by the ACTION warranty

“★” 交货期待定

### 5号花键, 气动转接头


### #5 Spline Dr., Impact Adapters

Order No.	inch		
		D	L
		mm	mm
67451024	3/4"	53	87
67451100	1"	53	94
Male end with steel ball retainer			
67452024	3/4"	53	87
67452100	1"	53	94

Male end with pin hole

☆#5 Spline drive reducing adapters are not covered by the ACTION warranty





**1/4"方头, 英制万向气动套筒, 六角标准型**

**1/4" Sq. Dr., "SAE" Universal Impact Sockets, 6-Point Standard Length**



Order No.		D2	D1	L2	L
	inch	mm	mm	mm	mm
62400008	1/4"	15	10.3	6	43
62400010	5/16"	15	12.5	8	43
62400012	3/8"	15	15	8	43
62400014	7/16"	15	16.5	8	43
62400016	1/2"	16	18.8	8	48
62400018	9/16"	16	19.8	8	48



**1/4"方头, 公制万向气动套筒, 六角标准型**


**1/4" Sq. Dr., "MERTIC" Universal Impact Sockets, 6-Point Standard Length**



Order No.		D2	D1	L2	L
	mm	mm	mm	mm	mm
62500050	5	15	8.8	5	43
62500055	5.5	15	9.5	6	43
62500060	6	15	10	6	43
62500070	7	15	11.5	8	43
62500080	8	15	12.5	8	43
62500090	9	15	14	8	43
62500100	10	15	15	8	43
62500110	11	15	16.5	8	43
62500120	12	16	16.8	8	48
62500130	13	16	18.8	8	48
62500140	14	16	19.8	8	48
62500150	15	16	20.8	8	48



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**3/8"方头, 英制万向气动套筒, 六角标准型**

**3/8" Sq. Dr., "SAE" Universal Impact Sockets, 6-Point Standard Length**



		D2	D1	L2	L
Order No.	inch	mm	mm	mm	mm
62210010	5/16"	24	14	9	53
62210012	3/8"	24	15	9	53
62210014	7/16"	24	17	9	53
62210016	1/2"	24	18	12	53
62210018	9/16"	24	21	13	53
62210020	5/8"	24	23	13	53
62210022	11/16"	24	25	13	53
62210024	3/4"	24	27	13	53
62210026	13/16"	24	30	13	53
62210028	7/8"	24	32	13	53




**3/8"方头, 公制万向气动套筒, 六角标准型**

**3/8" Sq. Dr., "METRIC" Universal Impact Sockets, 6-Point Standard Length**



		D2	D1	L2	L
Order No.	mm	mm	mm	mm	mm
62310009	9	24	15	9	53
62310010	10	24	15	9	53
62310011	11	24	17	9	53
62310012	12	24	19	12	53
62310013	13	24	19	13	53
62310014	14	24	21	13	53
62310015	15	24	22	13	53
62310016	16	24	23	13	53
62310017	17	24	25	13	53
62310018	18	24	25	13	53
62310019	19	24	27	13	53
62310020	20	24	30	13	53
62310021	21	24	30	13	53
62310022	22	24	32	13	53





### 3/8"方头, 英制万向气动套筒, 六角加长型


#### 3/8" Sq. Dr., "SAE" Universal Impact Sockets, 6-Point Deep Length

Order No.	inch				
		D2	D1	L2	L
		mm	mm	mm	mm
62211010	5/16"	24	14	12	74
62211012	3/8"	24	15	20	78
62211014	7/16"	24	17	20	80
62211016	1/2"	24	18	20	80
62211018	9/16"	24	19	20	80
62211020	5/8"	24	23	20	80
62211022	11/16"	24	25	20	80
62211024	3/4"	24	27	25	80
62211026	13/16"	24	30	25	80
62211028	7/8"	24	32	25	80




### 3/8"方头, 公制万向气动套筒, 六角加长型

#### 3/8" Sq. Dr., "METRIC" Universal Impact Sockets, 6-Point Deep Length

Order No.	mm				
		D2	D1	L2	L
		mm	mm	mm	mm
62311009	9	24	15	20	78
62311010	10	24	15	20	78
62311011	11	24	17	20	80
62311012	12	24	19	20	80
62311013	13	24	19	20	80
62311014	14	24	21	20	80
62311015	15	24	22	20	80
62311016	16	24	23	20	80
62311017	17	24	25	20	80
62311018	18	24	25	20	80
62311019	19	24	27	25	80
62311020	20	24	30	25	80
62311021	21	24	30	25	80
62311022	22	24	32	25	80



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**1/2"方头, 英制万向气动套筒, 六角标准型**

**1/2" Sq. Dr., "SAE" Universal Impact Sockets, 6-Point Standard Length**

Order No.	inch	D2 mm	D1 mm	L2 mm	L mm
62220012	3/8"	28	15	14	65
62220014	7/16"	28	17	14	65
62220016	1/2"	28	19	14	65
62220018	9/16"	28	22	14	65
62220020	5/8"	28	23	14	65
62220022	11/16"	32	26	14	65
62220024	3/4"	32	28	14	65
62220026	13/16"	32	30	14	65
62220028	7/8"	32	32	14	65
62220030	15/16"	32	34	14	65




**1/2"方头, 公制万向气动套筒, 六角标准型**

**1/2" Sq. Dr., "METRIC" Universal Impact Sockets, 6-Point Standard Length**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
62320010	10	28	15	14	65
62320011	11	28	17	14	65
62320012	12	28	19	14	65
62320013	13	28	20	14	65
62320014	14	28	22	14	65
62320015	15	28	23	14	65
62320016	16	28	23	14	65
62320017	17	32	26	14	65
62320018	18	32	26	14	65
62320019	19	32	28	14	65
62320020	20	32	30	14	65
62320021	21	32	30	14	65
62320022	22	32	32	14	65
62320023	23	32	32	14	65
62320024	24	32	34	14	65





1/2"方头, 英制万向气动套筒, 六角加长型  
1/2" Sq. Dr., "SAE" Universal Impact Sockets, 6-Point Deep Length

Order No.	inch	D2 mm	D1 mm	L2 mm	L mm
62221012	3/8"	28	15	14	90
62221014	7/16"	28	17	20	90
62221016	1/2"	28	19	20	90
62221018	9/16"	28	22	20	90
62221020	5/8"	28	23	20	90
62221022	11/16"	32	26	20	90
62221024	3/4"	32	28	25	90
62221026	13/16"	32	30	25	90
62221028	7/8"	32	32	25	90
62221030	15/16"	32	34	25	90




1/2"方头, 公制万向气动套筒, 六角加长型  
1/2" Sq. Dr., "METRIC" Universal Impact Sockets, 6-Point Deep Length

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
62321010	10	28	15	14	90
62321011	11	28	17	20	90
62321012	12	28	19	20	90
62321013	13	28	20	20	90
62321014	14	28	22	20	90
62321015	15	28	23	20	90
62321016	16	28	23	20	90
62321017	17	32	26	20	90
62321018	18	32	26	20	90
62321019	19	32	28	25	90
62321020	20	32	30	25	90
62321021	21	32	30	25	90
62321022	22	32	32	25	90
62321023	23	32	32	25	90
62321024	24	32	34	25	90



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.




**3/4"方头, 英制万向气动套筒, 六角**  
**3/4" Sq. Dr., "SAE" Universal Impact Sockets, 6-Point**




Order No.		D2	D1	L2	L
	inch	mm	mm	mm	mm
62240024	3/4 "	44	32	13	95
62240026	13/16 "	44	35	14	95
62240028	7/8 "	44	37	14	95
62240030	15/16 "	44	39	15	95
62240100	1 "	44	41	16	100
62240102	1-1/16 "	44	43	17	100
62240104	1-1/8 "	44	44	18	100
62240106	1-3/16 "	44	47	18	100
62240108	1-1/4 "	44	49	20	105
62240110	1-5/16 "	44	51	21	105
62240112	1-3/8 "	44	53	22	105
62240114	1-7/16 "	44	54	23	110
62240116	1-1/2 "	44	57	24	110
62240118	1-9/16 "	44	60	24	110
62240120	1-5/8 "	44	60	27	115
62240122	1-11/16 "	44	63.5	27	115
62240124	1-3/4 "	44	64.5	30	115
62240126	1-13/16 "	44	66.5	30	115
62240128	1-7/8 "	44	68	30	115








**3/4"方头, 公制万向气动套筒, 六角**  
**3/4" Sq. Dr., "METRIC" Universal Impact Sockets, 6-Point**

Order No.	 mm	D2	D1	L2	L
		mm	mm	mm	mm
62340019	19	44	32	13	95
62340020	20	44	34	14	95
62340021	21	44	35	14	95
62340022	22	44	37	14	95
62340023	23	44	38	14	95
62340024	24	44	39	15	95
62340025	25	44	41	16	100
62340026	26	44	42	16	100
62340027	27	44	43	17	100
62340028	28	44	44	18	100
62340029	29	44	46	18	100
62340030	30	44	47	18	100
62340031	31	44	48	19	105
62340032	32	44	49	20	105
62340033	33	44	51	21	105
62340034	34	44	52	22	105
62340035	35	44	53	22	105
62340036	36	44	54	23	110
62340037	37	44	56	24	110
62340038	38	44	57	24	110
62340039	39	44	59	24	110
62340040	40	44	60	24	110
62340041	41	44	60	27	115
62340042	42	44	62	27	115
62340043	43	44	63.5	27	115
62340044	44	44	64.5	30	115
62340045	45	44	66	30	115
62340046	46	44	66.5	30	115





**1"方头, 英制重工业级万向气动套筒, 六角**  
**1" Sq. Dr., "SAE" Heavy Duty Universal Impact Sockets**




Order No.	inch	D2	D1	L2	L
		mm	mm	mm	mm
65550028	7/8 "	58	39	20	132
65550030	15/16 "	58	40	20	132
65550100	1 "	58	42	20	132
65550102	1-1/16 "	58	44	20	132
65550104	1-1/8 "	58	46	20	132
65550106	1-3/16 "	58	50	20	132
65550108	1-1/4 "	58	52	20	132
65550110	1-5/16 "	58	55	21	132
65550112	1-3/8 "	58	55	23	132
65550114	1-7/16 "	58	56	23	132
65550116	1-1/2 "	58	59	24	137
65550118	1-9/16 "	58	62	24	137
65550120	1-5/8 "	58	63	26	137
65550122	1-11/16 "	58	66	26	137
65550124	1-3/4 "	58	68	30	142
65550126	1-13/16 "	58	69	30	142
65550128	1-7/8 "	58	73	30	142
65550130	1-15/16 "	58	74	31	142
65550200	2 "	58	76	31	142




十字交叉双销结构, 转动更灵活、销可更换。






**1"方头, 公制重工业级万向气动套筒, 六角**  
**1" Sq. Dr., "METRIC" Heavy Duty Universal Impact Sockets**

Order No.	 mm	D2	D1	L2	L
		mm	mm	mm	mm
65555024	24	58	40	20	132
65555026	26	58	42	20	132
65555027	27	58	44	20	132
65555029	29	58	48	20	132
65555030	30	58	50	20	132
65555032	32	58	52	20	132
65555033	33	58	53	21	132
65555034	34	58	55	21	132
65555035	35	58	55	23	132
65555036	36	58	56	24	132
65555038	38	58	59	26	137
65555041	41	58	63	26	137
65555042	42	58	64	26	137
65555043	43	58	66	26	137
65555044	44	58	67	30	137
65555045	45	58	68	30	142
65555046	46	58	69	30	142
65555047	47	58	72	30	142
65555048	48	58	73	30	142
65555050	50	58	74	31	142

十字交叉双销结构, 转动更灵活、销可更换。



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**3/8"方头, 万向外星型气动套筒**  
**3/8" Sq. Dr., External Torx<sup>®</sup> Universal Impact Sockets**



Order No.	inch	driven	D2 mm	D1 mm	L2 mm	L mm	
68710005	3/8"	E5	24	8	4.5	50	★
68710006	3/8"	E6	24	9	5	50	★
68710007	3/8"	E7	24	9.3	6	50	★
68710008	3/8"	E8	24	10	6	50	★
68710010	3/8"	E10	24	12	7.5	50	★
68710011	3/8"	E11	24	13	8	50	★
68710012	3/8"	E12	24	14	8.5	50	★
68710014	3/8"	E14	24	16.5	10	50	★
68710016	3/8"	E16	24	18.4	11	50	★

“★” 交货期待定



**1/2"方头, 万向外星型气动套筒**  
**1/2" Sq. Dr., External Torx<sup>®</sup> Universal Impact Sockets**




Order No.	inch	driven	D2 mm	D1 mm	L2 mm	L mm	
68720010	1/2"	E10	28	13	7.5	65	★
68720011	1/2"	E11	28	14	8	65	★
68720012	1/2"	E12	28	15	8.5	65	★
68720014	1/2"	E14	28	17	10	65	★
68720016	1/2"	E16	28	18.5	11	65	★
68720018	1/2"	E18	28	20.5	12	65	★
68720020	1/2"	E20	32	22.5	13.5	70	★
68720022	1/2"	E22	32	24.5	15	70	★
68720024	1/2"	E24	32	26.5	17	70	★


☆Torx<sup>®</sup> is a trademark of Textron.

“★” 交货期待定




**3/8"方头, 英制内六角万向气动套筒**  
**3/8" Sq. Dr., "SAE" Universal Impact**  
**Hex Driver Sockets**



Order No.	 inch	D2 mm	L1 mm	L mm
65010006	3/16"	24	11	60
65010007	7/32"	24	11	60
65010008	1/4"	24	11	60
65010009	9/32"	24	15	60
65010010	5/16"	24	15	60
65010012	3/8"	24	15	60
65010014	7/16"	24	15	60
65010016	1/2"	24	15	60
65010018	9/16"	24	15	60
65010020	5/8"	24	15	60





**3/8"方头, 公制内六角万向气动套筒**  
**3/8" Sq. Dr., "METRIC" Universal Impact**  
**Hex Driver Sockets**

Order No.	 mm	D2 mm	L1 mm	L mm
65110005	5	24	11	60
65110006	6	24	11	60
65110007	7	24	15	60
65110008	8	24	15	60
65110009	9	24	15	60
65110010	10	24	15	60
65110011	11	24	15	60
65110012	12	24	15	60
65110013	13	24	15	60
65110014	14	24	15	60
65110015	15	24	15	60
65110016	16	24	15	60




**1/2"方头, 公制内六角万向气动套筒**  
**1/2" Sq. Dr., "METRIC" Universal Impact**  
**Hex Driver Sockets**



Order No.	 mm	D2 mm	L1 mm	L mm	
65121006	6	28	13	75	
65121007	7	28	13	75	★
65121008	8	28	20	75	
65121009	9	28	20	75	★
65121010	10	28	20	75	
65121011	11	28	20	75	★
65121012	12	28	20	75	
65121013	13	28	20	75	★
65121014	14	28	20	75	
65121015	15	28	20	75	
65121016	16	28	20	75	★
65121017	17	28	20	75	
65121018	18	28	20	75	
65121019	19	28	20	75	


“★” 交货期待定

**1/2"方头, 英制内六角万向气动套筒**  
**1/2" Sq. Dr., "SAE" Universal Impact**  
**Hex Driver Sockets**

Order No.	 inch	D2 mm	L1 mm	L mm	
65021008	1/4"	28	13	75	
65021009	9/32"	28	13	75	★
65021010	5/16"	28	20	75	
65021012	3/8"	28	20	75	
65021014	7/16"	28	20	75	
65021016	1/2"	28	20	75	
65021018	9/16"	28	20	75	
65021020	5/8"	28	20	75	
65021022	11/16"	28	20	75	★
65021024	3/4"	28	20	75	

“★” 交货期待定





**3/8"方头, 内星型万向气动套筒**  
**3/8" Sq. Dr., Torx® Universal Impact Sockets**

Order No.	A	D2 mm	L mm
64910020	T20	24	60
64910025	T25	24	60
64910027	T27	24	60
64910030	T30	24	60
64910040	T40	24	60
64910045	T45	24	60
64910047	T47	24	60
64910050	T50	24	60
64910055	T55	24	60

☆Torx® is a trademark of Textron.




**1/2"方头, 内星型万向气动套筒**  
**1/2" Sq. Dr., Torx® Universal Impact Sockets**

Order No.	A	D2 mm	L mm
64921025	T25	28	70
64921027	T27	28	70
64921030	T30	28	70
64921040	T40	28	70
64921045	T45	28	70
64921047	T47	28	70
64921050	T50	28	70
64921055	T55	28	70
64921060	T60	28	70

☆Torx® is a trademark of Textron.



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.




**3/8"方头, 公制接杆式万向套筒, 六角**  
**3/8" Sq. Dr., " METRIC " Universal Extension**  
**Impact Sockets, 6-Point**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm	
62315008	8	19	12.5	9	150	★
62315009	9	19	13.5	9	150	★
62315010	10	19	14.5	9	150	
62315011	11	19	16.2	9	150	★
62315012	12	19	16.8	9	150	
62315013	13	19	19	11	150	
62315014	14	19	21	11	150	
62315015	15	19	22	11	150	
62316008	8	19	12.5	9	200	★
62316009	9	19	13.5	9	200	★
62316010	10	19	14.5	9	200	
62316011	11	19	16.2	9	200	★
62316012	12	19	16.8	9	200	
62316013	13	19	19	11	200	
62316014	14	19	21	11	200	
62316015	15	19	22	11	200	
62317008	8	19	12.5	9	250	★
62317009	9	19	13.5	9	250	★
62317010	10	19	14.5	9	250	
62317011	11	19	16.2	9	250	★
62317012	12	19	16.8	9	250	
62317013	13	19	19	11	250	
62317014	14	19	21	11	250	
62317015	15	19	22	11	250	


“★” 交货期待定





**1/2"方头, 公制接杆式万向套筒, 六角**  
**1/2" Sq. Dr., " METRIC" Universal Extension**  
**Impact Sockets, 6-Point**




		D2	D1	L2	L
Order No.	mm	mm	mm	mm	mm
62326009	9	25	15	9	150
62326010	10	25	15	9	150
62326011	11	25	17	9	150
62326012	12	25	19	11	150
62326013	13	25	19	11	150
62326014	14	25	21	11	150
62326015	15	25	22	11	150
62326016	16	25	23	11	150
62326017	17	25	26	13	150
62326018	18	25	26	13	150
62326019	19	25	28	13	150
62327009	9	25	15	9	200
62327010	10	25	15	9	200
62327011	11	25	17	9	200
62327012	12	25	19	11	200
62327013	13	25	19	11	200
62327014	14	25	21	11	200
62327015	15	25	22	11	200
62327016	16	25	23	11	200
62327017	17	25	26	13	200
62327018	18	25	26	13	200
62327019	19	25	28	13	200
62328009	9	25	15	9	250
62328010	10	25	15	9	250
62328011	11	25	17	9	250
62328012	12	25	19	11	250
62328013	13	25	19	11	250
62328014	14	25	21	11	250
62328015	15	25	22	11	250
62328016	16	25	23	11	250
62328017	17	25	26	13	250
62328018	18	25	26	13	250
62328019	19	25	28	13	250



“★” 交货期待定



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

## 气动万向接头 Impact Universal Joints



Order No.			D2	L
	inch	inch	mm	mm
64301008	1/4"	1/4"	16	43
64311012	3/8"	3/8"	24	50
64321016	1/2"	1/2"	32	60
6432D016	1/2"	1/2"	28	60

### 钢珠头

Male end with steel ball retainer

64302008	1/4"	1/4"	16	43
64312012	3/8"	3/8"	24	50
64322016	1/2"	1/2"	32	60
6432E016	1/2"	1/2"	28	60

### 插销孔

Male end with pin hole

64304008	1/4"	1/4"	16	43
64314012	3/8"	3/8"	24	50
64324016	1/2"	1/2"	32	60
6432F016	1/2"	1/2"	28	60

### 插销头

Male end locking pin retainer

6434A024	3/4"	3/4"	44	105
6435A100	1"	1"	54	133
64061116	1-1/2"	1-1/2"	86	182

### 钢珠头

Male end with steel ball retainer

6434B024	3/4"	3/4"	44	105
6435B100	1"	1"	54	133
64162116	1-1/2"	1-1/2"	86	182
64382216	2-1/2"	2-1/2"	152	248

### 插销孔

Male end with pin hole


6434C024	3/4"	3/4"	44	105
6435C100	1"	1"	54	133

### 插销头

Male end locking pin retainer



## 气动转接头 Impact Adapters



Order No.				
	inch	inch	D2 mm	L mm
64001012	1/4"	3/8"	13.6	26
64011008☆	3/8"	1/4"	22	32
64011016	3/8"	1/2"	22	36
64021012☆	1/2"	3/8"	25	38
6402A012☆	1/2"	3/8"	25	460
6402E012☆	1/2"	3/8"	25	610
6402K012☆	1/2"	3/8"	25	915
64021024	1/2"	3/4"	30	48

### 钢珠头

Male end with steel ball retainer

64002012	1/4"	3/8"	13.6	26
64012008☆	3/8"	1/4"	22	32
64012016	3/8"	1/2"	22	36
64022012☆	1/2"	3/8"	25	38
64022024	1/2"	3/4"	30	48

### 插销孔

Male end with pin hole

64004012	1/4"	3/8"	13.6	26
64014008☆	3/8"	1/4"	22	32
64014016	3/8"	1/2"	22	36
64024012☆	1/2"	3/8"	25	38
6402C012☆	1/2"	3/8"	25	460
6402G012☆	1/2"	3/8"	25	610
6402M012☆	1/2"	3/8"	25	915
64024024	1/2"	3/4"	30	48

### 插销头

Male end locking pin retainer

64041016☆	3/4"	1/2"	44	56
64041100	3/4"	1"	44	63
64051024☆	1"	3/4"	54	75
64051116	1"	1-1/2"	54	90
64061100☆	1-1/2"	1"	86	100

### 钢珠头

Male end with steel ball retainer

64042016☆	3/4"	1/2"	44	56
64042100	3/4"	1"	44	63
64052024☆	1"	3/4"	54	75
64052116	1"	1-1/2"	54	90
64062100☆	1-1/2"	1"	86	100
64062216	1-1/2"	2-1/2"	86	120
64082116☆	2-1/2"	1-1/2"	127	138

### 插销孔

Male end with pin hole

64044016☆	3/4"	1/2"	44	56
64044100	3/4"	1"	44	63
64054024☆	1"	3/4"	54	75
64064100☆	1-1/2"	1"	86	100


### 插销头

Male end locking pin retainer

☆Reducing adapters are not covered by the ACTION warranty.



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**气动延长杆**  
**Impact Extension Bars**



**D2**


**L**

Order No.	inch	inch	mm	mm
64501050	1/4"	1/4"	13	50
64501100	1/4"	1/4"	13	100
64501150	1/4"	1/4"	13	150
64511075	3/8"	3/8"	19	75
64511100	3/8"	3/8"	19	100
64511125	3/8"	3/8"	19	125
64511150	3/8"	3/8"	19	150
64511200	3/8"	3/8"	19	200
64511250	3/8"	3/8"	19	250
64521075	1/2"	1/2"	25	75
64521100	1/2"	1/2"	25	100
64521125	1/2"	1/2"	25	125
64521150	1/2"	1/2"	25	150
64521175	1/2"	1/2"	25	175
64521200	1/2"	1/2"	25	200
64521250	1/2"	1/2"	25	250
64521300	1/2"	1/2"	25	300
64521460	1/2"	1/2"	25	460
64521610	1/2"	1/2"	25	610
64521915	1/2"	1/2"	25	915

**钢珠头**  
Male end with steel ball retainer







### 气动延长杆 Impact Extension Bars



D2

L


Order No.	inch	inch	mm	mm
64502050	1/4"	1/4"	13	50
64502100	1/4"	1/4"	13	100
64502150	1/4"	1/4"	13	150
64512075	3/8"	3/8"	19	75
64512100	3/8"	3/8"	19	100
64512125	3/8"	3/8"	19	125
64512150	3/8"	3/8"	19	150
64512200	3/8"	3/8"	19	200
64512250	3/8"	3/8"	19	250
64522075	1/2"	1/2"	25	75
64522100	1/2"	1/2"	25	100
64522125	1/2"	1/2"	25	125
64522150	1/2"	1/2"	25	150
64522175	1/2"	1/2"	25	175
64522200	1/2"	1/2"	25	200
64522250	1/2"	1/2"	25	250
64522300	1/2"	1/2"	25	300
64522460	1/2"	1/2"	25	460
64522610	1/2"	1/2"	25	610
64522915	1/2"	1/2"	25	915



插销孔  
Male end with pin hole



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



### 气动延长杆 Impact Extension Bars




D2

L

Order No.	inch	inch	mm	mm
64504050	1/4"	1/4"	13	50
64504100	1/4"	1/4"	13	100
64504150	1/4"	1/4"	13	150
64514075	3/8"	3/8"	19	75
64514100	3/8"	3/8"	19	100
64514125	3/8"	3/8"	19	125
64514150	3/8"	3/8"	19	150
64514200	3/8"	3/8"	19	200
64514250	3/8"	3/8"	19	250
64524075	1/2"	1/2"	25	75
64524100	1/2"	1/2"	25	100
64524125	1/2"	1/2"	25	125
64524150	1/2"	1/2"	25	150
64524175	1/2"	1/2"	25	175
64524200	1/2"	1/2"	25	200
64524250	1/2"	1/2"	25	250
64524300	1/2"	1/2"	25	300
64524460	1/2"	1/2"	25	460
64524610	1/2"	1/2"	25	610
64524915	1/2"	1/2"	25	915

插销头  
Male end locking pin retainer





### 气动延长杆 Impact Extension Bars




Order No.					D2	L
	inch	inch	mm	mm		
64541075	3/4"	3/4"	44	75		
64541100	3/4"	3/4"	44	100		
64541125	3/4"	3/4"	44	125		
64541150	3/4"	3/4"	44	150		
64541175	3/4"	3/4"	44	175		
64541200	3/4"	3/4"	44	200		
64541250	3/4"	3/4"	44	250		
64541300	3/4"	3/4"	44	300		
64541330	3/4"	3/4"	44	330		
64541400	3/4"	3/4"	44	400		
64551075	1"	1"	54	75		
64551100	1"	1"	54	100		
64551125	1"	1"	54	125		
64551150	1"	1"	54	150		
64551175	1"	1"	54	175		
64551200	1"	1"	54	200		
64551250	1"	1"	54	250		
64551300	1"	1"	54	300		
64551330	1"	1"	54	330		
64551400	1"	1"	54	400		



钢珠头  
Male end with steel ball retainer



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.




### 气动延长杆 Impact Extension Bars

Order No.			D2	L
	inch	inch	mm	mm
64542075	3/4"	3/4"	44	75
64542100	3/4"	3/4"	44	100
64542125	3/4"	3/4"	44	125
64542150	3/4"	3/4"	44	150
64542175	3/4"	3/4"	44	175
64542200	3/4"	3/4"	44	200
64542250	3/4"	3/4"	44	250
64542300	3/4"	3/4"	44	300
64542330	3/4"	3/4"	44	330
64542400	3/4"	3/4"	44	400
64552075	1"	1"	54	75
64552100	1"	1"	54	100
64552125	1"	1"	54	125
64552150	1"	1"	54	150
64552175	1"	1"	54	175
64552200	1"	1"	54	200
64552250	1"	1"	54	250
64552300	1"	1"	54	300
64552330	1"	1"	54	330
64552400	1"	1"	54	400
64562125	1-1/2"	1-1/2"	86	125
64562250	1-1/2"	1-1/2"	86	250
64562500	1-1/2"	1-1/2"	86	500
64582125	2-1/2"	2-1/2"	127	125
64582250	2-1/2"	2-1/2"	127	250
64582500	2-1/2"	2-1/2"	127	500




插销孔  
Male end with pin hole






### 气动延长杆 Impact Extension Bars



Order No.			D2	L
	inch	inch	mm	mm
64544075	3/4"	3/4"	44	75
64544100	3/4"	3/4"	44	100
64544125	3/4"	3/4"	44	125
64544150	3/4"	3/4"	44	150
64544175	3/4"	3/4"	44	175
64544200	3/4"	3/4"	44	200
64544250	3/4"	3/4"	44	250
64544300	3/4"	3/4"	44	300
64544330	3/4"	3/4"	44	330
64544400	3/4"	3/4"	44	400
64554075	1"	1"	54	75
64554100	1"	1"	54	100
64554125	1"	1"	54	125
64554150	1"	1"	54	150
64554175	1"	1"	54	175
64554200	1"	1"	54	200
64554250	1"	1"	54	250
64554300	1"	1"	54	300
64554330	1"	1"	54	330
64554400	1"	1"	54	400

插销头  
Male end locking pin retainer



**1/2"方头，双头式标准型六角气动套筒**  
**1/2"Sq. Dr., Flip Impact Sockets, 6-Point, Standard Length**

Order No.	Size	Shape	Hex				
			D1	D2	L1	L2	L
			mm	mm	mm	mm	mm
66020220	11/16" x 3/4"	A	26.5	28	11	14	58
66020240	3/4" x 13/16"	A	28	30	11	14	58
66120240	3/4" x 13/16"	B	28	30	14	18	70
66025171	17mm x 19mm	A	26	28	11	14	58
66025173	17mm x 21mm	A	26	30	11	14	58
66025191	19mm x 21mm	A	28	30	11	14	58

“★” 交货期待定

**1/2"方头，双头式加长型六角气动套筒**  
**1/2"Sq. Dr., Flip Impact Sockets, 6-Point, Deep Length**

Order No.	Size	Shape	Hex				
			D1	D2	L1	L2	L
			mm	mm	mm	mm	mm
66022240	3/4" x 13/16"	A	28	30	15	22	76
66027171	17mm x 19mm	A	26	28	15	22	76
66027173	17mm x 21mm	A	26	30	15	22	76
66027191	19mm x 21mm	A	28	30	15	22	76

**1/2"方头，超薄双头式加长型六角气动套筒**  
**1/2"Sq. Dr., Extra Thin Wall Flip Impact Sockets, 6-Point, Deep Length**


Order No.	Size	Shape	Hex				
			D1	D2	L1	L2	L
			mm	mm	mm	mm	mm
66722240☆	3/4" x 13/16"	C	26	28	15	22	76
66727191☆	19mm x 21mm	C	26	28	15	22	76

☆Extra thin wall flip sockets are not covered by the ACTION warranty





轮胎专用系列，四角型焊栓专用套筒  
Budd Wheel Impact Sockets, 4-Point, Standard Length



Shape A




Shape B



Shape C


Order No.	Drive	inch	Shape				
				D2	D1	L2	L
				mm	mm	mm	mm
63040026	3/4"	13/16"	A	42	42	22	52
63040030	3/4"	15/16"	A	44	44	22	52
63050026	1"	13/16"	A	52	52	24	57
63050030	1"	15/16"	A	52	52	24	57
63150026	1"	13/16"	B	52	44	24	57
	Drive	mm	Shape	mm	mm	mm	mm
63045016	3/4"	16	A	40	40	22	52
63045017	3/4"	17	A	40	40	22	52
63045019	3/4"	19	A	40	40	22	52
63045020	3/4"	20	A	42	42	22	52
63045021	3/4"	21	A	42	42	22	52
63055017	1"	17	A	52	52	24	57
63055019	1"	19	A	52	52	24	57
63055020	1"	20	A	52	52	24	57
63055021	1"	21	A	52	52	24	57
63155017	1"	17	B	52	40	24	57
63155019	1"	19	B	52	43	24	57
63155020	1"	20	B	52	44	24	57
63155021	1"	21	B	52	44	24	57
63155022	1"	22	B	52	44	24	57
6315L022	1"	22	B	52	44	30	100

四角型焊栓专用套筒  
Budd Wheel Impact Sockets, 4-Point, Deep Length

Order No.	Drive	mm	Shape				
				D2	D1	L2	L
				mm	mm	mm	mm
63256170	1"	17	C	52	40	16	76
63256175	1"	17.5	C	52	40	16	76
63256190	1"	19	C	52	43	16	76
63256195	1"	19.5	C	52	43	16	76
63256200	1"	20	C	52	44	16	76
63256210	1"	21	C	52	44	16	76
63256215	1"	21.5	C	52	44	16	76



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B



Shape C

### 3/4"方头，四方型及六角型双层气动套筒

### 3/4" Sq. Dr., Combination Budd Wheel Impact Sockets



Order No.	inch	inch	Shape	D2	D1	L2	L
				mm	mm	mm	mm
61440116	1-1/2"	13/16"	A	57	57	14	95
61640116	1-1/2"	13/16"	C	57	57	14	95
	mm	mm	Shape	mm	mm	mm	mm
61540035	35	17	B	52	54	13	90
61540041	41	21	B	54	58	14	95
61740035	35	17	C	52	54	13	90
61740041	41	21	C	54	58	14	95


### 1"方头，四方型及六角型双层气动套筒

### 1" Sq. Dr., Combination Budd Wheel Impact Sockets



Order No.	inch	inch	Shape	D2	D1	L2	L
				mm	mm	mm	mm
61450116	1-1/2"	13/16"	A	57	57	14	99
61650116	1-1/2"	13/16"	C	57	57	14	99
	mm	mm	Shape	mm	mm	mm	mm
61550035	35	17	B	52	54	13	94
61550038	38	19	B	54	56	14	94
61551038	38	20	B	54	56	14	96
61550041	41	21	B	54	58	14	99
61750035	35	17	C	52	54	13	94
61750038	38	19	C	54	56	14	94
61751038	38	20	C	54	56	14	96
61750041	41	21	C	54	58	14	99





1/2"方头，轮胎专用，深孔型套筒，六角  
1/2" Sq. Dr., Extra Deep Spindle Nut Sockets, 6-Point



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
61921030	30	A	43	43	21.5	89
61921032	32	B	43	45	21.5	89
61921034	34	B	43	48	21.5	89
61921035	35	B	43	50	21.5	89
61921036	36	B	43	52	21.5	89



Shape A



Shape B

3/4"方头，汽车方向盘传动轴专用气动套筒，六角  
3/4" Sq. Dr., Budd Wheel Impact Sockets, Control Depth Hex.,  
Deep Length, 6-Point



Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
61840116	1-1/2"	A	57	57	14	97
61841116	1-1/2"	A	60	60	66	102

1"方头，汽车方向盘传动轴专用气动套筒，六角  
1" Sq. Dr., Budd Wheel Impact Sockets, Control Depth Hex.,  
Deep Length, 6-Point




Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
61850116	1-1/2"	B	54	57	14	90
61851116	1-1/2"	A	60	60	14	98
61852116	1-1/2"	A	60	60	64	102



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

**3/4"方头，超薄型气动套筒，六角加长型**

**3/4" Sq. Dr., Extra Thin Wall Impact Sockets, 6-Point Deep Length**



Shape A



Shape B



Shape C



			D2	D1	L2	L
Order No.	inch	Shape	mm	mm	mm	mm
61042102	1-1/16"	A	43	40	43	108
61042104	1-1/8"	A	43	42	43	108
61042108	1-1/4"	B	45	45	43	108
	mm	Shape	mm	mm	mm	mm
61142027	27	A	43	40	43	108
61142032	32	B	45	45	43	108
61142041	41	C	45	54.5	43	108

**1"方头，超薄型气动套筒，六角加长型**

**1" Sq. Dr., Extra Thin Wall Impact Sockets, 6-Point Deep Length**



			D2	D1	L2	L
Order No.	inch	Shape	mm	mm	mm	mm
61052102	1-1/16"	A	51	42.5	43	108
61052104	1-1/8"	A	51	43	43	108
61052108	1-1/4"	A	51	47	43	108
61052110	1-5/16"	A	51	49	43	108
61052116	1-1/2"	B	54	54	43	108
	mm	Shape	mm	mm	mm	mm
61152027	27	A	51	42.5	43	108
61152032	32	A	51	47	43	108
61152033	33	A	51	49	43	108
61152038	38	B	54	54	43	108
61152041	41	C	54	57	43	108

61151019	19	A	54	33	21	100
61151024	24	A	54	38	21	100
61151027	27	A	54	42.5	23	100
61151028	28	A	54	43	23	100
61151030	30	A	54	45	50	100
61151032	32	A	54	47	50	100
61151033	33	A	54	49	50	100
61151036	36	A	54	52	64	100

☆Extra thin wall sockets are not covered by the ACTION warranty





**3/8"方头，公制接杆式长套筒，六角**  
**3/8"Sq. Dr., " METRIC " Extension Impact**  
**Sockets, 6-Point**



Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
6071F008	8	22	12.5	8	125
6071F010	10	22	15.5	8	125
6071F012	12	22	18	9	125
6071F014	14	22	20.5	9	125

60715006	6	22	11	4	150
60715008	8	22	12.5	8	150
60715010	10	22	15.5	8	150
60715012	12	22	18	9	150
60715013	13	22	19.5	9	150
60715014	14	22	20.5	9	150
60715015	15	22	21	11	150
60715016	16	22	22.5	11	150
60715017	17	22	24	11	150

6071G008	8	22	12.5	8	175
6071G010	10	22	15.5	8	175
6071G012	12	22	18	9	175
6071G014	14	22	20.5	9	175

60716006	6	22	11	4	200
60716008	8	22	12.5	8	200
60716010	10	22	15.5	8	200
60716012	12	22	18	9	200
60716013	13	22	19.5	9	200
60716014	14	22	20.5	9	200
60716015	15	22	21	11	200
60716016	16	22	22.5	11	200
60716017	17	22	24	11	200

60717006	6	22	11	4	250
60717008	8	22	12.5	8	250
60717010	10	22	15.5	8	250
60717012	12	22	18	9	250
60717013	13	22	19.5	9	250
60717014	14	22	20.5	9	250
60717015	15	22	21	11	250
60717016	16	22	22.5	11	250
60717017	17	22	24	11	250




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"方头，公制接杆式长套筒，六角  
1/2" Sq. Dr., " METRIC " Extension Impact  
Sockets, 6-Point

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
6072F008	8	25	15	10	125
6072F010	10	25	17	12	125
6072F012	12	25	19.5	12	125
6072F014	14	25	22	12	125
60725008	8	25	15	10	150
60725010	10	25	17	12	150
60725012	12	25	19.5	12	150
60725013	13	25	20.5	12	150
60725014	14	25	22	12	150
60725015	15	25	23	12	150
60725017	17	25	25.5	13	150
60725019	19	25	28	13	150
60725020	20	25	30	13	150
60725021	21	25	30	13	150
6072G008	8	25	15	10	175
6072G010	10	25	17	12	175
6072G012	12	25	19.5	12	175
6072G014	14	25	22	12	175
60726008	8	25	15	10	200
60726010	10	25	17	12	200
60726012	12	25	19.5	12	200
60726013	13	25	20.5	12	200
60726014	14	25	22	12	200
60726015	15	25	23	12	200
60726017	17	25	25.5	13	200
60726019	19	25	28	13	200
60726020	20	25	30	13	200
60726021	21	25	30	13	200
60727008	8	25	15	10	250
60727010	10	25	17	12	250
60727012	12	25	19.5	12	250
60727013	13	25	20.5	12	250
60727014	14	25	22	12	250
60727015	15	25	23	12	250
60727017	17	25	25.5	13	250
60727019	19	25	28	13	250
60727020	20	25	30	13	250
60727021	21	25	30	13	250





**3/4"方头，接杆式长套筒，六角**  
**3/4" Sq. Dr., Extra Long Impact Sockets For Wheel Nuts**

Order No.	Drive End	D2	D1	L2	L
		mm	mm	mm	mm
63044026	13/16"	44	43	40	230
60444102	1-1/16"	44	42	40	230
60444104	1-1/8"	44	43	40	230
60444108	1-1/4"	44	47	40	230
60444116	1-1/2"	44	54	40	230
60549033	33mm	44	48	40	230

**1"方头，中孔式超长型特殊专用气动套筒**  
**1" Sq. Dr., Extra Long Impact Sockets For Wheel Nuts**




Order No.	Drive End	D2	D1	L2	L	
		mm	mm	mm	mm	
60454108	1-1/4"	54	51	32	270	
60559024	24mm	54	42	24	270	★
60559026	26mm	54	44	26	270	★
60559027	27mm	54	45	27	270	★
60559030	30mm	54	50	30	270	★
60559032	32mm	54	52	32	270	★
60559033	33mm	54	52	32	270	★

“★” 交货期待定



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**3/4"方头，超长轮胎螺栓专用气动套筒**  
**3/4" Sq. Dr., Extra Long Impact Sockets**  
**For Wheel Nuts**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm	
61145024	24	44	38.5	24	270	★
61145027	27	44	42	27	270	
61145030	30	44	45	30	270	★
61145032	32	44	47	32	270	
61145033	33	44	48	32	270	
61145036	36	44	53.5	32	270	★
61146024	24	44	38.5	24	400	
61146027	27	44	42	27	400	
61146030	30	44	45	30	400	★
61146032	32	44	47	32	400	★
61146033	33	44	48	32	400	
61146036	36	44	53.5	32	400	★


“★” 交货期待定



**1"方头，超长轮胎螺栓专用气动套筒**  
**1" Sq. Dr., Extra Long Impact Sockets**  
**For Wheel Nuts**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
6115H023	23	54	37.5	23	400
6115H024	24	54	38.5	24	400
6115H026	26	54	41	26	400
6115H027	27	54	42.5	27	400
6115H029	29	54	45	29	400
6115H030	30	54	46	30	400
6115H032	32	54	48.5	32	400
6115H033	33	54	50	32	400
6115H034	34	54	51	32	400
6115H036	36	54	53.5	32	400
6115H038	38	54	55	32	400






### 3/8"方头，公制内六角气动套筒 3/8" Sq. Dr., "METRIC" Impact Hex Driver Sockets

		D2	L1	L
Order No.	mm	mm	mm	mm
64815003	3	19	16	50
64815004	4	19	16	50
64815005	5	19	16	50
64815006	6	19	16	50
64815007	7	19	16	50
64815008	8	19	16	50
64815009	9	19	16	50
64815010	10	19	16	50
64815011	11	19	16	50
64815012	12	19	16	50
64815013	13	19	16	50
64815014	14	19	16	50
64815015	15	19	16	50
64815016	16	19	16	50



### 3/8"方头，英制内六角气动套筒 3/8" Sq. Dr., "SAE" Impact Hex Driver Sockets


		D2	L1	L
Order No.	inch	mm	mm	mm
64810006	3/16"	19	16	50
64810007	7/32"	19	16	50
64810008	1/4"	19	16	50
64810009	9/32"	19	16	50
64810010	5/16"	19	16	50
64810012	3/8"	19	16	50
64810014	7/16"	19	16	50
64810016	1/2"	19	16	50
64810018	9/16"	19	16	50
64810020	5/8"	19	16	50




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

**1/2"方头，公制内六角气动套筒**

**1/2"Sq. Dr., "METRIC" Impact Hex Driver Sockets**




		D2	L1	L
Order No.	mm	mm	mm	mm
64826004	4	25	20	75
64826005	5	25	20	75
64826006	6	25	20	75
64826007	7	25	20	75
64826008	8	25	25	75
64826009	9	25	25	75
64826010	10	25	25	75
64826011	11	25	25	75
64826012	12	25	25	75
64826013	13	25	25	75
6482Z014	14	30	25	75
6482Z015	15	30	25	75
6482Z016	16	30	25	75
6482Z017	17	30	25	75
6482Z018	18	30	25	75
6482Z019	19	30	25	75
6482Z020	20	30	25	75




**1/2"方头，英制内六角气动套筒**

**1/2"Sq. Dr., "SAE" Impact Hex Driver Sockets**


		D2	L1	L
Order No.	inch	mm	mm	mm
64821006	3/16"	25	20	75
64821007	7/32"	25	20	75
64821008	1/4"	25	20	75
64821009	9/32"	25	20	75
64821010	5/16"	25	25	75
64821012	3/8"	25	25	75
64821014	7/16"	25	25	75
64821016	1/2"	25	25	75
64821018	9/16"	25	25	75
64821020	5/8"	25	25	75
64821022	11/16"	25	25	75
64821024	3/4"	25	25	75





### 3/4"方头，公制内六角气动套筒


### 3/4" Sq. Dr., "METRIC" Impact Hex Driver Sockets

		D2	L1	L
Order No.	mm	mm	mm	mm
64846010	10	44	20	100
64846012	12	44	20	100
64846014	14	44	20	100
64846016	16	44	20	100
64846017	17	44	20	100
64846019	19	44	20	100
64846022	22	44	20	100
64846024	24	44	20	100
64846027	27	44	20	100
64846030	30	44	20	100

### 3/4"方头，英制内六角气动套筒

### 3/4" Sq. Dr., "SAE" Impact Hex Driver Sockets




		D2	L1	L
Order No.	inch	mm	mm	mm
64841012	3/8"	44	20	100
64841014	7/16"	44	20	100
64841016	1/2"	44	20	100
64841018	9/16"	44	20	100
64841020	5/8"	44	20	100
64841024	3/4"	44	20	100
64841026	13/16"	44	20	100
64841028	7/8"	44	20	100
64841100	1"	44	20	100
64841102	1-1/16"	44	20	100
64841104	1-1/8"	44	20	100
64841106	1-3/16"	44	20	100
64841108	1-1/4"	44	20	100




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

### 1"方头，公制内六角气动套筒

### 1" Sq. Dr., "METRIC" Impact Hex Driver Sockets




		D2	L1	L
Order No.	mm	mm	mm	mm
64856010	10	54	20	100
64856012	12	54	20	100
64856014	14	54	20	100
64856017	17	54	20	100
64856019	19	54	20	100
64856022	22	54	20	100
64857022	22	54	20	140
64856024	24	54	20	100
64856027	27	54	20	100
64856030	30	54	20	100
64856032	32	54	20	100
64856033	33	54	20	100
64856036	36	54	20	100
64856038	38	54	20	100
64856041	41	54	20	100




### 1"方头，英制内六角气动套筒


### 1" Sq. Dr., "SAE" Impact Hex Driver Sockets

		D2	L1	L
Order No.	inch	mm	mm	mm
64851016	1/2"	54	20	100
64851018	9/16"	54	20	100
64851020	5/8"	54	20	100
64851024	3/4"	54	20	100
64851026	13/16"	54	20	100
64851028	7/8"	54	20	100
64851100	1"	54	20	100
64851102	1-1/16"	54	20	100
64851104	1-1/8"	54	20	100
64851106	1-3/16"	54	20	100
64851108	1-1/4"	54	20	100
64851110	1-5/16"	54	20	100
64851112	1-3/8"	54	20	100
64851116	1-1/2"	54	20	100
64851120	1-5/8"	54	20	100
64851124	1-3/4"	54	20	100






**1-1/2"方头，公制内六角气动套筒**  
**1-1/2" Sq. Dr., "METRIC" Impact Hex Driver Sockets**

		D2	L1	L
Order No.	mm	mm	mm	mm
64865019	19	86	20	120
64865022	22	86	20	120
64865024	24	86	20	120
64865027	27	86	20	120
64865030	30	86	20	120
64865032	32	86	20	120
64865036	36	86	20	120




**1-1/2"方头，英制内六角气动套筒**  
**1-1/2" Sq. Dr., "SAE" Impact Hex Driver Sockets**

		D2	L1	L
Order No.	inch	mm	mm	mm
64860024	3/4 "	86	20	120
64860026	13/16 "	86	20	120
64860028	7/8 "	86	20	120
64860030	15/16 "	86	20	120
64860100	1 "	86	20	120
64860102	1-1/16 "	86	20	120
64860106	1-3/16 "	86	20	120
64860108	1-1/4 "	86	20	120



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.






1/4"方头，内星型气动专用套筒  
1/4"Sq. Dr., Internal Torx® Impact Sockets

		D2	L1	L
Order No.	A	mm	mm	mm
64701005	T 5	13	21	35
64701006	T 6	13	21	35
64701007	T 7	13	21	35
64701008	T 8	13	21	35
64701009	T 9	13	21	35
64701010	T10	13	21	35
64701015	T15	13	21	35
64701020	T20	13	21	35
64701025	T25	13	21	35
64701027	T27	13	21	35
64701030	T30	13	21	35




3/8"方头，内星型气动专用套筒  
3/8"Sq. Dr., Internal Torx® Impact Sockets


		D2	L1	L
Order No.	A	mm	mm	mm
64711009	T9	19	31	50
64711010	T10	19	31	50
64711015	T15	19	31	50
64711020	T20	19	31	50
64711025	T25	19	31	50
64711027	T27	19	31	50
64711030	T30	19	31	50
64711040	T40	19	31	50
64711045	T45	19	31	50
64711047	T47	19	31	50
64711050	T50	19	31	50

 Torx® is a trademark of Textron





1/2"方头，内星型气动专用套筒  
1/2" Sq. Dr., Internal Torx® Impact Sockets


Order No.		D2	L1	L
	A	mm	mm	mm
64721020	T20	25	30	55
64721025	T25	25	30	55
64721027	T27	25	30	55
64721030	T30	25	30	55
64721040	T40	25	30	55
64721045	T45	25	30	55
64721047	T47	25	30	55
64721050	T50	25	30	55
64721055	T55	25	30	55
64721060	T60	25	30	55
64721070	T70	25	30	55
64722020	T20	25	50	75
64722025	T25	25	50	75
64722027	T27	25	50	75
64722030	T30	25	50	75
64722040	T40	25	50	75
64722045	T45	25	50	75
64722047	T47	25	50	75
64722050	T50	25	50	75
64722055	T55	25	50	75
64722060	T60	25	50	75
64722070	T70	25	50	75

☆Torx® is a trademark of Textron



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





Shape A



Shape B


**3/8"方头，内十二角气动专用套筒**  
**3/8"Sq. Dr., Triple Square Bit Impact Sockets**

Order No.		Shape	D2 mm	L1 mm	L mm
65216005	M5	A	19	7	50
65216006	M6	A	19	7	50
65216008	M8	A	19	9	50
65216010	M10	A	19	9	50
65216012	M12	A	19	11	50
65216014	M14	A	19	11	50
65216016	M16	B	19	13	50


65217005	M5	A	19	7	100
65217006	M6	A	19	7	100
65217008	M8	A	19	9	100
65217010	M10	A	19	9	100
65217012	M12	A	19	11	100
65217014	M14	A	19	11	100
65217016	M16	B	19	13	100

65218005	M5	A	19	7	120
65218006	M6	A	19	7	120
65218008	M8	A	19	9	120
65218010	M10	A	19	9	120
65218012	M12	A	19	11	120
65218014	M14	A	19	11	120
65218016	M16	B	19	13	120





**1/2"方头，内十二角气动专用套筒**  
**1/2" Sq. Dr., Triple Square Bit Impact Sockets**

Order No.	inch	 D2 mm	L1 mm	L mm
65226005	M5	25	7	55
65226006	M6	25	7	55
65226008	M8	25	9	55
65226010	M10	25	9	55
65226012	M12	25	11	55
65226014	M14	25	11	55
65226016	M16	25	13	55

65227005	M5	25	7	100
65227006	M6	25	7	100
65227008	M8	25	9	100
65227010	M10	25	9	100
65227012	M12	25	11	100
65227014	M14	25	11	100
65227016	M16	25	13	100


  

65228005	M5	25	7	140
65228006	M6	25	7	140
65228008	M8	25	9	140
65228010	M10	25	9	140
65228012	M12	25	11	140
65228014	M14	25	11	140
65228016	M16	25	13	140



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





### 1/4"方头，外星型气动专用套筒

#### 1/4" Sq. Dr., External Torx® Impact Sockets Standard

Order No.		shape	D2 mm	D1 mm	L2 mm	L mm
63300004	E4	A	13	7.2	4	25
63300005	E5	A	13	8	4.5	25
63300006	E6	A	13	9	5	25
63300007	E7	A	13	9.5	6	25
63300008	E8	A	13	10	6	25
63300010	E10	A	13	12.5	7.5	25
63300011	E11	B	13	13	8	25
63300012	E12	B	14.5	14.5	8.5	25



Shape A

### 3/8"方头，外星型气动专用套筒

#### 3/8" Sq. Dr., External Torx® Impact Sockets Standard

63310005	E5	A	19	9	4.5	32
63310006	E6	A	19	10	5	32
63310007	E7	A	19	10	6	32
63310008	E8	A	19	10.5	6	32
63310010	E10	A	19	12.5	7.5	32
63310011	E11	A	19	14.5	8	32
63310012	E12	A	19	15	8.5	32
63310014	E14	A	19	17.5	10	32
63310016	E16	B	19	19	11	32



Shape B

### 1/2"方头，外星型气动专用套筒

#### 1/2" Sq. Dr., External Torx® Impact Sockets Standard


63320010	E10	A	25	15	7.5	38
63320011	E11	A	25	15.5	8	38
63320012	E12	A	25	16	8.5	38
63320014	E14	A	25	18.5	10	38
63320016	E16	A	25	20	11	38
63320018	E18	A	25	22	12	38
63320020	E20	A	30	25	13.5	38
63320022	E22	A	30	26.5	18	45
63320024	E24	A	30	28.5	18	45

☆Torx® is a trademark of Textron



### 1/4"方头，超薄外星型气动专用套筒

### 1/4" Sq. Dr., Thin Wall External Torx® Impact Sockets Standard



Order No.		shape	D2	D1	L2	L
			mm	mm	mm	mm
63305004	E4	A	13	6.5	4	25
63305005	E5	A	13	7.5	4.5	25
63305006	E6	A	13	8.5	5	25
63305007	E7	A	13	9	6	25
63305008	E8	A	13	9.8	6	25
63305010	E10	A	13	12	7.5	25
63305011	E11	A	13	12.7	8	25
63305012	E12	A	14.5	14	8.5	25

### 3/8"方头，超薄外星型气动专用套筒

### 3/8" Sq. Dr., Thin Wall External Torx® Impact Sockets Standard



Shape A

63315005	E5	A	19	8	4.5	32
63315006	E6	A	19	9	5	32
63315007	E7	A	19	9.3	6	32
63315008	E8	A	19	10	6	32
63315010	E10	A	19	12.3	7.5	32
63315011	E11	A	19	13	8	32
63315012	E12	A	19	14	8.5	32
63315014	E14	A	19	16.5	10	32
63315016	E16	A	19	18.4	11	32

### 1/2"方头，超薄外星型气动专用套筒

### 1/2" Sq. Dr., Thin Wall External Torx® Impact Sockets Standard


63325010	E10	A	25	13	7.5	38
63325011	E11	A	25	14	8	38
63325012	E12	A	25	15	8.5	38
63325014	E14	A	25	17	10	38
63325016	E16	A	25	18.5	11	38
63325018	E18	A	25	20.5	12	38
63325020	E20	A	30	22.5	13.5	38
63325022	E22	A	30	24.5	18	45
63325024	E24	A	30	26.5	18	45

☆Torx® is a trademark of Textron



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





### 3/8"方头，加长外星型气动专用套筒

### 3/8" Sq. Dr., External Torx® Deep Impact Sockets



Order No.	inch	driven	D2 mm	D1 mm	L2 mm	L mm
63317005	3/8	E5	19	8	4.5	65
63317006	3/8	E6	19	9	5	65
63317007	3/8	E7	19	9.3	6	65
63317008	3/8	E8	19	10	6	65
63317010	3/8	E10	19	12.3	7.5	65
63317011	3/8	E11	19	13	8	65
63317012	3/8	E12	19	14	8.5	65
63317014	3/8	E14	19	16.5	10	65
63317016	3/8	E16	19	18.4	11	65



### 1/2"方头，加长外星型气动专用套筒


### 1/2" Sq. Dr., External Torx® Deep Impact Sockets



Order No.	inch	driven	D2 mm	D1 mm	L2 mm	L mm
63327010	1/2	E10	25	13	7.5	78
63327011	1/2	E11	25	14	8	78
63327012	1/2	E12	25	15	8.5	78
63327014	1/2	E14	25	17	10	78
63327016	1/2	E16	25	18.5	11	78
63327018	1/2	E18	25	20.5	12	78
63327020	1/2	E20	30	22.5	13.5	78
63327022	1/2	E22	30	24.5	21	78
63327024	1/2	E24	30	26.5	21	78

☆Torx® is a trademark of Textron.






**3/4"方头，外星型气动专用套筒**  
**3/4" Sq. Dr., External Torx<sup>®</sup> Impact Sockets**



Order No.		D2 mm	D1 mm	L2 mm	L mm
63340018	E18	44	25	15	56
63340020	E20	44	27	15	56
63340022	E22	44	30	19	56
63340024	E24	44	33	19	56



**3/4"方头，加长外星型气动专用套筒**  
**3/4" Sq. Dr., External Torx<sup>®</sup> Deep Impact Sockets**




Order No.		D2 mm	D1 mm	L2 mm	L mm
63344018	E18	44	25	17	110
63344020	E20	44	27	17	110
63344022	E22	44	30	19	110
63344024	E24	44	33	19	110

☆Torx<sup>®</sup> is a trademark of Textron.



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





Shape A



Shape B

**1/4"方头，公制大圆弧专用气动套筒，标准型**  
**1/4" Sq. Dr., "Metric" Surface Drive Impact Sockets**  
**Standard Length**



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
63405040	4	A	13	7.6	4	23
63405045	4.5	A	13	8.2	5	23
63405050	5	A	13	8.8	5	23
63405055	5.5	A	13	9.5	5	23
63405060	6	A	13	10	6	23
63405070	7	A	13	11.3	6	23
63405080	8	A	13	12.5	7	23
63405090	9	B	13	13.8	7	23
63405100	10	B	13	15	7	23
63405110	11	B	13	16.3	8	23
63405120	12	B	13	17	8	23
63405130	13	B	13	18.8	8	23
63405140	14	B	13	20	8	23
63405150	15	B	13	21	8	23


**1/4"方头，英制大圆弧专用气动套筒，标准型**  
**1/4" Sq. Dr., "SAE" Surface Drive Impact Sockets**  
**Standard Length**



Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
63400006	3/16"	A	13	8.5	5	23
63400007	7/32"	A	13	9.5	5	23
63400008	1/4"	A	13	10.3	6	23
63400009	9/32"	A	13	11.3	6	23
63400010	5/16"	A	13	12.5	7	23
63400011	11/32"	B	13	13.8	7	23
63400012	3/8"	B	13	15	7	23
63400014	7/16"	B	13	16.3	8	23
63400016	1/2"	B	13	18.8	8	23
63400018	9/16"	B	13	20	8	23




**1/4"方头，公制大圆弧专用气动套筒，加长型**  
**1/4" Sq. Dr., "Metric" Surface Drive Impact Sockets**  
**Standard Length**



Shape A



Shape C

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63407040	4	A	13	7.6	4	50
63407045	4.5	A	13	8.2	6	50
63407050	5	A	13	8.8	6	50
63407055	5.5	A	13	9.5	6	50
63407060	6	A	13	10	7	50
63407070	7	A	13	11.3	7	50
63407080	8	A	13	12.5	9	50
63407090	9	B	13	13.8	9	50
63407100	10	B	13	15	9	50
63407110	11	B	13	16.3	9	50
63407120	12	B	13	17	9	50
63407130	13	B	13	18.8	9	50
63407140	14	B	13	20	9	50
63407150	15	B	13	21	9	50


**1/4"方头，英制大圆弧专用气动套筒，加长型**  
**1/4" Sq. Dr., "SAE" Surface Drive Impact Sockets**  
**Standard Length**

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63402006	3/16"	A	13	8.5	6	50
63402007	7/32"	A	13	9.5	6	50
63402008	1/4"	A	13	10.3	7	50
63402009	9/32"	A	13	11.3	7	50
63402010	5/16"	A	13	12.5	9	50
63402011	11/32"	B	13	13.8	9	50
63402012	3/8"	B	13	15	9	50
63402014	7/16"	B	13	16.3	9	50
63402016	1/2"	B	13	18.8	9	50
63402018	9/16"	B	13	20	9	50



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





**3/8"方头，公制大圆弧专用气动套筒，标准型**  
**3/8" Sq. Dr., "Metric" Surface Drive Impact Sockets**  
**Standard Length**



Shape A



Shape B




Shape C

Order No.	mm	Shape		D2	D1	L2	L
				mm	mm	mm	mm
63415008	8	A		19	13.8	8	32
63415009	9	A		19	15	8	32
63415010	10	A		19	16	8	32
63415011	11	A		19	17.5	9	32
63415012	12	B		19	19	9	32
63415013	13	A		22	20	9	32
63415014	14	B		22	22	9	32
63415015	15	B		22	22	11	32
63415016	16	C		22	24	11	32
63415017	17	C		22	25	11	32
63415018	18	C		22	26	11	32
63415019	19	C		22	28	11	32

**3/8"方头，英制大圆弧专用气动套筒，标准型**  
**3/8" Sq. Dr., "SAE" Surface Drive Impact Sockets**  
**Standard Length**

Order No.	inch	Shape		D2	D1	L2	L
				mm	mm	mm	mm
63410008	1/4"	A		19	11.5	4	32
63410010	5/16"	A		19	13.8	8	32
63410012	3/8"	A		19	15.5	8	32
63410014	7/16"	A		19	17.5	9	32
63410016	1/2"	A		22	20	9	32
63410018	9/16"	B		22	22	11	32
63410020	5/8"	C		22	24	11	32
63410022	11/16"	C		22	26	11	32
63410024	3/4"	C		22	28	11	32





Shape A



Shape B




Shape C

**3/8"方头，公制大圆弧专用气动套筒，加长型**  
**3/8" Sq. Dr., "Metric" Surface Drive Impact Sockets**  
**Deep Length**

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63417008	8	A	19	13.8	12	80
63417009	9	A	19	15	12	80
63417010	10	A	19	16	12	80
63417011	11	A	19	17.5	25	80
63417012	12	B	19	19	25	80
63417013	13	A	22	20	25	80
63417014	14	B	22	22	25	80
63417015	15	B	22	22	25	80
63417016	16	C	22	24	25	80
63417017	17	C	22	25	25	80
63417018	18	C	22	26	25	80
63417019	19	C	22	28	25	80


**3/8"方头，英制大圆弧专用气动套筒，加长型**  
**3/8" Sq. Dr., "SAE" Surface Drive Impact Sockets**  
**Deep Length**

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63412010	5/16"	A	19	13.8	12	80
63412012	3/8"	A	19	15.5	12	80
63412014	7/16"	A	19	17.5	25	80
63412016	1/2"	A	22	20	25	80
63412018	9/16"	B	22	22	25	80
63412020	5/8"	C	22	24	25	80
63412022	11/16"	C	22	26	25	80
63412024	3/4"	C	22	28	25	80



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





Shape A



Shape B




Shape C

**1/2"方头，公制大圆弧专用气动套筒，标准型**  
**1/2" Sq. Dr., "Metric" Surface Drive Impact Sockets**  
**Standard Length**

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
63425010	10	A	25	17.5	12	38
63425011	11	A	25	18.7	12	38
63425012	12	A	25	20	12	38
63425013	13	A	25	21	12	38
63425014	14	A	25	22.5	12	38
63425015	15	A	30	23.7	12	38
63425016	16	A	30	25	12	38
63425017	17	A	30	26	13	38
63425018	18	A	30	27.5	13	38
63425019	19	A	30	28.7	13	38
63420520	20	B	30	30	13	38
63425021	21	B	30	30	13	38
63425022	22	C	30	32	13	38
63425023	23	C	30	32	13	38
63425024	24	C	30	35	20	45
63425026	26	C	30	38	22	50
63425027	27	C	30	38.7	22	50
63425029	29	C	30	40	22	50
63425030	30	C	30	42	22	50
63425032	32	C	30	44	22	50





Shape A



Shape B



Shape C

**1/2"方头，英制大圆弧专用气动套筒，标准型**  
**1/2" Sq. Dr., "SAE" Surface Drive Impact Sockets**  
**Standard Length**


Order No.	inch	Shape					
			D2	D1	L2	L	
			mm	mm	mm	mm	
63420012	3/8"	A	25	17	12	38	★
63420014	7/16"	A	25	18.7	12	38	★
63420016	1/2"	A	25	21	12	38	★
63420018	9/16"	A	25	23	12	38	★
63420020	5/8"	A	30	25	12	38	★
63420022	11/16"	A	30	27	13	38	★
63420024	3/4"	A	30	28.7	13	38	★
63420026	13/16"	B	30	30	13	38	★
63420028	7/8"	C	30	32	13	38	★
63420030	15/16"	C	30	35	20	45	★
63420100	1"	C	30	38	22	50	★
63420102	1-1/16"	C	30	38.7	22	50	★
63420104	1-1/8"	C	30	40	22	50	★
63420106	1-3/16"	C	30	42	22	50	★
63420108	1-1/4"	C	30	44	22	50	★

“★” 交货期待定



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





Shape A




Shape B



Shape C


1/2"方头，公制大圆弧专用气动套筒，加长型  
1/2" Sq. Dr., "Metric" Surface Drive Impact Sockets  
Deep Length

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63427010	10	A	25	17.5	14	83
63427011	11	A	25	18.7	14	83
63427012	12	A	25	20	14	83
63427013	13	A	25	21	14	83
63427014	14	A	25	22.5	17	83
63427015	15	A	30	23.7	17	83
63427016	16	A	30	25	17	83
63427017	17	A	30	26	17	83
63427018	18	A	30	27.5	17	83
63427019	19	A	30	28.7	19	83
63427020	20	B	30	30	19	83
63427021	21	B	30	30	24	83
63427022	22	C	30	32	24	90
63427023	23	C	30	32	24	90
63427024	24	C	30	35	24	90
63427026	26	C	30	38	24	90
63427027	27	C	30	38.7	24	90
63427029	29	C	30	40	24	90
63427030	30	C	30	42	24	90
63427032	32	C	30	44	24	90

★

“★” 交货期待定





Shape A



Shape B



Shape C

**1/2"方头，英制大圆弧专用气动套筒，加长型**  
**1/2" Sq. Dr., "SAE" Surface Drive Impact Sockets**  
**Deep Length**




Order No.	inch	Shape	D2	D1	L2	L	
			mm	mm	mm	mm	
63422012	3/8"	A	25	17	14	83	★
63422014	7/16"	A	25	18.7	14	83	★
63422016	1/2"	A	25	21	14	83	★
63422018	9/16"	A	25	23	17	83	★
63422020	5/8"	A	30	25	17	83	★
63422022	11/16"	A	30	27	17	83	★
63422024	3/4"	A	30	28.7	19	83	★
63422026	13/16"	B	30	30	24	83	★
63422028	7/8"	C	30	32	24	90	
63422030	15/16"	C	30	35	24	90	★
63422100	1"	C	30	38	24	90	★
63422102	1-1/16"	C	30	38.7	24	90	★
63422104	1-1/8"	C	30	40	24	90	★
63422106	1-3/16"	C	30	42	24	90	★
63422108	1-1/4"	C	30	44	24	90	★

“★” 交货期待定



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.







1/2"方头，公制八角气动套筒，加长型  
1/2" Sq.Dr., "METRIC" Double Square(8-Point)  
Impact Sockets Deep Length

Order No.

6362L032




1/2"方头，英制八角气动套筒，标准型  
1/2" Sq.Dr., "SAE" Double Square(8-Point)  
Impact Sockets Standare Length



Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63620012	3/8"	A	22	19	12	38
63620014	7/16"	A	24	21	12	38
63620016	1/2"	B	24	24	12	38
63620018	9/16"	B	26	26	12	38
63620020	5/8"	B	28	28	12	38
63620022	11/16"	B	30	30	13	38
63620024	3/4"	B	34	34	13	38
63620026	13/16"	B	36	36	13	38
63620028	7/8"	B	38	38	13	38
63620030	15/16"	C	38	42	20	45
63620100	1"	C	38	44	20	45
63620102	1-1/16"	C	38	46	22	50
63620104	1-1/8"	C	38	49	22	50





**3/4"方头，英制八角气动套筒，标准型**

**3/4" Sq. Dr., "SAE" Double Square (8-Point) Impact Sockets  
Standard Length**



Shape A



Shape B

**3/4"方头，公制八角气动套筒，标准型**

**3/4" Sq. Dr., "METRIC" Double Square (8-Point) Impact Sockets  
Standard Length**

Order No.	inch	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63640024	3/4"	A	41	41	15	52
63640026	13/16"	A	42	42	20	52
63640028	7/8"	A	44.5	44.5	20	52
63640030	15/16"	B	44.5	46	20	52
63640100	1"	B	44.5	51	22	54
63640102	1-1/16"	B	44.5	53	24	56
63640104	1-1/8"	B	44.5	58	26	58
63640106	1-3/16"	B	44.5	60	28	60
63640108	1-1/4"	B	44.5	60	28	60
63640110	1-5/16"	B	44.5	63.5	30	62
63640114	1-7/16"	B	44.5	67	32	64
63640116	1-1/2"	B	44.5	70	32	64

Order No.	mm	Shape				
			D2	D1	L2	L
			mm	mm	mm	mm
63645019	19	A	41	41	15	52
63645024	24	B	44.5	46	20	52
63645027	27	B	44.5	53	24	56
63645030	30	B	44.5	60	28	60
63645032	32	B	44.5	60	28	60
63645038	38	B	44.5	70	32	64




**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**1"方头，英制八角气动套筒，标准型**

**1" Sq. Dr., "SAE" Double Square (8-Point) Impact Sockets  
Standard Length**




Shape A



Shape B




Shape C



Order No.	inch	Shape		D2	D1	L2	L
				mm	mm	mm	mm
63650024	3/4"	A		54	47	16	58
63650026	13/16"	A		54	48.5	16	58
63650028	7/8"	A		54	51	16	58
63650030	15/16"	A		54	52	16	58
63650100	1"	B		54	54	16	58
63650102	1-1/16"	C		54	58	30	68
63650104	1-1/8"	C		54	58	30	68
63650106	1-3/16"	C		54	61	32	70
63650108	1-1/4"	C		54	61	32	70
63650110	1-5/16"	C		54	65	32	70
63650112	1-3/8"	C		58	66.5	32	70
63650114	1-7/16"	C		58	68	32	70
63650116	1-1/2"	C		58	73	32	70
63650120	1-5/8"	C		58	78	38	76
63650122	1-11/16"	C		62	84	40	78
63650124	1-3/4"	C		62	84	40	78
63650126	1-13/16"	C		62	86	42	80
63650128	1-7/8"	C		62	88	47	85
63650200	2"	C		62	92	47	85
63650206	2-3/16"	C		62	100	47	87

**1"方头，公制八角气动套筒，标准型**

**1" Sq. Dr., "METRIC" Double Square (8-Point) Impact Sockets  
Standard Length**

Order No.	mm	Shape		D2	D1	L2	L
				mm	mm	mm	mm
63655019	19	A		54	47	16	58
63655024	24	A		54	52	16	58
63655027	27	C		54	58	30	68
63655030	30	C		54	61	32	70
63655032	32	C		54	61	32	70
63655035	35	C		58	66.5	32	70
63655038	38	C		58	73	32	70
63655046	46	C		62	86	42	80






**1/2"方头, 轮胎专用磨损螺母拆卸套筒**  
**1/2" Sq. Dr., Impact Sockets Standard Length**  
**For Removing Wheel Lug Nuts**

	S	D2	D1	L1	L
Order No.	mm	mm	mm	mm	mm
69782088	13.5	22	22	17	38
69782089	15.5	24	24	17	38
69782090	17	24	24	17	38
69782091	18.5	25	25	17	38
69782092	20	26	26	22	38
69782093	21.5	28.5	28.5	22	38
69782094	23	30	30	22	38
69782095	24.5	31	31	22	38
69782096	26	32	32	22	38
69782097	27.5	34	34	22	38
69782098	29.5	36	36	22	38
69782099	31.5	38	38	22	38

**1/2"方头, 轮胎专用磨损螺母拆卸套筒 薄壁**  
**1/2" Sq. Dr., Thin Wall Impact Sockets**  
**For Removing Wheel Lug Nuts**

	S	S1		D2	D1	L1	L
Order No.	mm	mm	Shape	mm	mm	mm	mm
69782206	17	13.5	A	25	21.6	25	55
69782209	18.5	14.5	A	25	23.7	25	55
69782212	20	16.5	B	25	25.5	25	55
69782215	21.5	18	A	30	27	25	55
69782218	23	19.5	A	30	28	25	55
69782221	24.5	21	A	30	30	25	55
69782224	26	22.5	B	30	30	25	55
69782227	27.5	24	C	30	33	25	55



**3/8"方头，双头螺栓专用气动套筒（无头螺栓）**  
**3/8" Sq. Dr., Stud Bolt Impact Sockets Standard Length**

Order No.	Thread Size	Shape	T		
			D2	D1	L
			mm	mm	mm
69781050	M5 × P 0.8	A	22	12	50
69781053	M6 × P 1.0	A	22	12.5	50
69781056	M7 × P 1.0	A	22	13	50
69781059	M8 × P 1.0	A	22	15	50
69781060	M8 × P 1.25	A	22	14.5	50
69781062	M10 × P 1.25	A	22	18	50
69781063	M10 × P 1.25	A	22	17	50



**1/2"方头，双头螺栓专用气动套筒（无头螺栓）**  
**1/2" Sq. Dr., Stud Bolt Impact Sockets Standard Length**

Order No.	Thread Size	Shape	T		
			D2	D1	L
			mm	mm	mm
69782010	M6 x P 1.0	A	25	13	55
69782015	M7 x P 1.0	A	25	14	55
69782018	M8 x P 1.25	A	25	15	55
69782021	M10 x P 1.25	A	25	18	55
69782022	M10 x P 1.5	A	25	17	55
69782025	M12 x P 1.25	A	25	21	55
69782026	M12 x P 1.5	A	25	20	55
69782027	M12 x P 1.75	A	25	19	55
69782030	M14 x P 1.5	A	25	23	55
69782031	M14 x P 2.0	A	25	22	55
69782034	M16 x P 1.5	A	30	28	75
69782035	M16 x P 2.0	A	30	27	75
69782038	M18 x P 2.5	A	30	29	75
69782041	M20 x P 2.5	B	30	30	75



69782051	1/2" - 13UNC	A	30	27	75
69782050	5/8" - 11UNC	A	30	27	75
69782058	3/4" - 10UNC	B	30	30	75





Order No. 69775050



Order No. 69776050

### 轮胎专用，断裂螺杆拆卸套筒 Broken Nut & Wheel Stud Removal Tools

Order No.

69775050

69776050



### 3/8"方头，圆螺母专用气动套筒 3/8" Sq.Dr.,

Order No.	S	D2 mm	D1 mm	L1 mm	L mm
69711005	18.3	24	24	24	44
69711010	23.6	29	29	24	44
69711012	27.5	34	40	75	90

### 1/2"方头，圆螺母专用气动套筒 1/2" Sq.Dr.,

Order No.	S	D2 mm	D1 mm	L1 mm	L mm
69712005	18.3	24	24	24	44
69712010	23.6	29	29	24	44
69712012	27.5	34	40	75	90



3/8" 公制液压气动套筒，六角标准型

3/8" Sleeve Drive "METRIC" Impact Sockets, 6-Points Standard Length



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60910010	10	A	19	16	8	43
60910011	11	A	19	17.5	9	43
60910012	12	B	19	19	9	43
60910013	13	A	22	20	9	43
60910014	14	A	22	21	9	43
60910015	15	B	22	22	11	43
60910016	16	C	22	24	11	43
60910017	17	C	22	25	11	43
60910018	18	C	22	26	11	43
60910019	19	C	22	27.5	11	43
60910021	21	C	22	30	13	43

1/2" 公制液压气动套筒，六角标准型

1/2" Sleeve Drive "METRIC" Impact Sockets, 6-Points Standard Length



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60920012	12	A	25	20	12	52
60920013	13	A	25	21	12	52
60920014	14	A	25	22.5	12	52
60920015	15	A	30	23.7	12	52
60920016	16	A	30	25	12	52
60920017	17	A	30	26	13	52
60920018	18	A	30	27.5	13	52
60920019	19	A	30	28.7	13	52
60920021	21	B	30	30	13	52
60920022	22	C	30	32	13	52
60920023	23	C	30	32	13	52
60920024	24	C	30	35	14	52



3/4" 公制液压气动套筒，六角标准型

3/4" Sleeve Drive "METRIC" Impact Sockets, 6-Points Standard Length



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
60940017	17	A	44	31	12	65
60940018	18	A	44	32	12	65
60940019	19	A	44	33	14	65
60940021	21	A	44	35	16	65
60940022	22	A	44	37	16	65
60940023	23	A	44	38	16	65
60940024	24	A	44	39	16	65
60940026	26	A	44	41	16	65
60940027	27	A	44	43	16	65
60940028	28	B	44	44	20	68
60940029	29	C	44	45	20	68
60940030	30	C	44	47	20	68
60940032	32	C	44	49	20	70
60940033	33	C	44	51	20	70
60940034	34	C	44	52	20	70
60940035	35	C	44	53	20	70
60940036	36	C	44	54	20	70
60940038	38	C	44	57	22	72
60940041	41	C	44	60	22	72
60940046	46	C	44	67	23	77
60940050	50	C	54	71	23	77



3/8" 公制液压气动套筒，六角超长型

3/8" Sleeve Drive "METRIC" Impact Sockets, 6-Points Extended Length



		D2	D1	L2	L
Order No.	mm	mm	mm	mm	mm
60913006	6	22	10.5	4	100
60913008	8	22	12.5	8	100
60913010	10	22	15	8	100
60913012	12	22	18	9	100
60913013	13	22	19	9	100
60913014	14	22	20	9	100
60913015	15	22	21	11	100
60913016	16	22	22.5	11	100
60913017	17	22	24	11	100
60914006	6	22	10.5	4	150
60914008	8	22	12.5	8	150
60914010	10	22	15	8	150
60914012	12	22	18	9	150
60914013	13	22	19	9	150
60914014	14	22	20	9	150
60914015	15	22	21	11	150
60914016	16	22	22.5	11	150
60914017	17	22	24	11	150
60915006	6	22	10.5	4	200
60915008	8	22	12.5	8	200
60915010	10	22	15	8	200
60915012	12	22	18	9	200
60915013	13	22	19	9	200
60915014	14	22	20	9	200
60915015	15	22	21	11	200
60915016	16	22	22.5	11	200
60915017	17	22	24	11	200

1/2" 公制液压气动套筒，六角超长型

1/2" Sleeve Drive "METRIC" Impact Sockets, 6-Points Extended Length



		D2	D1	L2	L
Order No.	mm	mm	mm	mm	mm
60923010	10	25	17	12	100
60923012	12	25	19.5	12	100
60923013	13	25	20.5	12	100
60923014	14	25	21.5	12	100
60923015	15	25	22.5	12	100
60923017	17	25	25	13	100
60923019	19	25	28	13	100
60924010	10	25	17	12	150
60924012	12	25	19.5	12	150
60924013	13	25	20.5	12	150
60924014	14	25	21.5	12	150
60924015	15	25	22.5	12	150
60924017	17	25	25	13	150
60924019	19	25	28	13	150
60925010	10	25	17	12	200
60925012	12	25	19.5	12	200
60925013	13	25	20.5	12	200
60925014	14	25	21.5	12	200
60925015	15	25	22.5	12	200
60925017	17	25	25	13	200
60925019	19	25	28	13	200

低振动，低磨损，高扭矩



# 液压气动延长杆


## Sleeve Drive Impact Extended Bars

Order No.			D2	L
	inch	inch	mm	mm
64614075	3/8"	3/8"	22	75
64614125	3/8"	3/8"	22	125
64614250	3/8"	3/8"	22	250
64624075	1/2"	1/2"	25	75
64624125	1/2"	1/2"	25	125
64624175	1/2"	1/2"	25	175
64624255	1/2"	1/2"	25	250
64644175	3/4"	3/4"	44	175
64644250	3/4"	3/4"	44	250
64644330	3/4"	3/4"	44	330

插销头 Male end with locking pin retainer  
低振动，低磨损，高扭矩







**1/4" 方头 磁性英制标准套筒, 六角**  
**1/4" Sq. Dr., " SAE " Impact Sockets,**  
**With Magnetic**



Shape A



Shape B


Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
6040P006	3/16"	A	13	8.5	3	23
6040P007	7/32"	A	13	9.5	3	23
6040P008	1/4"	A	13	10.3	3	23
6040P009	9/32"	A	13	11.3	3	23
6040P010	5/16"	A	13	12.5	3	23
6040P011	11/32"	B	13	13.8	4	23
6040P012	3/8"	B	13	15	4	23
6040P014	7/16"	B	13	16.3	5	23
6040P016	1/2"	B	13	18.8	5	23

**1/4" 方头 磁性公制标准套筒, 六角**  
**1/4" Sq. Dr., " METRIC " Impact Sockets,**  
**With Magnetic**

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
6050P050	5	A	13	8.8	3	23
6050P055	5.5	A	13	9.5	3	23
6050P060	6	A	13	10	3	23
6050P070	7	A	13	11.3	3	23
6050P080	8	A	13	12.5	3	23
6050P090	9	B	13	13.8	4	23
6050P100	10	B	13	15	4	23
6050P110	11	B	13	16.3	5	23
6050P120	12	B	13	17	5	23
6050P130	13	B	13	18.8	5	23
6050P140	14	B	13	20	6	23
6050P150	15	B	13	21	6	23



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B

**1/4" 方头 磁性英制加长套筒，六角**  
**1/4" Sq. Dr., " SAE " Deep Length Impact Sockets,**  
**With Magnetic**




Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
6040R008	1/4"	A	13	10.3	3	50
6040R009	9/32"	A	13	11.3	3	50
6040R010	5/16"	A	13	12.5	3	50
6040R011	11/32"	B	13	13.8	4	50
6040R012	3/8"	B	13	15	4	50
6040R014	7/16"	B	13	16.3	5	50
6040R016	1/2"	B	13	18.8	5	50
6040R018	9/16"	B	13	20	6	50

**1/4" 方头 磁性公制加长套筒，六角**  
**1/4" Sq. Dr., " METRIC " Deep Length Impact Sockets,**  
**With Magnetic**



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
6050R050	5	A	13	8.8	3	50
6050R055	5.5	A	13	9.5	3	50
6050R060	6	A	13	10	3	50
6050R070	7	A	13	11.3	3	50
6050R080	8	A	13	12.5	3	50
6050R090	9	B	13	13.8	4	50
6050R100	10	B	13	15	4	50
6050R110	11	B	13	16.3	5	50
6050R120	12	B	13	17	5	50
6050R130	13	B	13	18.8	5	50
6050R140	14	B	13	20	6	50
6050R150	15	B	13	21	6	50





**3/8" 方头 磁性英制标准套筒, 六角**  
**3/8" Sq. Dr., "SAE" Impact Sockets,**  
**With Magnetic**



Shape A



Shape B



Shape C


Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
6041P008	1/4"	A	19	12	3	30
6041P010	5/16"	A	19	14	3	30
6041P012	3/8"	A	19	15.7	4	30
6041P014	7/16"	A	19	18	5	30
6041P016	1/2"	C	19	20	5	30
6041P018	9/16"	A	22	21.5	6	30
6041P020	5/8"	C	22	24	6	30
6041P022	11/16"	C	22	25.5	6	30
6041P024	3/4"	C	22	27.5	7	30

**3/8" 方头 磁性公制标准套筒, 六角**  
**3/8" Sq. Dr., "METRIC" Impact Sockets,**  
**With Magnetic**

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
6051P006	6	A	19	11.5	3	30
6051P007	7	A	19	12.5	3	30
6051P008	8	A	19	14	3	30
6051P009	9	A	19	15	4	30
6051P010	10	A	19	16.5	4	30
6051P011	11	A	19	17.5	5	30
6051P012	12	B	19	19	5	30
6051P013	13	A	22	20	5	30
6051P014	14	A	22	21.5	6	30
6051P015	15	B	22	22	6	30
6051P016	16	C	22	24	6	30
6051P017	17	C	22	25	6	30
6051P018	18	C	22	26	7	30
6051P019	19	C	22	27.5	7	30



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



**3/8" 方头 磁性英制加长套筒，六角**  
**3/8" Sq. Dr., " SAE " Deep Length Impact Sockets,**  
**With Magnetic**



Shape A



Shape B




Shape C

Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
6041R008	1/4"	A	19	12	3	55
6041R010	5/16"	A	19	14	3	55
6041R012	3/8"	A	19	15.7	4	55
6041R014	7/16"	A	19	18	5	55
6041R016	1/2"	C	19	20	5	55
6041R018	9/16"	A	22	21.5	6	55
6041R020	5/8"	C	22	24	6	55
6041R022	11/16"	C	22	25.5	6	55
6041R024	3/4"	C	22	27.5	7	55

**3/8" 方头 磁性公制加长套筒，六角**  
**3/8" Sq. Dr., " METRIC " Deep Length Impact Sockets,**  
**With Magnetic**

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
6051R006	6	A	19	11.5	3	55
6051R007	7	A	19	12.5	3	55
6051R008	8	A	19	14	3	55
6051R009	9	A	19	15	4	55
6051R010	10	A	19	16.5	4	55
6051R011	11	A	19	17.5	5	55
6051R012	12	B	19	19	5	55
6051R013	13	A	22	20	5	55
6051R014	14	A	22	21.5	6	55
6051R015	15	B	22	22	6	55
6051R016	16	C	22	24	6	55
6051R017	17	C	22	25	6	55
6051R018	18	C	22	26	7	55
6051R019	19	C	22	27.5	7	55





Shape A



Shape B



Shape C

### 1/2" 方头 磁性英制标准套筒，六角 1/2" Sq. Dr., " SAE " Impact Sockets, With Magnetic


Order No.	Inch	Shape	D2 mm	D1 mm	L2 mm	L mm
6042P012	3/8"	A	25	17.4	4	38
6042P014	7/16"	A	25	19	5	38
6042P016	1/2"	A	25	21	5	38
6042P018	9/16"	A	25	23	6	38
6042P020	5/8"	A	30	25	6	38
6042P022	11/16"	A	30	27	6	38
6042P024	3/4"	A	30	29	7	38
6042P026	13/16"	C	30	31	8	38
6042P028	7/8"	C	30	33	8	38
6042P030	15/16"	C	30	35	10	45
6042P100	1"	C	30	37	10	45

### 1/2" 方头 磁性公制标准套筒，六角 1/2" Sq. Dr., " METRIC " Impact Sockets, With Magnetic

Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
6052P008	8	A	25	15	3	38
6052P009	9	A	25	16	4	38
6052P010	10	A	25	17.5	4	38
6052P011	11	A	25	18.7	5	38
6052P012	12	A	25	20	5	38
6052P013	13	A	25	21	5	38
6052P014	14	A	25	22.5	6	38
6052P015	15	A	30	23.7	6	38
6052P016	16	A	30	25	6	38
6052P017	17	A	30	26.5	6	38
6052P018	18	A	30	27.5	7	38
6052P019	19	A	30	29	7	38
6052P020	20	B	30	30	7	38
6052P021	21	C	30	31	8	38
6052P022	22	C	30	32.5	8	38
6052P024	24	C	30	35	10	45



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Shape A



Shape B




Shape C

**1/2" 方头 磁性英制加长套筒，六角**  
**1/2" Sq. Dr., " SAE " Deep Length Impact Sockets,**  
**With Magnetic**



Order No.	inch	Shape	D2 mm	D1 mm	L2 mm	L mm
6042R012	3/8"	A	25	17.4	4	78
6042R014	7/16"	A	25	19	5	78
6042R016	1/2"	A	25	21	5	78
6042R018	9/16"	A	25	23	6	78
6042R020	5/8"	A	30	25	6	78
6042R022	11/16"	A	30	27	6	78
6042R024	3/4"	A	30	29	7	78
6042R026	13/16"	C	30	31	8	78
6042R028	7/8"	C	30	33	8	78
6042R030	15/16"	C	30	35	10	78
6042R100	1"	C	30	37	10	78

**1/2" 方头 磁性公制加长套筒，六角**  
**1/2" Sq. Dr., " METRIC " Deep Length Impact Sockets,**  
**With Magnetic**



Order No.	mm	Shape	D2 mm	D1 mm	L2 mm	L mm
6052R008	8	A	25	15	3	78
6052R009	9	A	25	16	4	78
6052R010	10	A	25	17.5	4	78
6052R011	11	A	25	18.7	5	78
6052R012	12	A	25	20	5	78
6052R013	13	A	25	21	5	78
6052R014	14	A	25	22.5	6	78
6052R015	15	A	30	23.7	6	78
6052R016	16	A	30	25	6	78
6052R017	17	A	30	26.5	6	78
6052R018	18	A	30	27.5	7	78
6052R019	19	A	30	29	7	78
6052R020	20	B	30	30	7	78
6052R021	21	C	30	31	8	78
6052R022	22	C	30	32.5	8	78
6052R024	24	C	30	35	10	78






**1/2" 方头 轿车轮毂专用套筒, 六角**  
**1/2" Sq. Dr., Wheel Nut Impact**  
**Sockets, 6-point.**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
61127017	17	25	24	20	110
61127019	19	25	26	21	110
61127021	21	25	27.5	23	110
61127022	22	25	29.5	24	110




**1/2" 方头 轿车轮毂专用套筒, 十二角**  
**1/2" Sq. Dr., Wheel Nut Impact**  
**Sockets, 12-point.**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
63928014	14	25	21	17	110
63928017	17	25	24	20	110
63928019	19	25	26	21	110
63928021	21	25	27.5	23	110
63928022	22	25	29.5	24	110



**1/2" 方头 轿车轮毂专用套筒**  
**1/2" Sq. Dr., Wheel Nut Impact**  
**Sockets With Plastic Stop**

Order No.	mm	D2 mm	D1 mm	L2 mm	L mm
61128017	17	25	24	12	105
61128019	19	25	26	13	105
61128021	21	25	27.5	15	105
61128022	22	25	29.5	16	105






**1/2" 方头 轿车轮毂专用套筒**  
**1/2" Sq. Dr., Impact Wheel Nut Sockets**  
**With Plastic Sleeve & Stop**

Order No.	mm	D2 mm	D1 mm	D3 mm	L2 mm	L mm
61126017	17	30	24	27	14	85
61126019	19	30	26	29	15	85
61126021	21	30	28	31	17	85
61126022	22	30	29.5	32.5	18	85



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

电动、气动转换头  
Impact Adapters



	M	H		D	L
Order No.	inch	mm	shape	mm	mm
69309075	1/4"	7	A	9	75
69301050	1/4"	5.5	B	9	50

	M	H			D	L
Order No.	inch	inch	mm	shape	mm	mm
69306050	1/4"	1/4"	6.3	C	9	50
69306100	1/4"	1/4"	6.3	C	9	100
69306150	1/4"	1/4"	6.3	C	9	150
69316050	3/8"	1/4"	6.3	D	13	50
69316075	3/8"	1/4"	6.3	D	13	75
69318075	3/8"	7/16"	11.2	E	13	75
69328075	1/2"	7/16"	11.2	F	17	75

插销头

Male end locking pin retainer

3/8" 转 1/4" 转换头

3/8" Sq. Dr., Impact Bit Holder

		D2	D1	L2	L
Order No.	mm	mm	mm	mm	mm
69121C08	3/8	19	13.5	20	40

1/2" 转 1/4" 转换头

1/2" Sq. Dr., Impact Bit Holder

		D2	D1	L2	L
Order No.	mm	mm	mm	mm	mm
69122C08	1/2	25	13.5	20	50

特殊转换套筒

Impact Bit Socket Adapters

			D2	D1	L
Order No.	inch	inch	mm	mm	mm
69120008	1/4"	1/4"	13	12.5	26
69120010	1/4"	5/16"	13	13	26
69121008	3/8"	1/4"	19	12.5	32
69121010	3/8"	5/16"	19	14	37
69121016	3/8"	1/2"	19	19	37
69122008	1/2"	1/4"	25	12.5	40
69122010	1/2"	5/16"	25	15.5	40
69122016	1/2"	1/2"	25	20	40





**"T" 型板杆**  
**Sliding "T" Handles**

Order No.		D	L
	inch	mm	mm
69751050	3/8"	19.5	165
69752050	1/2"	27.5	300
69754050	3/4"	40	510
69755050	1"	50	760

Male end with steel ball retainer.



**"L" 型板杆**  
**"L" Bars**

Order No.		D	L
	inch	mm	mm
69762051	1/2"	16.5	250
69764050	3/4"	25	450


Male end with steel ball retainer.



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



## 插销 Locking Pins

Order No.	 inch	D2 (dim. end) mm	d mm	L mm
69731015	3/8"	19~21	2.5	15
69731018	3/8"	22~25	2.5	18
69731022	3/8"	26~31	2.5	22
69731028	3/8"	32~34	2.5	28
69732020	1/2"	22~27.5	3	20
69732024	1/2"	28~31	3	24
69732028	1/2"	32~36	3	28
69732032	1/2"	37~38	3	32
69732038	1/2"	43	3	38
69734031	3/4"	36~43	4	31
69734037	3/4"	44~46	4	37
69734043	3/4"	52~54	5	43
69734049	3/4"	57~60	5	49
69734043	1"	50~57	5	43
69734049	1"	58~62	5	49
69735075	1"	86	6	75
69735084	1"	95	6	84
69735075	1-1/2"	86	6	75
69735084	1-1/2"	95	6	84
69735084	1-3/4"	95	6	84
69738114	2-1/2"	127	8	114
69738139	2-1/2"	152	8	138



# O 型环

## O-Rings



Order No.	inch	D2 (dim. end)	D	W
		mm	mm	mm
69741016	3/8"	19	16	2.4
69741017	3/8"	20	17	2.4
69741018	3/8"	21	18	2.4
69741019	3/8"	22	19	2.4
69741020	3/8"	23	20	2.4
69741021	3/8"	24	21	2.4
69741023	3/8"	26	22.1	3.5
69741025	3/8"	28	25	3.5
69741027	3/8"	30	26.5	3.5
69741029	3/8"	32	29	3.5
69741031	3/8"	34	31	3.5
69742019	1/2"	22	18.6	3.5
69742020	1/2"	24 ~ 25	20.2	3.5
69742022	1/2"	26	22	3.5
69742023	1/2"	27.5	23.5	3.5
69742024	1/2"	28	24	3.5
69741025	1/2"	29 ~ 30	25	3.5
69741027	1/2"	30.5~31	26.5	3.5
69741028	1/2"	32	28	3.5
69741029	1/2"	33	29	3.5
69742030	1/2"	34	30	3.5
69741031	1/2"	35	31	3.5
69742032	1/2"	36	32	3.5
69742033	1/2"	37.5	33	3.5
69742034	1/2"	38	34	3.5
69742039	1/2"	43	39	3.5
69742032	3/4"	36	32	3.5
69742033	3/4"	38	33	3.5
69742034	3/4"	40 ~ 41	34	3.5
69744036	3/4"	42 ~ 43	36	3.5
69744038	3/4"	44 ~ 44.5	38	3.5
69744039	3/4"	45	39	3.5
69744046	3/4"	52	46	3.5
69744048	3/4"	54	48	3.5
69744050	3/4"	57	50	3.5
69744053	3/4"	60	53	5.7
69745041	1"	48	41	3.5
69745042	1"	49 ~ 51	42	3.5
69745044	1"	52	44	3.5
69744046	1"	54	46	3.5
69744048	1"	56	48	3.5
69745049	1"	57	49	3.5
69744050	1"	58	50	5.3
69744053	1"	62	53	5.7
69745075	1"	86	75	5.7
69745085	1"	95	85	5.7
69745075	1-1/2"	86	75	5.7
69745085	1-1/2"	95	85	5.7
69745085	1-3/4"	95	85	5.7
69748114	2-1/2"	127	114	7
69748139	2-1/2"	152	139	7



**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.

## 1/2" 扭力控制延长杆 1/2" Drive Torque Limiting Extensions



Order No.			Torque		Color	D2	L
	inch	inch	Ft-lb	N-m		mm	mm
68221G07	1/2"	1/2"	85	90	Yellow	27	194
68221L07	1/2"	1/2"	80	110	Blue	27	194
68221M07	1/2"	1/2"	100	135	Gray	27	194
68221P07	1/2"	1/2"	120	160	White	27	194
68221R07	1/2"	1/2"	140	190	Aqua	27	194



### No.69623094

9 Piece 1/2" dr., Torque Limiting Extension &  
Wheel Nut Deep Impact Socket Set.

Contents:

5pcs Torque Limiting Extensions:

- 65 ft. lbs. - 90N-m - Yellow
- 80 ft. lbs. - 110N-m - Blue
- 100 ft. lbs. - 135N-m - Gray
- 120 ft. lbs. - 160N-m - White
- 140 ft. lbs. - 190N-m - Aqua

4pcs Wheel Nut Deep Socket

With Plastic Sleeve & Stop:

- 17mm - Blue Plastic Sleeve
- 19mm - Yellow Plastic Sleeve
- 21mm - Red Plastic Sleeve
- 22mm - Green Plastic Sleeve

Package: Blow-Mold Case

### CAUTION:

- Use with 1/2" dr., air impact wrench.
- Actual output of the impact wrench should be 150 to 250 ft. lbs. at a line pressure of 90 to 110 psi.
- Always wear safety goggles when near impact tools in use.
- Never hold with hands while tightening.



## 1/2" 方头 扭力控制气动套筒

## 1/2" Drive Torque Limiting Sockets



Order No.	mm	Shape	Torque		Color	D2	D1	L2	L
			Ft-lb	N-m					
68122D17	17	A	55	75	Green	27	26.8	28	220
68122L17	17	A	80	110	Red	27	26.8	28	220
68122G19	19	A	65	90	Yellow	27	29.1	28	220
68122L19	19	A	80	110	Blue	27	29.8	28	220
68122M19	19	A	100	135	Gray	27	31.2	28	220
68122E21	21	A	60	80	Black	27	31.2	28	220
68122L21	21	A	80	110	Lt. Brown	27	31.2	28	220
68122S21	21	B	150	200	Charcoal	27	31.2	28	220

Order No.	Inch	Shape	Torque		Color	D2	D1	L2	L
			Ft-lb	N-m					
68022M26	13/16"	A	100	135	Brown	27	31.2	28	220
68022M28	7/8"	A	100	135	Light Blue	27	33.3	28	220
68022P28	7/8"	B	120	160	White	27	33.3	28	220
68022R28	7/8"	B	140	190	Turquoise	27	33.3	28	220
68022Q30	15/16"	B	140	190	Lt. Green	27	34.8	28	220
68022R32	1"	B	140	190	Purple	27	38.7	28	220
68022R34	1-1/16"	B	140	190	Tan	27	42.2	28	220

### CAUTION:

- Use with 1/2" dr., air impact wrench.
- Actual output of the impact wrench should be 150 to 250 ft. lbs. at a line pressure of 90 to 110 psi.
- Always wear safety goggles when near impact tools in use.
- Never hold with hands while tightening.

**No.69523073**

7 Piece 1/2" dr., Torque Limiting Impact Socket Set.

Contents:

- 17mm = 55 ft. lbs. - 75N-m - Green
- 17mm = 80 ft. lbs. - 110N-m - Red
- 19mm = 65 ft. lbs. - 90N-m - Yellow
- 19mm = 80 ft. lbs. - 110N-m - Blue
- 19mm = 100 ft. lbs. - 135N-m - Gray
- 21mm = 60 ft. lbs. - 80N-m - Black
- 21mm = 80 ft. lbs. - 110N-m - Lt. Brown

Package: Blow-Mold Case



**No.69623101**

10 Piece 1/2" dr., Torque Limiting Impact Socket Set.

Contents:


- 17mm = 55 ft. lbs. - 75N-m - Green
- 17mm = 80 ft. lbs. - 110N-m - Red
- 19mm = 65 ft. lbs. - 90N-m - Yellow
- 19mm = 80 ft. lbs. - 110N-m - Blue
- 19mm = 100 ft. lbs. - 135N-m - Gray
- 13/16" = 100 ft. lbs. - 135N-m - Brown
- 21mm = 80 ft. lbs. - 110N-m - Lt. Brown
- 7/8" = 120 ft. lbs. - 160N-m - White
- 7/8" = 140 ft. lbs. - 190N-m - Turquoise
- 15/16" = 140 ft. lbs. - 190N-m - Lt. Green

Package: Blow-Mold Case






### 冲击式套筒起子转换头 Impact Hexagon Holders

Order No.	inch	mm	Shape				
				D2	D1	L2	L
6054H022	3/4"	22	A	44	44	22	54
6055N022	1"	22	B	54	44	22	62

### 冲击式内六角起子头 Impact Hex Driver Bits

Order No.			
	S1	L1	L
697RB017	17	27	107
697RB019	19	27	107
697RB022	22	27	107
697RB024	24	27	107





### 冲击式外星型起子头 Impact External Torx® Bits

Order No.					
		D1	L1	L2	L
697RB118	E18	22.5	27	17	107
697RB120	E20	25	27	17	107
697RB122	E22	27.5	27	19	107
697RB124	E24	30	27	19	107

### 冲击式内星型起子头 Impact Internal Torx® Bits

Order No.	A				
		D1	L1	L2	L
697LB060	T60	13.3	27	20	107
697LB070	T70	15.5	27	20	107
697LB080	T80	17.6	27	20	107
697LB090	T90	20	27	20	107
697LB100	T100	22.2	27	20	107

\*Torx® is a trademark of Textron



## 世界名车轮毂螺栓适用扭力一览表（休闲车）

品 牌	车 型	生产年限	尺 寸	适用扭力 ft. lbs
TOYOTA	ALL Models-Except Below		21mm	83 Lt.brown
	Highlander	2001-03	21mm	80 Lt.brown
	Land Cruiser	1994-03	22mm	108 Lt.blue
	Pickup Trucks	1992-96	22mm	101 Lt.blue
	*Aluminum wheels		21mm	80 Lt.blue
BUICK	Rendezvous	2002-03	19mm	100 gray
HONDA	ALL Models		19mm	80 blue
HYUNDAI	Santa Fe	2002	21mm	80 Lt.brown
INFINITI	Q*4	1997-02	21mm	100 Lt.brown
ISUZU	ALL Models	1989-02	19mm	87* blue
	Trooper	2003	19mm	100 gray
	*With steel wheels	2003	19mm	65 yellow
LEXUS	RX300	1999-03	21mm	76 Lt.brown
	LX470	1999-03	22mm	100 Lt.blue
	GX470	2003	22mm	100 Lt.blue
MAZDA	ALL Models-Except Below		19mm	100 gray
	MPV	2000-03	21mm	80 Lt.brown
	Navajo	1993-95	13/16"	100 brown
	ALL Others	1980-93	21mm	80 Lt.brown
JEEP	All Models-Except Below		19mm	95 gray
	CJ Series	1987-93	19mm	80 blue
	Wagoneer(9/16 STUDS)	1984-92	22mm	130 Turquoise
MITSUBISHI	ALL Models		21mm	87 Lt.brown
NISSAN/DATSUN	ALL Models		21mm	87 Lt.brown
VOLKSWAGEN	Vanagon	1980-91	17mm	80 red
VOLVO	XC90	2003	19mm	103 gray
FORD	Aerostar	1986-97	19mm	100 gray
	Bronco	1979-96	13/16"	100 brown
	Bronco II	1984-93	19mm	100 gray
	E150/F150	1997-03	19mm	100 gray
	E150/F150	1979-96	13/16"	100 brown
	E& F250/350	1979-98	1-1/16"	140 tan
	E& F250/350	1994-98	22mm	140 Turquoise
	Escape	2001-03	19mm	98 gray
	Excursion	2000-03	21mm	148 charcoal
	Expedition	2003	21mm	150 charcoal
	Expedition	1997-02	19mm	100 gray
	Explorer	2000-03	19mm	100 gray
	Explorer	1991-99	13/16"	100 brown
	Explorer	2001-03	19mm	100 gray
	F Super Duty	1994-98	22mm	140 Turquoise
	F150(6 lug)	2003	21mm	147 charcoal
	F250/350	1999-03	21mm	148 charcoal
	Ranger pickup	1984-03	19mm	100 gray
	Windstar	1995-03	19mm	100 gray
ACURA	MDX	2001-03	19mm	80 blue
BMW	X-5	2000-03	19mm	94 gray

其余规格敬请与本公司联系

版权所有、翻印必究



## 世界名车轮毂螺栓适用扭力一览表 (轿车)

品 牌	车 型	生产年限	尺 寸	适用扭力 ft. lbs
BMW	ALL Models-Except Below		17mm	79 red
	M Roadster	1999-03	17mm	75 red
	MINI Cooper	2003	17mm	80 red
MERCEDES	C/E Class	1992-03	17mm	81 red
	CLK/SLK/SL	1992-03	17mm	81 red
CHRYSLER	ALL Models-Except Below		19mm	95 gray
	Conquest	1987-89	19mm	80 blue
	Laser	1984-94	19mm	95 gray
	Sebring Coupe	1999-01	21mm	80 Lt.brown
CADILLAC	ALL Models-Except Below		19mm	100 gray
	Catera	1997-03	17mm	80 red
	CTS	2002-03	17mm	80 red
	Deville(RWD)	1972-93	13/16"	100 brown
	Fleetwood(RWD)	1972-93	13/16"	100 brown
VOLVO	240,260 Series	1979-93	19mm	85 blue
	700-900	2000	19mm	65 yellow
	740,760,780,940	1982-93	19mm	65 yellow
	850	1993-00	19mm	85 blue
	S40/V40	2000-03	21mm	80 Lt.brown
	S60/80	1999-03	19mm	100 gray
	S70	1998-03	19mm	100 gray
	Cross Country	2000-03	19mm	103 gray
	Cross Country	1998-99	19mm	80 blue
	ALL Models-Except Below		19mm	100 gray
FORD	Aspire	1994-97	21mm	80 Lt.brown
	Escort,EXP,ZX2	1991-02	21mm	80 Lt.brown
	LTD/Crown Vic	1976-03	13/16"	100 brown
	Mustang	1976-03	13/16"	100 brown
	Probe	1989-97	21mm	80 Lt.brown
	Thunderbird	1975-93	13/16"	105 brown
NISSAN/DATSUN	ALL Models	1987-03	21mm	80 Lt.brown
LINCOLN	ALL Models		13/16"	100 brown
TOYOTA	ALL Models		21mm	76 Lt.brown
VOLKSWAGEN	ALL Models		17mm	87 red
MITSUBISHI	ALL Models		21mm	84 Lt.brown
HONDA	ALL Models		19mm	80 blue
HYUNDAI	ALL Models		21mm	80 Lt.brown
FIAT	ALL Models		19mm	65 yellow
LEXUS	ALL Models		21mm	76 Lt.brown
MAZDA	ALL Models		21mm	80 Lt.brown
BUICK	ALL Models		19mm	100 gray
AUDI	ALL Models	Up to 1998	19mm	81 red
DAEWOO	ALL Models	2000-02	21mm	88 Lt.brown
	ALL Models	1999-00	19mm	65 yellow
ISUZU	ALL Models		19mm	87 blue

其余规格敬请与本公司联系

版权所有、翻印必究

公 英 制 換 算 表

Inch	=	mm	Inch	=	mm	Inch	=	mm	Inch	=	mm	Inch	=	mm
1/32	=	0.7988	1-1/32	=	26.1938	2-1/32	=	51.5938	3-1/32	=	76.9938	4-1/32	=	102.3938
1/16	=	1.5875	1-1/16	=	26.9875	2-1/16	=	52.3875	3-1/16	=	77.7875	4-1/16	=	103.1875
3/32	=	2.3812	1-3/32	=	27.7812	2-3/32	=	53.1812	3-3/32	=	78.5812	4-3/32	=	103.9812
1/8	=	3.1750	1-1/8	=	28.5750	2-1/8	=	53.9750	3-1/8	=	79.3750	4-1/8	=	104.7750
5/32	=	3.9688	1-5/32	=	29.3688	2-5/32	=	54.7688	3-5/32	=	80.1688	4-5/32	=	105.5688
3/16	=	4.7625	1-3/16	=	30.1625	2-3/16	=	55.5625	3-3/16	=	80.9625	4-3/16	=	106.3625
7/32	=	5.5562	1-7/32	=	30.9562	2-7/32	=	56.3562	3-7/32	=	81.7562	4-7/32	=	107.1562
1/4	=	6.3500	1-1/4	=	31.7500	2-1/4	=	57.1500	3-1/4	=	82.5500	4-1/4	=	107.9500
9/32	=	7.1438	1-9/32	=	32.5438	2-9/32	=	57.9438	3-9/32	=	83.3438	4-9/32	=	108.7438
5/16	=	7.9375	1-5/16	=	33.3375	2-5/16	=	58.7375	3-5/16	=	84.1375	4-5/16	=	109.5375
11/32	=	8.7312	1-11/32	=	34.1312	2-11/32	=	59.5312	3-11/32	=	84.9312	4-11/32	=	110.3312
3/8	=	9.5250	1-3/8	=	34.9250	2-3/8	=	60.3250	3-3/8	=	85.7250	4-3/8	=	111.1250
13/32	=	10.3188	1-13/32	=	35.7188	2-13/32	=	61.1188	3-13/32	=	86.5188	4-13/32	=	111.9188
7/16	=	11.1125	1-7/16	=	36.5125	2-7/16	=	61.9125	3-7/16	=	87.3125	4-7/16	=	112.7125
15/32	=	11.9062	1-15/32	=	37.3062	2-15/32	=	62.7062	3-15/32	=	88.1062	4-15/32	=	113.5062
1/2	=	12.7000	1-1/2	=	38.1000	2-1/2	=	63.5000	3-1/2	=	88.9000	4-1/2	=	114.3000
17/32	=	13.4938	1-17/32	=	38.8938	2-17/32	=	64.2938	3-17/32	=	89.6938	4-17/32	=	115.0938
9/16	=	14.2875	1-9/16	=	39.6875	2-9/16	=	65.0875	3-9/16	=	90.4875	4-9/16	=	115.8875
19/32	=	15.0812	1-19/32	=	40.4812	2-19/32	=	65.8812	3-19/32	=	91.2812	4-19/32	=	116.6812
5/8	=	15.8750	1-5/8	=	41.2750	2-5/8	=	66.6750	3-5/8	=	92.0750	4-5/8	=	117.4750
21/32	=	16.6688	1-21/32	=	42.0688	2-21/32	=	67.4688	3-21/32	=	92.8688	4-21/32	=	118.2688
11/16	=	17.4625	1-11/16	=	42.8625	2-11/16	=	68.2625	3-11/16	=	93.6625	4-11/16	=	119.0625
23/32	=	18.2562	1-23/32	=	43.6562	2-23/32	=	69.0562	3-23/32	=	94.4562	4-23/32	=	119.8562
3/4	=	19.0500	1-3/4	=	44.4500	2-3/4	=	69.8500	3-3/4	=	95.2500	4-3/4	=	120.4500
25/32	=	19.8438	1-25/32	=	45.2438	2-25/32	=	70.6438	3-25/32	=	96.0438	4-25/32	=	121.4438
13/16	=	20.6375	1-13/16	=	46.0375	2-13/16	=	71.4375	3-13/16	=	96.8375	4-13/16	=	122.2375
27/32	=	21.4312	1-27/32	=	46.8312	2-27/32	=	72.2312	3-27/32	=	97.6312	4-27/32	=	123.0312
7/8	=	22.2250	1-7/8	=	47.6250	2-7/8	=	73.0250	3-7/8	=	98.4250	4-7/8	=	123.8250
29/32	=	23.0188	1-29/32	=	48.4188	2-29/32	=	73.8188	3-29/32	=	99.2188	4-29/32	=	124.6188
15/16	=	23.8125	1-15/16	=	49.2125	2-15/16	=	74.6125	3-15/16	=	100.0125	4-15/16	=	125.4125
31/32	=	24.6062	1-31/32	=	50.0062	2-31/32	=	75.4062	3-31/32	=	100.8062	4-31/32	=	126.2062
1	=	25.4000	2	=	50.8000	3	=	76.2000	4	=	101.6000	5	=	127.0000

扭 力 单 位 对 照 表

Nm	kgf m	kgf cm	lbf feet	lbf inch
1.00000	0.10197	10.1970	0.73756	8.85070
9.80680	1.00000	100.000	7.23300	86.8055
0.09806	0.01000	1.00000	0.07233	0.08680
1.35580	0.13825	13.8250	1.00000	12.0000
0.11298	0.01152	11.5207	0.08333	1.00000



