




汽修工具方案专家

Vehicles repair tools program expert

产品如有改动恕不另行通知本资料仅供参考以实物为准(2024版)



汽车保养维修方案定制专家

Vehicles repair and maintenance tools program expert

您的需求-我们提供定制化的解决方案
We can meet your customization program need

珠海市飞鹰电器有限公司

<http://www.zhfeiyang.com>
E-mail: zhfy-001@vip.163.com
sales2@zhfeiyang.com



FLY-EAGLE

TECH



C 企业简介 COMPANY PROFILE

珠海市飞鹰电器有限公司，是珠海市高科技企业；珠海市重合同守信单位；中国汽车保修设备行业协会理事单位等。公司拥有65000平方米现代化工厂，在全国设立八个分支机构，拥有雄厚的技术力量和先进的生产及检测设备，先后通过ISO9001：2015质量体系认证及中国强制性CCC、欧盟CE、外观设计专利等多项认证。所有产品的设计是严格按照国际IEC及国家GB等有关标准，并且获得35家知名品牌汽车制造厂4S站指定使用产品。FY-TECH凭借过硬的产品质量，领先的创新技术，优质的售后服务，专业的制造理念，雄厚的实力取得所有用户的信赖，并且与海外多家客户建立了长期的OEM合作关系，共同打造了国际品质，FY-TECH专心投身于汽保行业，立足将企业做大、做强、做专的发展思路，全寿命使用的理念下创造FY-TECH国际品牌。

Zhuhai Fly-Eagle Electrical Appliance Co Ltd has been awarded the "Zhuhai Science and Technology Enterprise" and "Zhuhai Credible Enterprise" awards as well as being a trustee of the "China Automobile Maintenance Equipment Association". We have our own factory with building area 65,000 square meters and eight branches all over China.

With abundant technology capabilities, advanced production and testing equipment, we have obtained the Quality Management and Quality Assurance ISO9001:2015, the China Compulsory Certification CCC, and the European Union CE Certification and Exterior Design Patent. Our products are strictly designed in accordance with international IEC and National GB Standards. Our products are also used and recommended by the 4S Service Shops of 35 well known automobile manufacturers.

We rely on outstanding product quality, advanced technology, excellent after sales service and professional management. Zhuhai Fly-Eagle Electrical Appliance Co. Ltd has therefore gained a reputation for high quality products. We also maintain a long lasting OEM business relationship with many overseas customers to create international quality.

Based on a development policy of innovation, progressiveness and professionalism, Zhuhai Fly-Eagle Electrical Appliance is fully devoted to the automobile maintenance equipment industry. The "FY-TECH" international brand is synonymous with our principle of a lifetime of use.

以专业创造 价值 用概念铸就 品牌

Professional services creates value . Concept achieves brand success.

您的系统合作伙伴，

为您带来完美的工作空间。

Your reliable partner brings you perfect workspaces

作为工具装备整体供应商，我们为您提供一站式服务，无论是自主制造、专业咨询还是整体装配，全方位满足您的各种需求。我们竭尽所能为您带来优质的产品、优异的功能和理想的性价比。这样既为您节省预算，又能确保高效的作业流程。

We provide one-stop service for you as a tools and equipment supplier. Whether it is self-manufacturing, professional consultation or overall assembly, we are able to fully meet your various needs. We do our best to bring you high-quality products, excellent functions and cost-effective solutions, which not only save your budget, but also ensures efficient work flows.

作为一家高品质工具的系统合作伙伴，凭借独一无二的贸易、制造和服务能力，我们能为您提供卓越的顾问式产品服务。

As a professional partner for high quality tools and cabinets with unique capabilities of trading, manufacturing and service , we are able to provide you with excellent consulting product services

贸易能力

品种繁多，物流快捷，带来最可靠的工具供应。

制造能力

高端品牌，提供极致创新和顶级品质保障。

服务能力

一流的服务，不断提高生产效率。



TRADING CAPABILITY

Wide variety of products, efficient logistics and reliable supply of tools

MANUFACTURING CAPABILITY

High-end brand providing assurance of product innovation and top quality assurance

SERVICE CAPABILITY

First-class service, constantly improving production efficiency.



使命 精神 战略

Mission Spirit Strategy

企业使命：FY-TECH以中华之鹰的形像，翱翔于国际汽保舞台，弘扬民族品牌。

Enterprise Mission: Representing the development trend of China's auto repair industry to make our mark on the world.

企业精神：开拓创新、超越自我、追求卓越。（鹰的精神）

Enterprise Spirit: Innovative, surmounting and outstanding

经营理念：卓越品质、诚信服务、客户至上。

Management Idea: Quality, service and customer

市场战略：精准定位精确营销，占据市场制高点。

Market Strategy :Dominated market by accurate marketing with market niche strategy

发展愿景：建立以“汽车维修设备为核心产品”的全品类汽保国际知名品牌。

Vision: Create a world renowned brand with a reputation for excellent quality

我们的产品是以下汽车制造商建维修站首选设备
Fly Eagle equipment and tools approved by follow car manufacture factory





产品质量管理体系

QUALITY MANAGEMENT SYSTEM(QMS)

产品质量管理体系是为实现质量目标所必需的、系统的质量管理模式，是组织的一项战略决策。它将资源与过程结合，以过程管理方法进行的系统管理，可以理解为涵盖了从确定顾客需求、设计研制、生产、检验、销售、交付之前全过程的策划、实施、监控、纠正与改进活动的要求。

A quality management system (QMS) is a collection of business processes focused on achieving quality policy and quality objectives to meet customer requirements. The Process Based QMS enables the organizations to identify, measure, control and improve the various core business processes that will ultimately lead to improved business performance.

欧盟权威CE认证

CE安全认证是欧盟对机电产品实行的一种产品安全认证。CE安全认证包括对机电产品在安全、卫生、环境保护和保护消费者四个方面的基本要求。产品通过CE安全认证，表示该产品符合欧盟规定的安全要求，就准许该产品进入欧洲市场。因此说，CE安全认证是机电产品进入欧洲市场必备的通行证。

CE marking is the mandatory conformity mark for products placed on the market in the European Economic Area (EEA) and confirms that the product complies with all the legal requirements and ensures validity so the product can be sold. This includes four basic requirements for mechanical and electrical products which are safety, health, environmental protection and customer protection. In conforming to the requirements, a level of safety is ensured for the products that enter into the European market.



以企业信誉为基础以产品质量为保障健全完善质量保证体系

产品质量管理体系是为实现质量目标所必需的、系统的质量管理模式，是组织的一项战略决策。它将资源与过程结合，以过程管理方法进行的系统管理，可以理解为涵盖了从确定顾客需求、设计研制、生产、检验、销售、交付之前全过程的策划、实施、监控、纠正与改进活动的要求。

A quality management system (QMS) is a collection of business processes focused on achieving quality policy and quality objectives to meet customer requirements. The Process Based QMS enables the organizations to identify, measure, control and improve the various core business processes that will ultimately lead to improved business performance.

Provide superior quality products to win market share

严格把关 以质取胜

胜

CONTENTS

产品目录

组合工具及挂板 Tools cabinet and tool pegboard	01-06
371件 专业机修工具组合方案 371pcs Professional Mechanical tools program	07-08
194件 钢铝车身钣金工具组合方案 194pcs Steel & Aluminum Panel beating tools program	09-10
201件 专业气动钣金维修工具组合方 201pcs Professional Sheet Metal Pneumatic Tools Program	11-12
167件 卡车工具组合方案 167pcs Light Truck Maintenance Tools Program	13-14
303件 奔/宝/奥工具组合方案 303pcs Benz / BMW / Audi Repair Tools Program	15-16
379件 深度保养工具组合方案 379pcs Depth Repair Tools Program	17-18
328件 混合动力工具组合方案 328pcs Hybrid Power Maintain & Repair Tools Program	19-20
323件 摩托车深度保养维修组合方案 323pcs Motorcycles Depth Maintain & Repair Tools Program	21-22
87件 四轮定位工具方案 87pcs Wheel Alignment Tools Program	23
173件 快修工具组合方案 173pcs Fast Repair Tools Program	24
337件 专业机修工具组合方案 337pcs Craftman Repair and Maintenance Tools Program	25-26
234件 技术型机修工具组合方案 234pcs Craftman Repair and Maintenance Tools Program	27-28
217件 深度维修工具组合方 217pcs Depth Repair Tools Program	29-30
39件 车身钣金维修工具组合方案 39pcs Steel Sheet Metal Tools Program	31
229件 快修/快保工具组合方案 229pcs Fast Repair & Maintenance Tools Program	33-34
211件 通用机修工具组合方案 211pcs Mechanical Tools Program	35-36
98件 新能源工具组合方案 98pcs Insulated Socket & Wrench Tools Program	37
81件 新能源(绝缘)工具组合方案 81pcs Insulated Socket & Wrench Tools Program	38
125件 新能源(绝缘)工具组合方案 125pcs Insulated Socket & Wrench Tools Program	39-40
68件 绝缘工具组合方案 68pcs Insulated Socket & Wrench Tools Program	41
37件新能源工具组合方案 37pcs Insulated Tool Box Set	42
24件 绝套筒扳手工具托 24pcs Insulated Socket and Wrench Set	43
91件 1/4"&1/2"专业汽修套筒与扳手工具组 91pcs 1/4" & 1/2" Socket and Wrench Tools Set	43
163件 全系列专业汽修套筒工具组套 163pcs Professional Car Repair Tools Set	43
62件 3/8" 套筒扳手组套 62 pcs 3/8" Sockets with Wrenches set	44
56件 1/4"套筒扳手组套 56 pcs 1/4" Sockets set	44
130+9件 1/4"+3/8"+1/2" 系列汽车维修套筒与扳手组套 130+9 pcs 1/4"+3/8"+1/2" Dr. Sockets and Wrenches tools set	45
新能源电池升降机 New energy vehicle battery lift vehicle	46



绝缘工具 Insulation Tools	47-62
41件套绝缘互换式螺丝批组套 Insulated Interchangeable Screwdriver	63-64
手动套筒、旋具头、棘轮批头组、接杆等...手动配件 Socket、Bits Set、Ratchet and Bits Set、Extension Bar	65-84
气动套筒 Impact Socket	85-89
两用扳手、活扳手、接杆、六角扳手 Combination Wrench、Adjustable Wrench、Extension Bar、Hex Key Set	90-95
螺丝起子 Screwdriver	96-99
倍力拉钉枪、倍力铆螺母枪 Blind Rivet Gun、Rivet Nut Gun	100
棘轮扳手 Ratchet Handle	101-103
扭力扳手 Torque Wrench	104-110
钳子 Pliers	111-118
轮毂防盗螺丝 Anti-Theft Nuts Socket Set	119-121
刹车分泵更换组套 Brake Caliper Wind Back Kit	122
破坏套筒组套 Twist Socket Set	123
螺牙取出器组套 Screw Extractor Set	123-124
油底壳螺丝 Drain Nut Set	124
撬棒 Panel Remover	125-126
钣金垫块 Dolly Blocks	126-127
锤子 Hammer	127-129
碗型机油格扳手 Oil Exchange Wrench Set	130
电动冲击扳手 Electric impact wrench	131-132
检修用仪表、捡拾器、工具 Inspection Instrument、Magnetic Pickup、Tools	133-164
气动工具 Impact Tools	165-174

科学严谨的研发理念



好的设计是提升产品实用功能附加价值的关键，FY-TECH的研发团队是一支锐意进取、思想先进的团队，拥有大批专业技术高超和设计经验丰富的研发技术人员，FY-TECH有着多年工具箱柜项目研发生产经验。以市场诉求与客户反馈信息为导向，不断创新、与时俱进。

FY-TECH工具箱柜系列以“合理空间优化 提升工作效率”为研发核心理念，真正做到便利快捷、合理规范化工作空间环境。使您的物品存取工作真正做到准时、准确、高效、低耗。更以高强度的结构设计和模具成型技术及表面处理工艺。让产品不仅外形美观，而且更加坚固，持久耐用，更能适应复杂的工作环境。



飞鹰工具箱柜系列

便利快捷 ■ 合理空间优化 ■ 坚固耐用 ■ 提升工作效率





0810001

规格: 700X570X2060mm
材料: 1.0-3.0mm
承载: 600kg

0810002

规格: 700X570X2060mm
材料: 1.0-3.0mm
承载: 600kg

0810003

规格: 700X570X2060mm
材料: 1.0-3.0mm
承载: 600kg

0810004

规格: 770X570X2060mm
材料: 1.0-3.0mm
承载: 600kg

0810005

规格: 700X570X2060mm
材料: 1.0-3.0mm
承载: 600kg


0810006

规格: 700X570X2060mm
材料: 1.0-3.0mm
承载: 600kg



FY-7730A


材料厚度: 1.0-3.0mm
外形尺寸: 2100x570x2060mm 整体承载: 600kg



颜色选择


RAL 7040	RAL 7045	RAL 3009
RAL 5009	RAL 7012	RAL 9017

Material thickness: 1.0-3.0mm
Overall dimensions: 2100x570x2060mm
Overall loading capacity: 600kg



FY-7740A

材料厚度: 1.0-3.0mm
外形尺寸: 2870x570x2060mm 整体承载: 800kg



颜色选择


RAL 7040	RAL 7045	RAL 3009	RAL 5009	RAL 7012	RAL 9017
----------	----------	----------	----------	----------	----------

Material thickness: 1.0-3.0mm
Overall dimensions: 2870x570x2060mm
Overall loading capacity: 800kg



FY-7750A

材料厚度: 1.0-3.0mm
外形尺寸: 3570x570x2060mm 整体承载: 1000kg



颜色选择

RAL 7040	RAL 7045	RAL 3009	RAL 5009	RAL 7012	RAL 9017
----------	----------	----------	----------	----------	----------

Material thickness: 1.0-3.0mm
Overall dimensions: 3570x570x2060mm
Overall loading capacity: 1000kg



颜色选择


RAL 7040	RAL 7045	RAL 3000
RAL 5009	RAL 7012	RAL 9017

FY-7770A

材料厚度: 1.0-3.0mm
外形尺寸: 4970x570x2060mm 整体承载: 1400kg

Material thickness: 1.0-3.0mm
Overall dimensions: 4970x570x2060mm

Overall loading capacity: 1400kg



颜色选择


RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017
----------	----------	----------	----------	----------	----------

FY-7780A

材料厚度: 1.0-3.0mm
外形尺寸: 4270x570x2060mm 整体承载: 1200kg

Material thickness: 1.0-3.0mm
Overall dimensions: 4270x570x2060mm

Overall loading capacity: 1200kg



颜色选择


RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017
----------	----------	----------	----------	----------	----------

FY-7790A

材料厚度: 1.0-3.0mm
外形尺寸: 6370x570x2060mm 整体承载: 1400kg

Material thickness: 1.0-3.0mm
Overall dimensions: 6370x570x2060mm

Overall loading capacity: 1400kg





FY-607



FY-717



FY-K530B



FY-503L



FY-8710L

墙壁工具挂板

Tools Storage Pedboard

产品特点

Metal Hanging board

- ※采用镀锌钢板材，模具化一次冲压成型。
- ※孔位精准，可放置挂钩，任意搭配。
- ※挂板背面带有加强筋，坚固耐用
- ※适用于：车间、仓库、美容工位等

- ※ Stamping forming by die-casting mould at one time with galvanized steel.
- ※ Precise hole sites allow to organize hooks in many layouts depends on needs.
- ※ The back of the board with reinforcement. Strong and durable.
- ※ Suitable for workshops, warehouses, auto detailing shops,...etc.

尺寸：1195x20x460mm

Overall dimensions: 1195x20x460mm



标配十个挂钩

FY-8711H

FY-8710H

抽屉式斜板展示架

Plate Display Stand with Drawer

产品特点


Metal Hanging board

- ※采用镀锌钢板材，模具化一次冲压成型。
- ※孔位精准，可放置挂钩，任意搭配。
- ※挂板背面带有加强筋，坚固耐用
- ※适用于：车间、仓库、美容工位等

- ※ Stamping forming by die-casting mould at one time with galvanized steel.
- ※ Precise hole sites allow to organize hooks in many layouts depends on needs.
- ※ The back of the board with reinforcement. Strong and durable.
- ※ Suitable for workshops, warehouses, auto detailing shops,...etc.

尺寸：700x593x2060mm

Overall dimensions: 700x593x2060mm



0113700

371件 专业机修工具组合方案

371pcs Professional Mechanical tools program



20pcs 10 x 75mm bits,H4~H12,M5~M12,T20~T55
19pcs 10 x 30mm bits,H4~H12,M5~M12,T20H~T55H
1pcs 10 x 100mm bits,T52
12pcs 3/8" 6pt. short socket,8~19mm
10pcs 3/8" 6pt. long socket,8~19mm
7pcs 3/8"E type socket,E8~E18
21pcs 3/8" bits socket,T15~T50,H4~H10,PH1~PH3,FD5.5~FD7
13pcs 1/4" 6pt. short socket,4~14mm
10pcs 1/4" 6pt. long socket,4~13mm

0322300

71件 1/2" 套筒扳手工具托

71pcs 1/2" Socket & Ratchet handle tools set

20件 1/2" 六角短套筒, 8~32mm
14件 1/2" 六角长套筒, 10~24mm
20件 1/2" 十二角短套筒, 8~32mm
4件 1/2" 十二角长套筒, 10~14mm
4件 1/2" 气动六角短套筒, 17~23mm
1件 72齿专业级棘轮扳手, 1/2"
2件 摇头式接杆, 1/2" x 5" & 10"
3件 转接头, 1/2" F x 3/8" M, 三用接头1/2" M x 3/8" F, 弹套1/2" x10mm
1件 万向接头, 1/2"
2件 滑杆与 L 杆, 1/2" x10"
20pcs 1/2" 6pt. short socket,8~32mm
14pcs 1/2" 6pt. long socket,10~24mm
20pcs 1/2" 12pt. short socket,8~32mm
4pcs 1/2" 12pt. long socket,10~14mm
4pcs 1/2" 6pt. impact short socket,17~23mm
1pcs 72 teeth ratchet handle,1/2"
2pcs swivel extension bar,1/2" x 5" & 10"
3pcs adaptor,1/2" F x 3/8" M,3-way 1/2" M x 3/8" F,1/2" x10mm
1pcs universal joint,1/2"
2pcs sliding bar and L wrench,1/2" x10"

0322500

157件 3/8"+1/4"套筒扳手工具托

157pcs 3/8" + 1/4" Socket & Ratchet handle tools set

20件 10 x 75mm旋具头, H4~H12, M5~M12, T20~T55
19件 10 x 30mm旋具头, H4~H12, M5~M12, T20H~T55H
1件 10 x 100mm旋具头, T52
12件 3/8"六角短套筒, 8~19mm
10件 3/8"六角长套筒, 8~19mm
7件 3/8"E型套筒, E8~E18
21件 3/8"旋具套筒, T15~T50, H4~H10, PH1~PH3, FD5.5~FD7
13件 1/4"六角短套筒, 4~14mm
10件 1/4"六角长套筒, 4~13mm
22件 1/4" 旋具套筒, TH8, T10~T40, H3~H8, PH1~PH3, PZ1~PZ3, FD4~FD6
2件 72齿专业级棘轮扳手, 3/8" & 1/4"
6件 摇头式接杆, 3/8"x3~10",1/4"x2&4", 弹性接杆1/4" x 6"
2件 万向接头, 3/8" & 1/4"
3件 薄型磁吸火花塞套筒, 14mm&16mm, 胶套火花塞套筒21mm
2件 油底壳套筒, 3/8"xM16, 3/8"xH17
3件 滑杆, 3/8" & 1/4", 方杆 1/4"x6"
4件 转接头, 3/8" F x 1/4" M, 1/2" F x 3/8" M, 三用3/8"M x 1/2"F, 3/8" x10mm弹套
22pcs 1/4" bits socket,TH8,T10~T40,H3~H8,PH1~PH3,PZ1~PZ3,FD4~FD6
2pcs 72 teeth ratchet handle,3/8"& 1/4"
6pcs extension bar,swivel 3/8"x3~10",1/4"x2&4",flexible 1/4" x 6"
2pcs universal joint,3/8" & 1/4"
3pcs magnetic spark plug socket,14mm&16mm,rubber core spark plug socket 21mm
2pcs oil drain socket,3/8"xM16,3/8"xH17
3pcs sliding bar,3/8" & 1/4",socket handle 1/4"x6"
4pcs adaptor,3/8" F x 1/4" M,1/2" F x 3/8" M,3-way 3/8"M x 1/2"F,3/8"x10mm

0342000

20件 螺丝刀与钳子工具托

20pcs Screwdriver and Pliers tools set

5件 一字螺丝批, SL3x75mm, SL5.5x100mm, SL6.5x38mm, SL6x100mm, SL6x150mm
5件 十字螺丝批, PH0x75mm, PH2x38mm, PH1x100mm, PH2x100mm, PH2x150mm
1件 卷尺, 自动停止式, 5米x19mm
4件 7"卡黄钳、内直、内弯、外直、外弯
4件 钳子、铬钒钢、6"尖嘴钳、6"斜口钳、8"钢丝钳、8"鲤鱼钳
1件 直口大力钳、10"
4pcs 7"Circlip Pliers,internal straight,Internal curved,external straight,external curved
4pcs Pliers,Cr-V,6"long nose,6"diagonal,8"combination,8"slip joint
1pcs Curved jaw locking Pliers,10"
2pcs Go-through type screwdriver,SL6x150mm,PH2x150mm
4pcs Slotted screwdriver,SL3x75mm,SL5x100mm,SL6x38mm,SL6x100mm
4pcs Phillips screwdriver,PH0x75mm,PH2x38mm,PH1x100mm,PH2x100mm
1pcs Measuring tape,auto stop function,5 Meters x19mm



0331500

33件 两用与双开口扳手工具托

33pcs Combination and Double open end wrench tools set

22件 两用呆扳手, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 27mm, 30mm, 32mm
11件 双开口扳手, 6x7, 8x10, 10x12, 11x13, 14x15, 16x17, 18x19, 21x23, 22x24, 24x27, 30x32
22pcs combination wrench,6~32mm
11pcs double open end wrench,6x7, 8x10, 10x12, 11x13, 14x15, 16x17, 18x19, 21x23, 22x24, 24x27, 30x32



0331601

25件 双梅花与烟斗扳手工具托

25pcs Double ring and pipe wrench tools set

9件 双梅花45度呆扳手, 8x10, 10x12, 11x13, 14x15, 16x17, 18x19, 21x23, 22x24, 24x27
2件 一字贯穿螺丝批, SL6x150mm, SL8x200mm
2件 十字贯穿螺丝批, PH2x150mm, PH3x200mm
9件 烟斗扳手, 6~14mm
2件 1/2"六角短套筒, 34, 36mm
1件 10"活络扳手
9pcs 45° double ring end wrench,8x10,10x12,11x13,14x15,16x17,18x19,21x23,22x24,24x27
4pcs go through type screwdriver,SL6x150,SL8x200,PH2x150,PH3x200mm
9pcs pipe wrench,6~14mm
2pcs 1/2" 6pt. short socket,34&36mm
1pcs 10" adjustable wrench



0390800

65件 综合维修工具托

65pcs Combination Repair tools set

2件 锤子、圆头锤24 oz、橡胶锤50mm
9件 特长球头内六角扳手H1.5-H10mm
9件 加长梅花扳手T10~T50 (六角棒)
6件 尼龙撬棒
5件 细牙断丝取出器组套
2件 胶扣起子8x120L、固定式拾拾器
5件 样冲扁铲组套
23件 塞尺、0.02~1.0mm
4件 汽车测电笔、5"吹尘枪、18mm美工刀、三爪机油格
2pcs 24 oz ball head hammer,50mm shock proof hammer
9pcs extra long L type hex key with ball head, 1.5-10mm
9pcs long torx L type torx key with tamperproof, T10~T50
6pcs slim profile nylon panel remover
5pcs bolt extractors set
2pcs track puller,8x 120L,610mm magnetic pickup
5pcs punch set
23pc stickness gage,0.02~1.0mm
4pcs voltage tester 6~24V,5" blow gun,18mm utility knife,3 jaw oil filter wrench



0422705

194件 钢铝车身钣金工具组合方案

194pcs Steel & Aluminum Panel beating tools program



0422720

74件 全系列套筒棘轮扳手工具托

74pcs 1/4"+3/8"+1/2"Socket & Wrench tools set

- 6件 1/4"六角短套筒4、6、8、10、12、13mm
- 8件 1/4"六角长套筒4、5、6、7、8、10、12、13mm
- 6件 棘轮扳手与万向接头 1/4"、3/8"、1/2"
- 6件 摇头接杆 1/4"x2"、4"、3/8"x5"、10"、1/2"x5"、10"
- 5件 E型套筒 1/4" x E5、E6、E7、3/8" x E8、E10
- 2件 1/4" x 6"方杆、1/2" x 250mm 滑行杆
- 11件 1/2"六角短套筒10、12、17、18、20、21、22、24、27、30、32mm
- 4件 3/8"六角短套筒13、14、15、16mm
- 19件 旋具套筒 1/4" x T10、T15、T20、T25、T30、1/4" x H3~H6、1/4" PH1~PH3、1/4" x FD 5、1/2" x H7、H8、H10、H12、H14、3/8" x T45
- 7件 棘轮双梅花扳手8x9、8x10、10x11、12x13、14x15、16x18、17x19mm
- 2pcs socket handle 1/4" x 6",sliding bar 1/2" x 250mm
- 11pcs 1/2" 6pt. short socket 10,12,17,18,20,21,22,24,27,30,32mm
- 4pcs 3/8" 6pt. short socket 13,14,15,16mm
- 19pcs bits socket 1/4" x T10,T15,T20,T25,T30,1/4" x H3~H6,1/4" PH1~PH3,1/4" x FD 5,1/2" x H7,H8,H10,H12,H14,3/8" x T45
- 7pcs double box end ratchet wrench 8x9,8x10,10x11,12x13,14x15,16x18,17x19mm
- 6pcs 1/4" 6pt. short socket 4,6,8,10,12,13mm
- 8pcs 1/4" 6pt. long socket 4,5,6,7,8,10,12,13mm
- 6pcs 72 teeth ratchet handle & universal joint 1/4",3/8",1/2"
- 6pcs swivel extension bar 1/4"x2",4",3/8"x 5",10",1/2"x 5",10"
- 5pcs E type socket 1/4" x E5,E6,E7,3/8" x E8,E10



0422711

7件 铝锤工具托

7pcs Aluminium hammer tools set

- 2件 12" 活动扳手、刮刀
- 2件 数显游标卡尺、折叠工作灯
- 3件 铝合金钣金锤，标准、曲面精整、鹤嘴精整
- 2pcs 12" adjustable wrench,stainless scraper
- 2pcs digital vernier caliper,folding type working light
- 3pcs aluminium hammer,stand type,curved cross chisel,curved pin & finished

0422718

30件 螺丝刀两用扳手工具托

30pcs Screwdriver & combination wrench tools set

- 3件 一字螺丝批 3x75、5x75、6x100mm
- 4件 十字螺丝批 PH0x75、PH1x75、PH2x100、PH3x150mm
- 16件 薄型两用呆扳手 6、8、10mm、12~24mm.
- 7件 星型橡柄螺丝批T8、T10、T15、T20 x 100mm、T25 x 125mm、T27、T30 x 150mm
- 3pcs slotted Screwdriver 3x75,5x75,6x100mm
- 4pcs Philips Screwdriver PH0x75,PH1x75,PH2x100,PH3x150mm
- 16pcs combination wrench 6,8,10mm,12~24mm.
- 7pcs torx Screwdriver T8,T10,T15,T20 x 100mm,T25 x 125mm,T27,T30 x 150mm



0422713

57件 螺丝刀钳类工具托

57pcs Pliers and Screwdriver tools set

- 9件 特长L型六角扳手，球头，1.5~10mm
- 9件 加长L型星型扳手，中圆孔，T10~T50
- 4件 贯穿螺丝刀，一字6 x 150、8 x 200，PH2 x 150，PH3 x 200mm
- 4件 6"尖嘴钳，6"斜口钳，8"钢丝钳，5米卷尺
- 31件 互换式精密螺丝批
- 9pcs extra long L type hex key with ball head,1.5-10mm
- 9pcs long torx L type torx key with tamperproof,T10~T50
- 4pcs go through screwdriver,FD6 x 150,FD8 x 200,PH2 x 150,PH3 x 200mm
- 4pcs 6" long nose pliers,6" diagonal Pliers,8" combination Pliers,5M measuring tape
- 31pcs exchangeable precision screwdriver set



0422719

14件 锤击工具托

14pcs Hammering tools set

- 2件 塑钢垫块：月牙型、墩型
- 4件 圆头锤24oz、黄铜木柄八角锤、防震橡胶锤50mm、安装锤35mm
- 3件 扁凿17x11x175mm、20x12x200mm、23x13x250mm
- 3件 修边刀：直型、勾型、万向
- 2件 美工刀、塞尺
- 2pcs collision dolly, wedge & block
- 4pcs hammer, 24oz round head,octagonal brass,shock proof,double tip
- 3pcs chisel,20x200mm,20x250mm,20x300mm
- 3pcs trimming knife,straight,curved,universal
- 2pcs utility knife&thickness gage 0.02~1.0mm



0422710

4件 钣金综合工具托

4pcs Combination Panel Beating tools set


- 1件 5寸内置铜螺母吹尘枪
- 1件 热风枪
- 1件 可调式钣金锉刀
- 1件 7寸C型点式大力钳
- 1pcs 5" blow gun with copper nut
- 1pcs heat blow gun
- 1pcs adjustable panel blade
- 1pcs 7" C clamp locking pliers



0112001

201件 专业气动钣金维修工具组合方案

201pcs Professional Sheet Metal Pneumatic Tools Program



0320200

101件 全规格套筒批头工具托

101pcs 1/4"+3/8"+1/2" Socket & Ratchet handle tools set

- 9件 1/4" 六角短套筒5、5.5、6~12mm
- 6件 3/8" 六角短套筒8、10~14mm
- 5件 1/4" E型套筒 E4~E8
- 5件 3/8" E型套筒 E8、E10、E12、E14、E16
- 30件 1/4" 批头套筒 PH1~3、TH8、TH10~TH45、PZ1~3、T10~T30、H3~6、8、10、FD4~6
- 8件 接杆 1/2" x 3"、10"、16"、3/8" x 3"、10"、1/4" x 2"、6"、6" 弹性
- 1件 L杆, 1/2" x 10"
- 2件 接头 1/2"方向、1/2" F x 3/8" M 三向接头
- 4件 气动套筒长套筒, 1/2"x 17、19、21mm, 气动短套筒22mm
- 3件 棘轮扳手 1/4"、3/8"、1/2"
- 9件 1/2"短套筒 12角 8、10、12~14、17、19、21、22mm
- 19件 1/2"短套筒 6角 8、10、12~19、21~24、27、30、32、34、36mm

- 9pcs 1/4" 6pt. short socket, 5,5.5,6~12mm
- 6pcs 3/8" 6pt. short socket, 8,10~14mm
- 5pcs 1/4" E-type socket E4~E8
- 5pcs 3/8" E-type socket E8,E10,E12,E14,E16
- 30pcs 1/4" bits socket PH1~3,TH8,TH10~TH45 ,PZ1~3,T10~T30,H3~6,8,10,FD4~6
- 8pcs extension bar 1/2" x 3",10",16",3/8" x 3",10",1/4" x 2",6",6" flexible
- 1pcs L type handle,1/2" x 10"
- 2pcs adaptor 1/2" universal joint,1/2" F x 3/8" M 3 way
- 4pcs 1/2"impact long socket,17,19,21mm,short socket,22mm
- 3pcs 72 teeth ratchet handle, 1/4",3/8",1/2"
- 9pcs 1/2" 12pt. short socket, 8,10,12~14,17,19,21,22mm
- 19pcs 1/2" 6pt. short socket, 8,10,12~19,21~24,27,30,32,34&36mm

0350700

8件 大力钳工具托

8pcs Locking Pliers Tools set

- 3件 C型大力钳, 平板, 6"、11"、18"
- 2件 直嘴与圆口大力钳, 10"
- 3件 尖嘴大力钳 9", 焊接大力钳 9", 平板大力钳 8"

- 3pcs C type locking pliers,swivel head,6",11" & 18"
- 2pcs locking pliers, straight & round jaw,10"
- 3pcs locking pliers, long nose 9",welding 9",flat 8"

0623000

9件 车身钣金锤击工具托

9pcs Vehicle Body Hammer Blow Tools Set

- 3件 铝合金钣金锤: 标准、曲面精整、鹤嘴精整
- 1件 防震橡胶锤 35mm
- 5件 钣金型钢垫块: 墩型、通用型、弯铲型、马蹄型、月牙型

- 3PCS Aluminum Hammer,Standard,Curved Cross- Chisel,Curved Pin & Finishing
- 1PCS Shockproof Hammer Rubber coating 35mm
- 5PCS PVC Dolly Blocks,Block Dolly,General Purpose Dolly,Curved Dolly,Rubber Dolly,Wedge Dolly

0351200

10件 电动与手动钣金裁切工具托

10pcs Electric & Manual Panel Cutting Tools set

- 2件 电动角磨机与扳手, 220V
- 3件 航空剪组, 铬钼合金钢
- 5件 合金钢锉刀组, 长度 8"
- 2pcs electric angle grinder & wrench,220V
- 3pcs aviation tin snips set,Cr-Mo
- 5pcs alloy file set,length 8"




0350800

12件 钣金锉与打板工具托

12pcs Panel File & Wedge Tools Set

- 4件 钣金撬棒, 美式 580、小弯560、直棒450、单头240mm
- 2件 调整型钣金锉刀架, 长度 14", 钣金锉刀
- 2件 钣金打板, L型 125 x 255、T型 137 x 255
- 4件 钣金打板, 大直板 92 x 110、中直板70 x 110、小直板48 x 110、小丸 48 x 110

- 4pcs pry bars,American 580,curved 560,straight 450 & 240mm
- 2pcs adjustable panel file, length 14",file blade 14"
- 2pcs wedge tools,L type 125 x 255,T type 137 x 255mm
- 4pcs straight wedge tools,92 x 110,70 x 110,48 x 110,48 x 110mm



0350201

48件 钣金综合工具托

48pcs Panel Repair Tools Set

- 12件 冲击螺丝批组, PH2 & PH3, 一字 8 & 10mm, 长度 36 & 80mm, 断丝取出 #3、#4、转接头
- 4件 钳子, 8" 鲤鱼钳、6" 尖嘴钳、6" 斜口钳、6" 钢丝钳
- 6件 超薄型钢翘棒, 增强尼龙
- 2件 胶扣起子 6.3 x 100, 卷尺 5M x 19mm
- 9件 球头加长六角扳手组, 1.5 ~ 10 mm
- 9件 星型中圆孔加长扳手组, T10 ~ T50
- 3件 螺丝刀, PH2 x 38、PH2 x 100、PH2 x 150mm
- 3件 螺丝刀, 一字 6 x 38、6 x 100、6 x 150mm

- 12pcs impact screwdriver set,PH2 & PH3,FD 8 & 10mm,length 36 & 80mm,extractor #3,#4,adaptor
- 4pcs pliers,8" slip joint,6" long nose,6" diagonal,6" combination
- 6pcs extra slim panel remover,impact resistance nylon
- 2pcs tacker puller,6.35 x 100mm,measuring tape 5Mx19mm
- 9pcs long L type hex key with ball head,1.5-10mm
- 9pcs long torx L type torx key with tamperproof,T10~T50
- 3pcs Phillips screwdriver,PH2 x 38,PH2 x 100,PH2 x 150mm
- 3pcs slotted screwdriver,6 x 38,6 x 100,6 x 150mm



0350901

13件 车体钣金气动工具托

13pcs Pneumatic Panel Repair tools set

- 2件 2" 焊点去除钻, 8mm 钻头
- 1件 5" 角磨机含辅助把手
- 4件 砂布环带机、砂布环带三条
- 2件 往复锯与金属锯片
- 4件 气接头
- 2pcs 2" spot remover drill, 8mm drills
- 1pcs 5" angle grinder with handle
- 4pcs belt sanders, #80, #100, #120 belt
- 2pcs air saw with metal saw blade
- 4pcs air connector



0114000

167件 卡车工具组合方案

167pcs Light Truck Maintenance Tools Program



0420902

45件 1/2" 棘轮板与套筒工具托

25pcs combination Wrench & Pipe wrench tools set

- 20件 1/2" 六角短套筒, 8~24mm, 27、30、32mm
- 6件 1/2" 十二角短套筒, 8、10、14、18、19、21mm
- 7件 1/2" E型套筒, E10、E12、E14、E16、E18、E20、E22
- 4件 摇头式接杆, 1/2" x3" & 5", 滑杆1/2" x 10", L杆 10"
- 2件 接头, 1/2" F x 3/8" M, 1/2" 万向接头
- 2件 1/2" 72齿工业级棘轮扳手, 1/2" x 420mm 加速杆
- 2件 3/8" 旋具套筒, 长度 48mm, PH3, FD7
- 2件 1/2" 旋具套筒, 长度 55mm, H12mm, H14mm
- 20pcs 1/2" short socket, 6pt., 8~24mm, 27, 30, 32mm
- 6pcs 1/2" short socket, 12pt., 8, 10, 14, 18, 19, 21mm
- 7pcs 1/2" E type socket, E10, E12, E14, E16, E18, E20, E22
- 4pcs extension bar, 1/2" x3" & 5", sliding bar 1/2" x 10", L type wrench 10"
- 2pcs adaptor 1/2" F x 3/8" M, universal joint 1/2"
- 2pcs 1/2" 72teeth ratchet handle, 1/2" x 420mm speed wrench
- 2pcs 3/8" bits socket, length 48mm, PH3, FD7
- 2pcs 1/2" bits socket, length 55mm, H12mm, H14mm

0420901

10件 钳类工具托

10pcs Pliers tools set

- 1件 磁性拾拾器 10mm x 650MM
- 5件 钳子, 水泵钳 10", 鲤鱼钳 8", 直口大力钳 10", 尖嘴钳 8", 钢丝钳 8"
- 4件 卡簧钳, 9", 轴用直嘴与弯嘴、孔用直嘴与弯嘴
- 1pcs magnetic pick up, 10mm x 650MM
- 5pcs pliers, water pump 10", slip joint 8", straight jaw locking pliers 10", long nose 8", combination 8"
- 4pcs Circlip pliers, 9" External straight & curved, 9" internal straight & curved

0420905

45件 棘轮呆扳手与金刚石锉刀工具托

45pcs Ratchet Wrench & File tools set

- 7件 双梅花棘轮扳手 8x10、12x13、14x15、16x18、17x19、22x24
- 3件 两用棘轮扳手 21mm, 活塞环压缩机 4"
- 25件 刮刀、扁铲 25x300mm, 塞尺 0.02~1.0mm
- 10件 金刚石锉刀组 4" x 160mm
- 7pcs box end ratchet wrench 8x10, 12x13, 14x15, 16x18, 17x19, 22x24
- 3pcs combination ratchet wrench 21mm, piston ring compressor set 4"
- 25pcs scraper, chisel 25x300mm, feeler gauge, 0.02~1.0mm
- 10pcs diamond files set 4" x 160mm

0420906

22件 呆扳手工具托

22pcs Combination & Box end wrench tools set

- 16件 两用扳手 8、10、12~19、21、22、24、27、30、32mm
- 6件 双梅花扳手 8x10、10x12、11x13、14x15、16x17、17x19mm
- 16pcs combination wrench, 8, 10, 12~19, 21, 22, 24, 27, 30, 32mm
- 6pcs box end wrench, 8x10, 10x12, 11x13, 14x15, 16x17, 17x19mm



0420907

21件 3/4"套筒工具托

21pcs 3/4" Socket tools set

- 14件 3/4" 气动六角短套筒 21、22、24、27、30、32、34、36、38、41、46、50、55、60mm
- 3件 1" 气动六角短套筒 65、70、75mm
- 2件 接杆 3/4" x 4"、3/4" x 8"
- 2件 磁性工作灯 20W
- 14pcs 3/4" impact short socket, 6pt., 21, 22, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50, 55, 60mm
- 3pcs 1" impact short socket, 6pt., 65, 70, 75mm
- 2pcs extension bar, 3/4" x 4" & 8"
- 2pcs magnetic working light, 20W



0420903

17件 贯穿螺丝刀与扳手工具托

17pcs Go through screwdriver & wrench tools set

- 1件 1/2"x300Nm 指针式扭力扳手
- 3件 圆头锤 24Oz, 美工刀, 卷尺 19mmx5m
- 4件 贯穿螺丝批 PH2x100、PH3x200、一字 SL8x300、一字 SL6x100mm
- 9件 特长球头内六角扳手 H1.5~H10mm
- 1pcs pointer type torque wrench, 1/2" x 300Nm
- 3pcs round head hammer 24oz, utility knife, measuring tape 5Mx19mm
- 4pcs go through screwdriver, PH2 x 100, PH3 x 200, FD 8 x 300, FD 6 x 100mm
- 9pcs extra long L type hex key with ball head, 1.5-10mm



0420904

7件 3/4"扳手配件工具托

7pcs 3/4" Wrench Accessories Tools Set


- 1件 F 型工业级棘轮扳手 3/4" x 20"
- 2件 活动扳手 15"、链条扳手 15"
- 2件 滑杆 3/4"x18", L杆 3/4"x13"
- 2件 3/4" 气动万向接头, 接杆 3/4"x16"
- 1pcs F type ratchet handle 3/4" x 20"
- 2pcs adjustable wrench 15", chain type wrench 15"
- 2pcs sliding bar 3/4" x 18", L type wrench 3/4" x 13"
- 2pcs 3/4" impact universal joint, extension bar 3/4" x 16"



0111500

303件 奔/宝/奥工具组合方案

303pcs Benz / BMW / Audi Repair Tools Program



0320200

101件 全规格套筒批头工具托

101pcs 1/4"+3/8"+1/2" Socket & Ratchet handle tools set

- 9件 1/4"六角短套筒5、5.5、6~12mm
- 6件 3/8"六角短套筒8、10~14mm
- 5件 1/4" E型套筒 E4~E8
- 5件 3/8" E型套筒 E8、E10、E12、E14、E16
- 30件 1/4"批头套筒 PH1~3、TH8、TH10~TH45、PZ1~3、T10~T30、H3~6、8、10、FD4~6
- 8件 接杆 1/2" x 3"、10"、16"、3/8" x 3"、10"、1/4" x 2"、6"、6" 弹性
- 1件 L杆, 1/2" x 10"
- 2件 接头 1/2"万向、1/2" F x 3/8" M 三向接头
- 4件 气动套筒长套筒, 1/2" x 17、19、21mm, 气动短套筒22mm
- 3件 棘轮扳手 1/4"、3/8"、1/2"
- 9件 1/2"短套筒 12角 8、10、12~14、17、19、21、22mm
- 19件 1/2"短套筒 6角 8、10、12~19、21~24、27、30、32、34、36mm

- 9pcs 1/4" 6pt. short socket, 5.5, 5.6~12mm
- 6pcs 3/8" 6pt. short socket, 8, 10~14mm
- 5pcs 1/4" E-type socket E4~E8
- 5pcs 3/8" E-type socket E8, E10, E12, E14, E16
- 30pcs 1/4" bits socket PH1~3, TH8, TH10~TH45, PZ1~3, T10~T30, H3~6, 8, 10, FD4~6
- 8pcs extension bar 1/2" x 3", 10", 16", 3/8" x 3", 10", 1/4" x 2", 6", 6" flexible
- 1pcs L type handle, 1/2" x 10"
- 2pcs adaptor 1/2" universal joint, 1/2" F x 3/8" M 3 way
- 4pcs 1/2" impact long socket, 17, 19, 21mm, short socket, 22mm
- 3pcs 72 teeth ratchet handle, 1/4", 3/8", 1/2"
- 9pcs 1/2" 12pt. short socket, 8, 10, 12~14, 17, 19, 21, 22mm
- 19pcs 1/2" 6pt. short socket, 8, 10, 12~19, 21~24, 27, 30, 32, 34 & 36mm

0330501

29件 棘轮式呆扳手工具托

29pcs Ratchet and fixed wrench tools set

- 5件 棘轮两用呆扳手 8、10、12、13、14mm
- 1件 活动扳手 12"
- 4件 油管扳手 8x9、10x12、11x13、14x17mm
- 8件 双梅花扳手 8x10、10x12、11x13、14x15、16x17、18x19、21x23、22x24mm
- 11件 两用呆扳手 10、12~14、16~19、21、22、24mm

- 5pcs ratchet combination wrench, 8, 10, 12, 13, 14mm
- 1pcs adjustable wrench, 12"
- 4pcs flare nut wrench, 8x9, 10x12, 11x13, 14x17mm
- 8pcs double box end wrench, 8x10, 10x12, 11x13, 14x15, 16x17, 18x19, 21x23, 22x24mm
- 11pcs combination wrench, 10, 12~14, 16~19, 21, 22, 24mm

0370600

38件 气动扳手/棘轮与风动套筒工具托

38pcs Pneumatic tools and impact socket tools set

- 4件 1/2"双锤击短轴风炮与接头、3/8"两用气动棘轮扳手与接头
- 4件 防伤轮胎套筒, 1/2" x 100mm x 17、19、21、22mm
- 9件 风动套筒 1/2" x 8、10、12、13、14、15、16、20、22mm
- 2件 接杆 1/2" x 3" & 5"
- 2件 接头 1/2"万向接头、3/8" F x 1/2" M 转换头
- 17件 1/2"气动批头套筒, H6、8、10、12、14、17、T30~50、M8、10、12、14、M16H、T80H、T100H

- 4pcs 1/2" twin hammer mini impact wrench set, 3/8" pneumatic ratchet wrench set
- 4pcs 1/2" thin wall wheel socket, length 100mm, 17, 19, 21, 22mm
- 9pcs 1/2" impact socket, 8, 10, 12, 13, 14, 15, 16, 20, 22mm
- 2pcs 1/2" impact extension bar, 3" & 5"
- 2pcs 1/2" universal joint, adaptor 3/8" F x 1/2" M
- 17pcs 1/2" impact bits socket, H6, 8, 10, 12, 14, 17, T30~50, M8, 10, 12, 14, M16H, T80H, T100H


0360501

56件 奔宝奥批头套筒工具托

56pcs Bits socket for Benz/ BMW/Audi tools set

- 21件 批头套筒 1/2" x 55mm x M6、M8、M10、M12、H4~8、10、12、14 mm、T20~60
- 4件 批头套筒 1/2" x 180mm x H5、H6、H8、H10
- 2件 批头套筒 1/2" x 150mm x M10、M12
- 2件 批头套筒 1/2" x 200mm x T60、T70
- 1件 批头套筒 1/2" x 250mm x H6 mm
- 16件 批头套筒 1/2" x 100mm x H5~H10、H12、H14、T20~T55
- 7件 批头套筒 1/2" x 100mm x M5、M6、M8、M10、M12、M14、M16
- 3件 磁性火花塞套筒, 3/8" x 14mm超薄, 14 与 16mm

- 21pcs bits socket, 1/2" x 55mm x M6, M8, M10, M12, H4~8, 10, 12, 14 mm, T20~60
- 4pcs bits socket, 1/2" x 180mm x H5, H6, H8, H10
- 2pcs bits socket, 1/2" x 150mm x M10, M12
- 2pcs bits socket, 1/2" x 200mm x T60, T70
- 1pcs bits socket, 1/2" x 250mm x H6 mm
- 16pcs bits socket, 1/2" x 100mm x H5~H10, H12, H14, T20~T55
- 7pcs bits socket, 1/2" x 100mm x M5, M6, M8, M10, M12, M14, M16
- 3pcs magnetic spark plug socket, 3/8" x 14mm thin wall, 3/8" x 14 & 16mm



0330301

38件 螺丝刀与六角扳手工具托

38pcs Screwdriver and L type wrench tools set

- 2件 胶扣起子, 6.35 x 100mm、8 x 120mm
- 9件 特长L型六角扳手, 球头, 1.5~10mm
- 9件 特长L型星型扳手, 中圆孔, T10~T50
- 7件 星型螺丝刀 T8、T10、T15、T20x100、T25x125、T27、T30x150mm
- 5件 十字螺丝刀 PH2 x 38、PH0x75、PH1x100、PH2x150、PH3x300mm
- 4件 一字螺丝刀 6x38、3x75、5x100、6x150mm
- 2件 贯穿螺丝刀, 6x150mm, PH2x150mm

- 2pcs track puller, 6.35 x 100mm, 8 x 120mm
- 9pcs extra long L type hex key with ball head, 1.5-10mm
- 9pcs extra long torx L type torx key with tamperproof, T10~T50
- 7pcs torx screwdriver, T8, T10, T15, T20x100, T25x125, T27, T30x150mm
- 5pcs Phillips screwdriver, PH2 x 38, PH0x75, PH1x100, PH2x150, PH3x300mm
- 4pcs slotted screwdriver, 6x38, 3x75, 5x100, 6x150mm
- 2pcs go through screwdriver, 6x150mm, PH2x150mm



0340101

41件 钳类工具托

41pcs Combination Pliers tools set

- 4件 卡簧钳, 7" 轴用直嘴与弯嘴、7" 孔用直嘴与弯嘴
- 23件 塞尺 0.02~1.0mm
- 2件 定扭力气门芯扳手, 0.4Nm, 卷尺 5Mx19mm
- 4件 油封钩针, 弯钩、90度、尖尾、45度
- 5件 钳子, 6 尖嘴钳、6" 斜口钳、8" 钢丝钳、10" 水泵钳、8" 鲤鱼钳
- 3件 钢板钢板剪, 8" 自动剥线钳、7" 圆口大力钳

- 4pcs Circlip pliers, 7" External straight & curved, 7" internal straight & curved
- 2pcs 0.4Nm valve core torque wrench, 5 meter x 19mm measuring tape
- 4pcs O-ring picker, hook, 90°, sharp, 45°
- 5pcs pliers, 6" long nose, 6" diagonal, 8" combination, 10" water pump, 8" slip joint
- 23pcs feeler gage 0.02~1.0mm
- 3pcs stainless scissors, 8" wire stripper, 7" round jaw locking pliers



0112200

379件 深度保养工具组合方案

379pcs Depth Repair Tools Program



0320200

101件 全规格套筒批头工具托

101pcs 1/4"+3/8"+1/2"Socket & Ratchet handle tools set

- 9件 1/4" 六角短套筒5、5.5、6~12mm
- 6件 3/8" 六角短套筒8、10~14mm
- 5件 1/4" E型套筒 E4~E8
- 5件 3/8" E型套筒 E8、E10、E12、E14、E16
- 30件 1/4" 批头套筒 PH1~3、TH8、TH10~TH45、PZ1~3、T10~T30、H3~6、8、10、FD4~6
- 8件 接杆 1/2" x 3"、10"、16"、3/8" x 3"、10"、1/4" x 2"、6"、6" 弹性
- 1件 L杆, 1/2" x 10"
- 2件 接头 1/2"方向、1/2" F x 3/8" M 三向接头
- 4件 气动套筒长套筒, 1/2"x 17、19、21mm, 气动短套筒22mm
- 3件 棘轮扳手 1/4"、3/8"、1/2"
- 9件 1/2"短套筒 12角 8、10、12~14、17、19、21、22mm
- 19件 1/2"短套筒 6角 8、10、12~19、21~24、27、30、32、34、36mm

- 9pcs 1/4" 6pt. short socket, 5,5.5,6~12mm
- 6pcs 3/8" 6pt. short socket, 8,10~14mm
- 5pcs 1/4" E-type socket E4~E8
- 5pcs 3/8" E-type socket E8,E10,E12,E14,E16
- 30pcs 1/4" bits socket PH1~3,TH8,TH10~TH45 ,PZ1~3,T10~T30,H3~6,8,10,FD4~6
- 8pcs extension bar 1/2" x 3",10",16",3/8" x 3",10",1/4" x 2",6",6" flexible
- 1pcs L type handle,1/2" x 10"
- 2pcs adaptor 1/2" universal joint,1/2" F x 3/8" M 3 way
- 4pcs 1/2"impact long socket,17,19,21mm,short socket,22mm
- 3pcs 72 teeth ratchet handle, 1/4",3/8",1/2"
- 9pcs 1/2" 12pt. short socket, 8,10,12~14,17,19,21,22mm
- 19pcs 1/2" 6pt. short socket, 8,10,12~19,21~24,27,30,32,34&36mm

0390300

120件 刹车与机修工具托

120pcs Brake and Engine maintain tools set

- 16件 10mm批头, 长度30 与 75mm, H4~10、12mm
- 14件 10mm批头, 长度30mm, M5、6、8、10、12、T20~T60
- 8件 10mm批头, 长度75mm, M5、6、8、9、10、12、14、M16H
- 9件 10mm批头, 长度75mm, T20、T25、T30~T55、T30H、T40H
- 11件 10mm批头, 长度30mm, T20H、T25H、T30H~T55H、PH3、一字 8、TS25、TS30
- 1件 10mm批头, 长度100mm, T52
- 3件 接头, 3/8" & 1/2" x 10mm、气动接头 1/2"F x 3/8"M
- 5件 样冲扁铲组套
- 14件 1/2" 气动批头 T30~50, M8、10、12、14, H6、8、10、12、14、17
- 9件 1/2" 六角气动套筒 8、10、12~16、21、22mm
- 8件 刹车片厚度规 2~6、8、10、12mm
- 21件 刹车分泵调整器, 左、右牙扳手, 19片压板
- 1件 24oz 圆头锤

- 16pcs 10mm bits, length 30mm&75mm,H4~10,12mm
- 14pcs 10mm bits, length 30mm,M5,6,8,10,12, T20~T60
- 8pcs 10mm bits, length 75mm,M5,6,8,9,10,12,14,M16H
- 9pcs 10mm bits, length 75mm,T20,T25,T30~55, T30H,T40H
- 11pcs 10mm bits, length 30mm,T20H,T25H,T30H~T55H, PH3,FD8,TS25,TS30
- 1pcs 10mm bits, length 100mm,T52
- 3pcs adaptor,3/8"& 1/2" x 10mm,impact adaptor 1/2"F x 3/8"M
- 5pcs punch set
- 14pcs 1/2" impact bits socket,T30~50,M8,10,12,14,H6,8,10,12,14,17
- 9pcs 1/2" 6pt. impact socket,8,10,12~16,21,22mm
- 8pcs brake pad thickness gauge,2~6,8,10,12mm
- 21pcs brake cylinder regulator set
- 1pcs hammer, 24oz round head

0330301

38件 螺丝刀与六角扳手机具托

38pcs Screwdriver and L type wrench tools set

- 2件 胶扣起子, 6.35 x 100mm、8 x 120mm
- 9件 特长L型六角扳手, 球头, 1.5~10mm
- 9件 特长L型星型扳手, 中圆孔, T10~T50
- 7件 星型螺丝刀 T8、T10、T15、T20x100,T25x125、T27、T30x150mm
- 5件 十字螺丝刀 PH2 x 38、PH0x75、PH1x100、PH2x150、PH3x300mm
- 4件 一字螺丝刀 6x38、3x75、5x100、6x150mm
- 2件 贯穿螺丝刀, 6x150mm, PH2x150mm

- 2pcs track puller,6.35 x 100mm,8 x 120mm
- 9pcs extra long L type hex key with ball head,1.5-10mm
- 9pcs extra long torx L type torx key with tamperproof,T10~T50
- 7pcs torx screwdriver,T8,T10,T15,T20x100,T25x125,T27,T30x150mm
- 5pcs Phillips screwdriver,PH2 x 38,PH0x75,PH1x100,PH2x150,Ph3x300mm
- 4pcs slotted screwdriver,6x38,3x75,5x100,6x150mm
- 2pcs go through screwdriver,6x150mm,PH2x150mm



0340101

41件 钳类工具托

41pcs Combination Pliers tools set

- 4件 卡簧钳, 7" 轴用直嘴与弯嘴、7" 孔用直嘴与弯嘴
- 23件 塞尺 0.02~1.0mm
- 2件 定扭力气门芯扳手, 0.4Nm, 卷尺 5Mx19mm
- 4件 油封钩针, 弯钩、90度、尖尾、45度
- 5件 钳子, 6 尖嘴钳、6" 斜口钳、8" 钢丝钳、10" 水泵钳、8" 鲤鱼钳
- 3件 钢板钢板剪, 8"自动剥线钳、7" 圆口大力钳

- 4pcs Circlip pliers,7" External straight & curved,7" internal straight & curved
- 2pcs 0.4Nm valve core torque wrench,5 meter x 19mm measuring tape
- 4pcs O-ring picker,hook,90°,sharp,45°
- 5pcs pliers,6" long nose,6" diagonal,8" combination,10" water pump,8" slip joint
- 23pcs feeler gage 0.02~1.0mm
- 3pcs stainless scissors,8" wire stripper,7" round jaw locking pliers



0380700

50件 机油更换与油箱盖组合工具托

50pcs Torque wrench and Oil changing socket tools set

- 1件 专业级机械式扭力扳手30~210N.m
- 20件 油底壳螺丝 T45、M16、XS10、S7、8、10~14、5/16"、3/8"、H8~10、12~14、17、T10
- 1件 3/8" 滑行杆
- 6件 1/2" 六角长套筒, 14、15、17、19、21、22mm
- 7件 3/8" 六角长套筒, 7~13 mm
- 3件 3/8" 磁性火花塞套筒, 超薄14mm, 14mm, 16mm
- 9件 碗型机油格套筒, 901~905、901-1、6Px27, 32, 36mm
- 3件 油箱盖扳手

- 1pcs professional level torque wrench,30~210N.m
- 20pcs oil pan socket,T45,M16,XS10,S7,8,10~14,5/16",3/8",H8~10,12~14,17,T10
- 1pcs 3/8" sliding bar
- 6pcs 1/2" 6pt. long socket,14, 15,17,19, 21, 22mm
- 7pcs 3/8" 6pt. long socket,7~13mm
- 3pcs magnetic spark plug socket, 3/8" x 14mm thin wall,3/8" x 14 & 16mm
- 9pcs transmission oil changing socket,901~905,901-1,6Px27,32,36mm
- 3pcs fuel tank wrench set



0330501

29件 棘轮式呆扳手机具托

29pcs Ratchet and fixed wrench tools set

- 5件 棘轮两用呆扳手 8、10、12、13、14mm
- 1件 活动扳手 12"
- 4件 油管扳手 8x9、10x12、11x13、14x17mm
- 8件 双梅花扳手 8x10、10x12、11x13、14x15、16x17、18x19、21x23、22x24mm
- 11件 两用呆扳手 10、12~14、16~19、21、22、24mm


- 5pcs ratchet combination wrench, 8,10,12,13,14mm
- 1pcs adjustable wrench, 12"
- 4pcs flare nut wrench, 8x9,10x12,11x13,14x17mm
- 8pcs double box end wrench, 8x10,10x12,11x13,14x15,16x17,18x19,21x23,22x24mm
- 11pcs combination wrench,10,12~14,16~19,21,22,24mm



0117000

328件 混合动力工具组合方案

328pcs Hybrid Power Maintain & Repair Tools Program



0310210

41件 绝缘互换螺丝刀工具托

41pcs Insulation interchangeable Screwdriver tools set

- 2件 手柄与尾盖
- 4件 开关箱 5.3、6.0、8、9 x 100 mm L
- 9件 锉刀:小三角、大三角、三角尖尾、圆形、半圆形、小椭圆、四方、扁平型、扁平尖尾
- 7件 套筒 5~13 mm
- 3件 十字 PH0 ~ PH2
- 3件 米字 PZ0 ~ PZ2
- 6件 一字 2.5 ~ 6.5 mm
- 7件 星型 T8 ~ T30

- 2pcs interchangeable handle & tail cover
- 4pcs control box ket, 5.3, 6.0, 8, 9 x length 100 mm
- 9pcs fire blade, small, big & sharp tri-angle, round, half round, oval, square, flat & sharp
- 7pcs socket screwdriver blade, 5~13 mm
- 3pcs Phillips screwdriver blade, PH0 ~ PH2
- 3pcs Pozl screwdriver blade, PZ0 ~ PZ2
- 6pcs Slotted screwdriver blade, 2.5 ~ 6.5 mm
- 7pcs Torx screwdriver blade, T8 ~ T30



0451500

33件 绝缘套筒与螺丝批工具托

33pcs Insulated 1/2" Socket and Screwdriver tools set

- 1件 1/2"绝缘棘轮扳手
- 3件 6"绝缘尖嘴钳, 6"绝缘斜口钳, 8"绝缘钢丝钳
- 15件 1/2"x6角绝缘短套筒8mm-22mm
- 3件 1/2"x125mm绝缘接杆5", 1/2"x250mm绝缘快脱接杆10", 1/2"绝缘T杆
- 5件 1/2"六角绝缘旋具套筒H4、H5、H6、H8、H10
- 3件 绝缘一字螺丝批2.5 x 75mm、4 x 100mm、5.5 x 125mm
- 3件 绝缘十字螺丝批PH0 x 60mm、PH1 x 80mm、PH2 x 100mm

- 1pcs 1/2" insulation ratchet handle
- 3pcs insulation pliers, 6" long nose, 6" diagonal, 8" combination
- 15pcs insulation socket, 1/2"x6pt., 8~22mm
- 3pcs insulation extension bar, 1/2"x125mm, 1/2"x250mm, 1/2"T-handle
- 5pcs insulation bits socket, 1/2" x H4, H5, H6, H8, H10mm
- 3pcs insulation screwdriver, FD2.5 x 75mm, FD4 x 100mm, FD5.5 x 125mm
- 3pcs insulation screwdriver, PH0 x 60mm, PH1 x 80mm, PH2 x 100mm

0342000

20件 螺丝刀与钳子工具托

20pcs Screwdriver and Pliers tools set

- 5件 一字螺丝批, SL3x75mm, SL5.5x100mm, SL6.5x38mm, SL6x100mm, SL6x150mm
- 5件 十字螺丝批, PH0x75mm, PH2x38mm, PH1x100mm, PH2x100mm, PH2x150mm
- 1件 卷尺、自动停止式、5米x19mm
- 4件 7"卡黄钳、内直、内弯、外直、外弯
- 4件 钳子、铬钒钢、6"尖嘴钳、6"斜口钳、8"钢丝钳、8"鲤鱼钳
- 1件 直口大力钳、10"
- 4pcs 7"Circlip Pliers, internal straight, internal curved, external straight, external curved
- 4pcs Pliers, Cr-V, 6" long nose, 6" diagonal, 8" combination, 8" slip joint
- 1pcs Curved jaw locking Pliers, 10"
- 2pcs Go-through type screwdriver, SL6x150mm, PH2x150mm
- 4pcs Slotted screwdriver, SL3x75mm, SL5x100mm, SL6x100mm, SL6x150mm
- 4pcs Phillips screwdriver, PH0x75mm, PH2x38mm, PH1x100mm, PH2x100mm
- 1pcs Measuring tape, auto stop function, 5 Meters x19mm



0390301

111件 刹车与机修工具托

111pcs Brake and Engine maintain tools set

- 16件 10mm批头, 长度30与75mm, H4~10、12mm
- 14件 10mm批头, 长度30mm, M5、6、8、10、12, T20~T60
- 8件 10mm批头, 长度75mm, M5、6、8、9、10、12、14、M16H
- 9件 10mm批头, 长度75mm, T20、T25、T30~T55, T30H、T40H
- 11件 10mm批头, 长度30mm, T20H、T25H、T30H~T55H, PH3、一字8、TS25、TS30
- 1件 10mm批头, 长度100mm, T52
- 3件 接头, 3/8" & 1/2" x 10mm、气动接头 1/2"F x 3/8"M
- 5件 样冲扁铲组套
- 14件 1/2" 气动批头 T30~50, M8、10、12、14, H6、8、10、12、14、17
- 8件 刹车片厚薄规 2~6、8、10、12mm
- 21件 刹车分泵调整器, 左、右牙扳手, 19片压板
- 1件 24oz 圆头锤

- 16pcs 10mm bits, length 30mm&75mm, H4~10, 12mm
- 14pcs 10mm bits, length 30mm, M5, 6, 8, 10, 12, T20~T60
- 8pcs 10mm bits, length 75mm, M5, 6, 8, 9, 10, 12, 14, M16H
- 9pcs 10mm bits, length 75mm, T20, T25, T30~55, T30H, T40H
- 11pcs 10mm bits, length 30mm, T20H, T25H, T30H~T55H, PH3, FD8, TS25, TS30
- 1pcs 10mm bits, length 100mm, T52
- 3pcs adaptor, 3/8" & 1/2" x 10mm, impact adaptor 1/2"F x 3/8"M
- 5pcs punch set
- 14pcs 1/2" impact bits socket, T30~50, M8, 10, 12, 14, H6, 8, 10, 12, 14, 17
- 8pcs brake pad thickness gauge, 2~6, 8, 10, 12mm
- 21pcs brake cylinder regulator set
- 1pcs hammer, 24oz round head



0320500

94件 全系列套筒批头工具托

94pcs 1/4"+3/8"+1/2" Socket & Ratchet handle tools set

- 5件 1/2" E型套筒 E16、E18、E20、E22、E24
- 4件 3/8" E型套筒 E10、E11、E12、E14
- 7件 10mm 批头 T30、T40、T45、T50、M8、M10、M12
- 7件 1/4"短套筒 4~10mm
- 14件 3/8"批头套筒 T20~50、六角 H3~H8、H10 mm
- 12件 1/4"批头套筒六角 H3~H6、PH1~2、T10~T30
- 3件 棘轮扳手 1/4"、3/8"、1/2"
- 3件 万向接头 1/4"、3/8"、1/2"
- 2件 接头 3/8" M x 10mm、3用接头 1/2" F x 3/8" M
- 13件 1/2"短套筒六角, 13mm ~ 24mm、27mm
- 8件 3/8"短套筒六角 10 ~ 17mm
- 5件 1/4"长套筒六角 7、8、10、11、12mm
- 1件 1/4"套筒旋具 1/4" x 70mm
- 8件 摇头接杆 1/2" x 3"、5"、10", 3/8" x 3"、5", 1/4" x 2"、4"、6"弹性
- 2件 滑杆杆柄 3/8" x 160mm、1/2" x 250mm

- 5pcs 1/2" E-type socket, E16, E18, E20, E22, E24
- 4pcs 3/8" E-type socket, E10, E11, E12, E14
- 7pcs 10mm bits, length 30mm, T30~T50, M8, M10, M12
- 7pcs 1/4" 6pt. short socket, 4~10mm
- 14pcs 3/8" bits socket, T20~50, H3~H8, H10
- 12pcs 1/4" bits socket, H3~H6, PH1~2, T10~T30
- 3pcs 72 leeth ratchet handle, 1/4", 3/8", 1/2"
- 3pcs universal joint, 1/4", 3/8", 1/2"
- 2pcs adaptor, 3/8" M x 10mm, 3-way 1/2" F x 3/8" M
- 13pcs 1/2" short socket, 6pt., 13mm ~ 24mm, 27mm
- 8pcs 3/8" short socket, 6pt., 10 ~ 17mm
- 5pcs 1/4" long socket, 6pt., 7, 8, 10, 11, 12mm
- 8pcs extension bar, 1/2" x 3", 5" & 10", 3/8" x 3" & 5", 1/4" x 2" & 4", 6" flexible
- 2pcs sliding bar, 3/8" x 160mm, 1/2" x 250mm
- 1pcs ocket handle, 1/4" x 6"



0330501

29件 棘轮式呆扳手工具托

29pcs Ratchet and fixed wrench tools set

- 5件 棘轮两用呆扳手 8、10、12、13、14mm
- 1件 活动扳手 12"
- 4件 油管扳手 8x9、10x12、11x13、14x17mm
- 8件 双梅花扳手 8x10、10x12、11x13、14x15、16x17、18x19、21x23、22x24mm
- 11件 两用呆扳手 10、12~14、16~19、21、22、24mm

- 5pcs ratchet combination wrench, 8, 10, 12, 13, 14mm
- 1pcs adjustable wrench, 12"
- 4pcs flare nut wrench, 8x9, 10x12, 11x13, 14x17mm
- 8pcs double box end wrench, 8x10, 10x12, 11x13, 14x15, 16x17, 18x19, 21x23, 22x24mm
- 11pcs combination wrench, 10, 12~14, 16~19, 21, 22, 24mm



0433800

323件 摩托车深度保养维修组合方案

323pcs Motorcycles Depth Maintain & Repair Tools Program



0433805

82件 扭力扳手与长套筒工具托

82pcs Industrial Torque Wrench & Socket Tools Set



- 3件 工业级扭力扳手1/4" x5~25Nm、3/8"x20~100Nm、1/2"x40~200Nm
- 8件 1/4" 六角长套筒6mm-13mm
- 14件 3/8" 六角长套筒8mm-22mm
- 9件 1/2"六角旋具套筒H5-H8、H10、H12、H14、H17、H19
- 7件 1/2"星型旋具套筒T25、T27、T30、T40、T45、T50、T55
- 22件 1/2" 六角短套筒10mm - 30mm、32mm
- 18件 1/2"六角长套筒10mm- 30mm、32mm
- 1件 转接头1/2" F x 3/8" M
- 3pcs industrial torque wrench, 1/4" x5~25Nm,3/8"x20~100Nm,1/2"x40~200Nm
- 8pcs 1/4" long socket, 6pt., 6mm-13mm
- 14pcs 3/8" long socket, 6pt., 8mm-22mm
- 9pcs 1/2" bits socket, H5-H8,H10,H12,H14,H17,H19
- 7pcs 1/2" bits socket, T25,T27,T30,T40,T45,T50,T55
- 22pcs 1/2" short socket, 6pt., 10mm - 30mm,32mm
- 18pcs 1/2" long socket, 6pt., 10mm - 30mm,32mm
- 1pcs adaptor,1/2" F x 3/8" M

0433804

12件 钳类工具托

12pcs Pliers tools set



- 5件 8"平口封管钳，钢丝钳 8"，尖嘴钳 8"，斜口钳 6"，水泵钳 10"
- 4件 卡簧钳，7"，内弯，内直，外弯，外直
- 2件 大力钳，尖嘴 7"，直口 10"
- 1件 多功能剥线钳
- 5pcs 8" flat sealing pliers,combination 8",long nose 8",diagonal 6",water pump 10"
- 4pcs Circlip pliers,7", External straight & curved,internal straight & curved
- 2pcs locking pliers,long nose 7",straight jaw 10"
- 1pcs multifunctional wire stripper

0433803

35件 棘轮两用呆扳手工具托

35pcs Ratchet Combination wrench tools set



- 19件 薄型两用呆扳手6mm-22mm、24mm、27mm
- 16件 薄型两用棘轮扳手6mm-22 mm
- 19pcs combination wrench,6~22mm,24mm,27mm
- 16pcs ratchet combination wrench,6~22 mm

0433801

111件 套筒扳手工具托

111pcs Socket & Ratchet handle Tools set

- 13件 1/4" 六角短套筒，4mm，4.5mm，5mm，5.5mm，6mm-14mm
- 20件 1/4" 旋具套筒，H3-H6、H8、H10，PH1~PH4，FD4，FD 6，FD7，T8，T10~T30
- 16件 3/8" 六角短套筒，8mm-22mm、24mm
- 11件 3/8" 旋具套筒，H3-H6、H8、H10，T10~T25、T30
- 3件 72齿级棘轮扳手，1/2"、3/8"、1/4"
- 2件 薄型两用呆扳手，30mm、32mm
- 3件 转接头，3/8" F x 1/4" M、3/8" F x 1/2" M、1/2" F x 3/8" M
- 2件 万向接头，1/4"、3/8"
- 5件 摇头式接杆，1/4"x 2" & 4"、3/8" x 5" & 10"，弹性接杆1/4" x 6"
- 1件 方杆，1/4"x 6"
- 23件 塞尺，0.02~1.0 mm
- 12件 1/4" 批头，长度25mm，FD 4~6，PH1~3，T10~T20，H4~H6
- 13pcs 1/4" short socket, 6pt., 4mm,4.5mm,5mm,5.5mm,6mm-14mm
- 20pcs 1/4" bits socket, H3-H6,H8,H10 , PH1~PH4,FD4,FD 6,FD7,T8 ,T10~T30
- 16pcs 3/8" short socket, 6pt., 8mm-22mm,24mm
- 11pcs 3/8" bits socket, H3-H6,H8,H10,T10~T25,T30
- 3pcs 72teeth ratchet handle,1/2",3/8", 1/4"
- 2pcs combination wrench,30mm,32mm
- 3pcs adaptor,3/8" F x 1/4" M,3/8" F x 1/2" M,1/2" F x 3/8" M
- 2pcs universal joint,1/4",3/8"
- 5pcs extension bar,1/4"x 2" & 4",3/8" x 5" & 10",1/4" x 6" flexible
- 1pcs socket handle,1/4"x 6"
- 23pcs feeler gauge,0.02~1.0mm
- 12pcs 1/4" bits,length 25mm,FD 4~6,PH1~3,T10~T20,H4~H6



0433802

38件 螺丝刀与六角扳手工具托

38pcs Screwdriver & Hex Key Wrench tools set

- 5件 一字螺丝刀，SL6 x 38、SL3 x 75、SL5.5 x 150、SL6 x 300，6.5 x 150mm 贯穿
- 6件 十字螺丝刀，PH2 x 38、PH1 x 75、PH2 x 150、PH2 x 300，PH3 x 150，PH2-SL5.5 x 38mm
- 9件 球头加长六角扳手组，1.5 ~ 10 mm
- 9件 星型中圆孔加长扳手组，T10 ~ T50
- 1件 卷尺，5M x 19mm
- 4件 油封钩针弯钩、90度、尖尾、45度
- 2件 伸缩式磁力棒，活络扳手，10"
- 2件 强磁工作灯，可翻转角度，280流明，美工刀 18mm
- 5pcs slotted screwdriver,SL6 x 38,SL3 x 75,SL5.5 x 150,SL6 x 300,6.5 x 150mm go-through
- 6pcs Philips screwdriver,PH2 x 38,PH1 x 75,PH2 x 150,PH2 x 300,PH3 x 150,PH2-SL5.5 x 38mm
- 9pcs long L type hex key with ball head,1.5-10mm
- 9pcs long torx L type torx key with tamperproof,T10~T50
- 1pcs measuring tape,5M x 19mm
- 4pcs O-ring picker set
- 2pcs telescopic magnetic pick up,adjustable wrench 10"
- 2pcs working light, magnetic seat, angle adjustable,280lm,utility knife 18mm



0433806

44件 1/2"长套筒与批头工具托

44pcs 1/2" Bits Socket & Installation tools set

- 16件 1/2" 十二角长套筒，10mm、12mm-24mm、27mm、30mm、32mm
- 10件 1/2" 旋具套筒，长度 55mm，T25~T30，长度 100mm，T20，T25~T55
- 7件 1/2" 旋具套筒，长度 100mm，H5-H8、H10、H12、H14
- 5件 锉刀，8"，平型、半圆型、三角型、圆形型、四方型
- 1件 万向接头，1/2"
- 1件 转换接头，3/8" F x 1/2" M
- 2件 摇头式接杆，1/2"x5" & 10"
- 2件 锤子，木柄钉工锤 500g，安装锤 28mm
- 16pcs 1/2" long socket, 12pt., 10mm,12mm-24mm,27mm,30mm,32mm
- 10pcs 1/2" bits socket,length 55mm,T25~T30,length 100mm, T20 ,T25~T55
- 7pcs 1/2" bits socket,length 100mm,H5-H8,H10,H12,H14
- 5pcs fire ,8",flate,half round,tri angle,round,square
- 1pcs universal joint,1/2"
- 1pcs adaptor,3/8" F x 1/2" M
- 2pcs extension bar,1/2"x5" & 10"
- 2pcs hammer,engineer hammer 500g,plastic head installation hammer 28mm



0115000

87件 四轮定位工具方案

87pcs Wheel Alignment Tools Program



0432201

14件 综合工具托

14pcs Torque Wrench & measuring tools set

- 1件 加长工业级扭力扳手 1/2", 40~200Nm
- 3件 数显仪表, 轮胎深度尺 0~25mm, 游标卡尺 150mm, 水平仪 100mm
- 3件 一字螺丝批, SL3 x 75mm, SL5 x 100mm, SL6 x 150mm
- 3件 十字螺丝批, PH0 x 75mm, PH1 x 100mm, PH2 x 150mm
- 3件 美工刀18mm, 卷尺 5m x19mm
- 2件 强磁工作灯, 可翻转角度, 280流明, 吹尘枪 12"
- 1pcs extra long industrial torque wrench, 1/2", 40~200Nm
- 3pcs digital instrument, depth tire gauge 0~25mm, caliper 150mm, angle locator
- 3pcs slotted screwdriver, SL3 x 75mm, SL5 x 100mm, SL6 x 150mm
- 3pcs Phillips screwdriver, PH0 x 75mm, PH1 x 100mm, PH2 x 150mm
- 3pcs utility knife 18mm, measuring tape 5m x19mm
- 2pcs working light, magnetic seat, angle adjustable, 280lm, blow gun 12"



0432203

25件 呆扳手工具托

25pcs combination Wrench & Pipe wrench tools set

- 4件 加长型双梅花扳手 14*17, 16x18, 19x21, 22x24
- 3件 后倾角调整扳手 1/2" x 18mm, 管钳 10"、12"
- 18件 两用扳 7~24mm
- 4pcs extra long offset box wrench, 14*17, 16x18, 19x21, 22x24mm
- 3pcs caster angle wrench, 1/2" x 18mm, pipe wrench 10" & 12"
- 18pcs combination wrench, 7~24mm



0432202

48件 套筒与扳手组合工具托

48pcs Ratchet handle & Socket tools set

- 19件 1/2"六角短套筒 10~30mm
- 4件 1/2"专业级棘轮扳手, F柄1/2" x18", 摇头式接杆: 1/2"x5", 1/2"x10"
- 9件 特长球头内六角扳手 H1.5-H10mm
- 9件 特长星型扳手, T10~T50
- 4件 1/2" x L55十二角旋具套筒: M6、M8、M10、M12
- 3件 圆头锤24 oz, 清石钩, 8"钢丝钳
- 19pcs 1/2" short socket, 6pt., 10~30mm
- 2pcs 1/2" 72teeth ratchet handle, 1/2" x18" Flexible head handle
- 2pcs extension bar, 1/2" x 5" & 10"
- 9pcs extra long L type hex key with ball head, 1.5-10mm
- 9pcs extra long torx L type torx key with tamperproof, T10~T50
- 4pcs 1/2" bits- socket, length 55mm, M6, M8, M10, M12
- 3pcs round head hammer 24 oz, rock clean hook, 8" combination pliers

0117100

173件 快修工具组合方案

173pcs Fast Repair Tools Program




0421301

69件 1/2"与3/8"套筒扳手组合工具托

69pcs 1/2"&3/8" Socket and Ratchet Handle Tools set

- 15件 1/2"六角短套筒, 12~32mm
- 3件 1/2"气动六角短套筒, 17~21mm
- 4件 1/2"十二角长套筒, 10~14mm
- 10件 10mm 旋具头, 长度 75mm, M8~M12, T30~T55, 长度100mm, T52
- 8件 10mm 旋具头, 长度 30mm, T40~T55, H7~H12
- 3件 弹套, 1/2" x 10mm, 3/8" x 10mm, 三向转接头 3/8" F x 1/2" M
- 2件 万向接头, 1/2", 3/8"
- 4件 摇头式接杆 1/2"x5", 1/2"x10", 3/8"x3", 3/8"x5"
- 3件 薄型磁吸火花塞套筒, 14mm, 16mm, 21mm
- 9件 3/8"六角短套筒, 8~17mm
- 5件 3/8"E型套筒, E10~E18
- 2件 72齿棘轮扳手 1/2", 3/8"
- 1件 滑杆杆, 3/8" x 165mm
- 15pcs 1/2" short socket, 6pt., 12~32mm
- 3pcs 1/2" impact short socket, 6pt., 17~21mm
- 4pcs 1/2" long socket, 12pt., 10~14mm
- 10pcs 10mm bits, length 75mm, M8~M12, T30~T55, length 100mm, T52
- 8pcs 10mm bits, length 30mm, T40~T55, H7~H12
- 3pcs adaptor, 1/2" & 3/8" x 10mm, 3 way 3/8" F x 1/2" M
- 2pcs universal joint, 1/2" & 3/8"
- 4pcs extension bar 1/2"x5" & 10", 3/8"x3" & 5"
- 3pcs magnetic spark plug socket, 14mm, 16mm, 21mm
- 9pcs 3/8" short socket, 6pt., 8~17mm
- 5pcs 3/8" E type socket, E10~E18
- 2pcs 72 teeth ratchet handle, 3/8", 1/2"
- 1pcs sliding bar, 3/8" x 165mm



0421302

84件 1/4"套筒扳手与两用扳手组合工具托

84pcs 1/4" Socket & Combination Wrench Tools set

- 2件 72齿棘轮扳手 1/4", 1/4"批头棘轮扳手
- 13件 1/4"六角短套筒 4.5~14mm
- 6件 1/4"六角长套筒 8~13mm
- 5件 1/4"E型套筒 E4~E8
- 4件 摇头式接杆 1/4"x2", 4", 6", 弹性接杆 1/4"x6"
- 18件 1/4"批头 FD4~6, PH1~3, H1.5~6, T8~T27
- 9件 加长球头内六角扳手 H1.5-H10mm
- 9件 加长梅花扳手 T10~T50 (六角棒)
- 17件 两用扳手 5.5~21mm
- 1件 1/4"万向接头
- 2pcs 1/4" 72 teeth ratchet handle, 1/4"H bits ratchet handle
- 13pcs 1/4" short socket, 6pt., 4.5~14mm
- 6pcs 1/4" long socket, 6pt., 8~13mm
- 5pcs 1/4" E type socket, E4~E8
- 4pcs extension bar 1/4"x2" 4" & 6", 1/4"x6" flexible
- 18pcs 1/4" bits, FD4~6, PH1~3, H1.5~6, T8~T27
- 9pcs long L type hex key with ball head, 1.5-10mm
- 9pcs long torx L type torx key with tamperproof, T10~T50
- 17pcs combination wrench, 5.5~21mm
- 1pcs 1/4" universal joint



0421303

20件 综合性维修组合工具托

20pcs Combination Repair Tools set

- 3件 一字螺丝刀 6.5x38, 5.5x100, 3x75mm
- 3件 十字螺丝刀 PH2x38, PH2x100, PH1x100mm
- 3件 8"鲤鱼钳, 6"斜口钳, 6"尖嘴钳
- 5件 样冲扁铲组套
- 2件 吹尘枪12", 三爪机油格
- 2件 胶扣起子 6.35x100L, 固定式拾拾器
- 2件 12V汽车多功能测试仪, 钳工锤500g
- 3pcs slotted screwdriver, 6x38, 5x100, 3x75mm
- 3pcs Philips screwdriver, PH2x38, PH1 & PH2x100mm
- 3pcs pliers, 8" slip joint, 6" diagonal, 6" long nose
- 5pcs chisel punch set
- 2pcs 12" blow gun, 3 jaws oil filter wrench
- 2pcs tracker puller 6.35x100L, magnetic pick up
- 2pcs 12V voltage tester, engineer hammer 500g



0653900

337件 专业机修工具组合方案

337pcs Craftsman Repair and Maintenance Tools Program



0653901

67件 1/2" 套筒与棘轮扳手工具托

8pcs Locking Pliers Tools set

- 16件 1/2"六角短套筒, 8~16mm, 18, 20, 22, 24, 27, 30, 32mm
- 10件 1/2"六角长套筒, 10~16mm, 18, 20, 24mm
- 20件 1/2"十二角短套筒, 8~32mm
- 4件 1/2"十二角长套筒, 10~14mm
- 4件 1/2"气动六角短套筒, 17~23mm
- 4件 1/2"轮胎套筒, 17, 19, 21, 22mm
- 1件 72齿专业级棘轮扳手, 1/2"
- 2件 摇头式接杆, 1/2"x 5" & 10"
- 3件 转接头, 1/2" F x 3/8" M, 三用接头1/2"M x 3/8"F, 弹套1/2"x10mm
- 1件 万向接头, 1/2"
- 2件 滑杆与 L 杆, 1/2"x10"

0322500

157件 3/8"+1/4"套筒扳手工具托

157pcs 3/8" + 1/4" Socket & Ratchet handle tools set

- 20件 10 x 75mm旋具头, H4~H12, M5~M12, T20~T55
- 19件 10 x 30mm旋具头, H4~H12, M5~M12, T20H~T55H
- 1件 10 x 100mm旋具头, T52
- 12件 3/8"六角短套筒, 8~19mm
- 10件 3/8"六角长套筒, 8~19mm
- 7件 3/8"E型套筒, E8~E18
- 21件 3/8"旋具套筒, T15~T50, H4~H10, PH1~PH3, FD5.5~FD7
- 13件 1/4"六角短套筒, 4~14mm
- 10件 1/4"六角长套筒, 4~13mm
- 22件 1/4"旋具套筒, TH8, T10~T40, H3~H8, PH1~PH3, PZ1~PZ3, FD4~FD6
- 2件 72齿专业级棘轮扳手, 3/8" & 1/4"
- 6件 摇头式接杆, 3/8"x3~10", 1/4"x2&4", 弹性接杆1/4" x 6"
- 2件 万向接头, 3/8" & 1/4"
- 3件 薄型磁吸火花塞套筒, 14mm&16mm, 胶套火花塞套筒21mm
- 2件 油底壳套筒, 3/8"xM16, 3/8"xH17
- 3件 滑杆, 3/8" & 1/4", 方杆 1/4"x6"
- 4件 转接头, 3/8" F x 1/4" M, 1/2" F x 3/8" M, 三用3/8"M x 1/2"F, 3/8" x10mm弹套

- 22pcs 1/4" bits socket, TH8, T10~T40, H3~H8, PH1~PH3, PZ1~PZ3, FD4~FD6
- 2pcs 72 teeth ratchet handle, 3/8" & 1/4"
- 6pcs extension bar, swivel 3/8"x3~10", 1/4"x2&4", flexible 1/4" x 6"
- 2pcs universal joint, 3/8" & 1/4"
- 3pcs magnetic spark plug socket, 14mm&16mm, rubber core spark plug socket 21mm
- 2pcs oil drain socket, 3/8"xM16, 3/8"xH17
- 3pcs sliding bar, 3/8" & 1/4", socket handle 1/4"x6"
- 4pcs adaptor, 3/8" F x 1/4" M, 1/2" F x 3/8" M, 3-way 3/8" M x 1/2" F, 3/8"x10mm

- 20pcs 10 x 75mm bits, H4~H12, M5~M12, T20~T55
- 19pcs 10 x 30mm bits, H4~H12, M5~M12, T20H~T55H
- 1pcs 10 x 100mm bits, T52
- 12pcs 3/8" 6pt. short socket, 8~19mm
- 10pcs 3/8" 6pt. long socket, 8~19mm
- 7pcs 3/8" E type socket, E8~E18
- 21pcs 3/8" bits socket, T15~T50, H4~H10, PH1~PH3, FD5.5~FD7
- 13pcs 1/4" 6pt. short socket, 4~14mm
- 10pcs 1/4" 6pt. long socket, 4~13mm

0330301

38件 螺丝刀与六角扳手机具托

38pcs Screwdriver and L type wrench tools set

- 2件 胶扣起子, 6.35 x 100mm, 8 x 120mm
- 9件 特长L型六角扳手, 球头, 1.5~10mm
- 9件 特长L型星型扳手, 中圆孔, T10~T50
- 7件 星型螺丝刀 T8, T10, T15, T20x100, T25x125, T27, T30x150mm
- 5件 十字螺丝刀 PH2 x 38, PH0x75, PH1x100, PH2x150, PH3x300mm
- 4件 一字螺丝刀 6x38, 3x75, 5x100, 6x150mm
- 2件 贯穿螺丝刀, 6x150mm, PH2x150mm

- 2pcs track puller, 6.35 x 100mm, 8 x 120mm
- 9pcs extra long L type hex key with ball head, 1.5-10mm
- 9pcs extra long torx L type torx key with tamperproof, T10~T50
- 7pcs torx screwdriver, T8, T10, T15, T20x100, T25x125, T27, T30x150mm
- 5pcs Phillips screwdriver, PH2 x 38, PH0x75, PH1x100, PH2x150, PH3x300mm
- 4pcs slotted screwdriver, 6x38, 3x75, 5x100, 6x150mm
- 2pcs go through screwdriver, 6x150mm, PH2x150mm



0653902

13件 钳类与锤击工具托

8pcs Locking Pliers Tools set

- 4件 卡簧钳, 7" 轴用直嘴与弯嘴、7" 孔用直嘴与弯嘴
- 4件 钳类, 6" 斜口, 6" 尖嘴, 8" 钢丝, 10" 水泵
- 2件 橡胶锤35mm, 圆头锤
- 3件 固定式磁性拾拾器, 头灯, 塞尺



0422721

35件 棘轮与固定式呆扳手机具托

35pcs Ratchet and Fixed Wrench tools set

- 15件 两用扳手 8~22mm
- 8件 双开口扳手 6x7, 8x10, 11x13, 16x17, 18x19, 21x23, 24x27, 30x32mm。
- 5件 45度双梅花扳手 8x10, 11x13, 16x17, 22x24, 24x27mm。
- 7件 棘轮两用呆扳手 8、10、13、16~19mm
- 15pcs combination wrench, 8~22mm
- 8pcs open end wrench, 6x7, 8x10, 11x13, 16x17, 18x19, 21x23, 24x27, 30x32mm
- 5pcs 45° box end wrench, 8x10, 11x13, 16x17, 22x24, 24x27mm,
- 7pcs ratchet combination wrench, 8, 10, 13, 16~19mm



0422704

234件 技术型机修工具组合方案

234pcs Craftman Repair and Maintenance Tools Program




0422708

70件 1/2"套筒扳手工具托

70pcs 1/2" Socket & Ratchet Handle tools set

- 11件 1/2" 6角短套筒, 10、12、17、18、20~22、24、27、30、32mm
- 4件 1/2" 6角长套筒, 14、16、17、19mm
- 9件 1/2" 12角短套筒, 8~11、13~16、19mm
- 11件 1/2" 旋具套筒, 长度 100mm, T40~T55, H6、H7、H10、M6、M8、M10、M12
- 4件 1/2" 旋具套筒, 长度 55mm, H5、H12, 长度 180mm, H5、H8,
- 2件 1/2" 摇头接杆, 5"、10"
- 4件 1/2" 棘轮扳手, 1/2" 滑行杆250mm, 1/2" 万向接头, 1/2"x 10" L杆
- 2件 1/2" 气动批头套筒 H17、1/2" x E12套筒
- 5件 样冲组套
- 9件 加长L型六角扳手, 球头, 1.5~10mm
- 9件 加长L型星型扳手, 中圆孔, T10~T50
- 11pcs 1/2" 6pt. short socket, 10, 12, 17, 18, 20~22, 24, 27, 30, 32mm
- 4pcs 1/2" 6pt. long socket, 14, 16, 17, 19mm
- 9pcs 1/2" 12pt. short socket, 8~11, 13~16, 19mm
- 11pcs 1/2" bits socket, length 100mm, T40~T55, H6, H7, H10, M6, M8, M10, M12
- 4pcs 1/2" bits socket, length 55mm, H5, H12, length 180mm, H5, H8,
- 2pcs 1/2" swivel extension, 5", 10"
- 4pcs 1/2" ratchet handle, 1/2" sliding bar 250mm, 1/2" universal joint, 1/2" x 10" L handle
- 2pcs 1/2" impact bits socket H17, 1/2" x E12 socket
- 5pcs punch set
- 9pcs long L type hex key with ball head, 1.5-10mm
- 9pcs long torx L type torx key with tamperproof, T10~T50



0422709

93件 3/8" 与 1/4" 套筒扳手工具托

93pcs 3/8" & 1/4" Socket & Ratchet Handle tools set

- 4件 棘轮扳手与万向接头 1/4"、3/8"
- 12件 1/4" 六角短套筒4~14mm
- 10件 1/4" 六角长套筒4~13mm
- 6件 摇头接杆, 1/4" x 2" & 4", 3/8" x 3", 5" & 10", 弹性接杆 1/4" x 6"
- 3件 接头, 三用 1/2" M x 3/8" F, 3/8" M x 1/2" F, 1/4" 弹套
- 3件 滑行杆, 1/4" x 110mm, 方杆 1/4" x 6", 刮刀
- 15件 3/8" 六角短套筒8~22mm, E11
- 9件 3/8" 六角长套筒10~17, 19mm
- 20件 1/4" 旋具套筒 T8、T10~T20、T25~T40、H3~H6、H8、PH2、PH3、PZ1~3、FD4~6
- 3件 3/8" 旋具套筒 T45~T55
- 2件 3/8" 磁性火花塞套筒 14mm、16mm
- 6件 1/4" 批头 FD 4~6, PH1~3
- 4pcs ratchet handle and universal joint, 1/4", 3/8"
- 12pcs 1/4" 6pt. short socket, 4~14mm
- 10pcs 1/4" 6pt. long socket, 4~13mm
- 6pcs extension bar, 1/4" x 2" & 4", 3/8" x 3", 5" & 10", flexible 1/4" x 6"
- 3pcs adaptor, 3 way 1/2" M x 3/8" F, 3/8" M x 1/2" F, 1/4" x 1/4"
- 3pcs sliding bar, 1/4" x 110mm, socket handle 1/4" x 6", scraper
- 15pcs 3/8" 6pt. short socket, 8~22mm, E11
- 4pcs ratchet handle and universal joint, 1/4", 3/8"
- 12pcs 1/4" 6pt. short socket, 4~14mm
- 10pcs 1/4" 6pt. long socket, 4~13mm
- 6pcs extension bar, 1/4" x 2" & 4", 3/8" x 3", 5" & 10", flexible 1/4" x 6"
- 3pcs adaptor, 3 way 1/4" M x 3/8" F, 3/8" M x 1/2" F, 1/4" x 1/4"
- 3pcs sliding bar, 1/4" x 110mm, socket handle 1/4" x 6", scraper
- 15pcs 3/8" 6pt. short socket, 8~22mm, E11

0422707

13件 钳类与锤击工具托

13pcs Pliers & Hammer tools set

- 4件 卡簧钳, 7" 轴用直嘴与弯嘴、7" 孔用直嘴与弯嘴
- 4件 钳类, 6" 斜口, 6" 尖嘴, 8" 钢丝, 10" 水泵
- 2件 橡胶锤 35mm, 圆头锤
- 3件 固定式磁性拾拾器, 工作灯与充电线
- 4pcs Circlip pliers, 7" External straight & curved, 7" internal straight & curved
- 4pcs pliers, 6" diagonal, 6" long nose, 8" combination, 10" water pump
- 2pcs shock proof hammer 35mm, round head hammer 24oz
- 3pcs magnetic pickup 610mm, folding working light and charging cable



0422722

23件 螺丝刀工具托

23pcs Screwdriver tools set

- 7件 星型中圆孔螺丝批, T8Hx75, T10H~T20Hx100, T25Hx125, T27H~T30Hx150mm
- 2件 贯穿螺丝批, FD6 & PH2 x100mm
- 6件 一字螺丝批, 3&5x75, 5&6 x100, 6x38, 6x150mm
- 8件 十字螺丝批, PH0 & PH1 x75, PH1 & PH2 x100, PH3x150, PH2x250, PH3x300, PH2x38mm
- 7pcs torx screwdriver, T8Hx75, T10H~T20H x100mm, T25Hx125, T27H~T30Hx150mm
- 2pcs go through screwdriver, FD6 & PH2 x100mm
- 6pcs Slot Screwdriver, 3&5 x75, 5&6 x100, 6x38, 6x150mm
- 8pcs Philips Screwdriver, PH0 & PH1 x75, PH1 & PH2 x100, PH3x150, PH2x250, PH3x300, PH2x38mm



0422721

35件 棘轮与固定式呆扳手工具托

35pcs Ratchet and Fixed Wrench tools set

- 15件 两用扳手 8~22mm
- 8件 双开口扳手 6x7、8x10、11x13、16x17、18x19、21x23、24x27、30x32mm。
- 5件 45度双梅花扳手 8x10、11x13、16x17、22x24、24x27mm。
- 7件 棘轮两用呆扳手 8、10、13、16~19mm
- 15pcs combination wrench, 8~22mm
- 8pcs open end wrench, 6x7, 8x10, 11x13, 16x17, 18x19, 21x23, 24x27, 30x32mm
- 5pcs 45° box end wrench, 8x10, 11x13, 16x17, 22x24, 24x27mm,
- 7pcs ratchet combination wrench, 8, 10, 13, 16~19mm




0110301

217件 深度维修工具组合方案

217pcs Depth Repair Tools Program

整个工具车的框架无任何焊点，全部一次性组装合成，从而提高了产品的质量和稳定性；
整个工具车采用铝膜防锈镀锌材料，品质无与伦比；
扶手与工具车面盖采用一次性注塑成型，精美耐用；
每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
The entire cabinet is made of galvanized antirust materials with aluminium film.
The handle and top cover are formed by one-step injection molding, exquisite and durable.
Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.
With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.



0411000

75件 3/8"+1/2"套筒扳手工具托

75pcs 3/8"+1/2" Ratchet Handle & Socket tools set

- 2件 72齿棘轮扳手 1/2" 与 3/8"
- 13件 1/2" 六角长套筒 8 ~ 24 mm
- 18件 1/2" 六角短套筒 8 ~ 32 mm
- 3件 1/2" 十二角长套筒 12、14、17 mm
- 13件 3/8" 六角短套筒 7 ~ 22 mm
- 9件 3/8" 六角长套筒 7 ~ 15 mm
- 4件 3/8" 磁性火花塞套筒 14、16、18、21 mm
- 8件 3/8" 磁性六角短、长套筒 8、10、12、14 mm
- 5件 氧传感器套筒 1/2" x19、22 mm, 3/8" x 14、17、19 mm

- 13pcs 3/8" 6pt. short socket, 7 ~ 22 mm
- 9pcs 3/8" 6pt. long socket, 7 ~ 15 mm
- 4pcs 3/8" magnetic spark plug socket, 14,16,18,21 mm
- 8pcs 3/8" magnetic short & long socket, 8,10,12,14 mm
- 5pcs oxygen sensor socket, 1/2"x19,22 mm, 3/8" x 14,17,19 mm
- 2pcs 72 Teeth ratchet handle, 1/2"& 3/8"
- 13pcs 1/2" 6pt. long socket, 8 ~ 24 mm
- 18pcs 1/2" 6pt. short socket, 8 ~ 32 mm
- 3pcs 1/2" 12pt. long socket, 12,14&17 mm

0411100

57件 3/8" + 1/2" 套筒工具托

57pcs 3/8" + 1/2" Socket & Extension bar tools set

- 11件 3/8" 旋具套筒48mmxT25~T50、H4~H8
- 12件 1/2" 旋具套筒100 mm x H5 ~ H14、M6&M8、T20 ~ T50
- 8件 E型套筒3/8"xE8~E14, 1/2" x E12~E18
- 6件 摇头接杆 1/2" x 3"、5"、10", 3/8" x 3"、5"、10"
- 4件 万向接头 3/8" & 1/2", 气动 3/8" & 1/2"
- 2件 转换接杆 3/8" x 1/4", 1/2" x 1/4"
- 2件 气动转接头 1/2" F x 3/8" M, 3/8" F x 1/2" M
- 2件 F柄 1/2" x 18", 3/8" x 9.5"
- 3件 100mm薄型气动轮胎套筒 1/2" x 19、21、22 mm
- 7件 1/4" 批头棘轮扳手组

- 11pcs 3/8" bits socket, length 48 mm, T25~T50,H4~H8
- 12pcs 1/2" bits socket, length 100 mm, H5~H14,M6 & M8,T20~T50
- 8pcs E type socket, 3/8" x E8~E14, 1/2" x E12~E18
- 6pcs swivel extension bar, 1/2"& 3/8"x 3",5",10"
- 4pcs manual & impact universal joint, 3/8"& 1/2"
- 2pcs extension adaptor, 3/8"M x 1/4"H, 1/2"M x 1/4"H
- 2pcs impact adaptor, 1/2"F x 3/8"M, 3/8"F x 1/2"M
- 2pcs F handle, 1/2" x 18", 3/8" x 9.5"
- 3pcs 1/2" Thin wall impact wheel socket, length 100mm, 19,21,22mm
- 7pcs 1/4" ratchet handle with bits set



0411200

25件 钳类与锤击工具托

25pcs Gear wrench & Screwdriver tools set

- 5件 特长双平梅花扳手, 8x10、10x12、12x14、13x15、14x17mm
- 6件 摇头棘轮两用扳手, 8、10、12、13、15、17 mm
- 2件 贯通螺丝刀, PH4 & 一字10 x 300 mm
- 7件 防滑螺丝刀, PH2& SL6 x300、Two-Way PH2+ SL6 x38、PH1x75、SL5.5x100、PH2x150mm
- 1件 贯穿螺丝刀, SL6.5 x 100mm
- 4件 油封钩针直角、直型、尖型、弯钩

- 5pcs Extra long box end wrench, 8x10, 10x12, 12x14, 13x15, 14x17mm
- 6pcs flexible combination gear wrench, 8, 10, 12, 13, 15, 17 mm
- 2pcs go through screwdriver, PH4 & 10 x 300 mm
- 7pcs screwdriver, PH2& SL6 x300, Two-Way PH2+ SL6 x38, PH1x75, SL5.5x100, PH2x150mm
- 1pcs go through screwdriver, SL6.5 x 100mm
- 4pcs O-ring picker set



0411300

30件 钳类工具托组套

30pcs Pliers and hex key tools set

- 1件 铁皮剪
- 6件 钳子, 8" 鲤鱼钳、10" 水泵钳, 喉型管束钳, 6" & 11" 尖嘴钳、6" 斜口钳
- 2件 胶扣起子 6.35 x 100L、8 x 120L
- 9件 球头特长六角扳手组 1.5 ~ 10 mm
- 9件 星型中圆孔特长扳手组 T10 ~ T50
- 3件 大力钳, 圆口 7" & 10", 尖嘴 6"

- 1pcs stainless metal snip
- 6pcs pliers, 8" slip joint, 10" water pump, hose clip, 6" & 11" long nose, 6" diagonal
- 2pcs tacker puller, 6.35 x 100mm, 8 x 120mm
- 9pcs extra long L type hex key with ball head, 1.5-10mm
- 9pcs extra long torx L type torx key with tamperproof, T10~T50
- 3pcs locking pliers, round jaw 7" & 10", long nose 6"



0411400

30件 呆扳手工具托

30pcs Wrench tools set

- 3件 油管扳手 8x9、10x12、11x13mm
- 7件 双梅花扳手 8x9、10x12、11x13、14x17、18x19、21x23、24x27mm
- 19件 两用扳手 6~24mm
- 1件 月亮扳手 12x14mm

- 3pcs flar nut wrench, 8x9, 10x12, 11x13mm
- 7pcs box end wrench, 8x9, 10x12, 11x13, 14x17, 18x19, 21x23, 24x27mm
- 19pcs combination wrench, 6~24mm
- 1pcs half moon offset box end wrench, 12x14mm



0111900

39件 车身钣金维修工具组合方案

39pcs Steel Sheet Metal Tools Program



0623000

9件 车身钣金锤击工具托

9pcs Vehicle Body Hammer Blow Tools Set

- 3件 铝合金钣金锤：标准、曲面精整、鹤嘴精整
- 1件 防震橡胶锤 35mm
- 5件 钣金型钢垫块：墩型、通用型、弯铲型、马蹄型、月牙型
- 3PCS Aluminum Hammer,Standard,Curved Cross- Chisel,Curved Pin & Finishing
- 1PCS Shockproof Hammer Rubber coating 35mm
- 5PCS PVC Dolly Blocks,Block Dolly,General Purpose Dolly,Curved Dolly,Rubber Dolly,Wedge Dolly

0350700

8件 大力钳工具托

8pcs Locking Pliers Tools set

- 3件 C型大力钳，平板，6"、11"、18"
- 2件 直嘴与圆口大力钳，10"
- 3件 尖嘴大力钳9"，焊接大力钳9"，平板大力钳8"
- 3pcs C type locking pliers,swivel head,6",11" & 18"
- 2pcs locking pliers, straight & round jaw,10"
- 3pcs locking pliers, long nose 9",welding 9",flat 8"

0351200

10件 电动与手动钣金裁切工具托

10pcs Electric & Manual Panel Cutting Tools set

- 2件 电动角磨机与扳手，220V
- 3件 航空剪组，铬钼合金钢
- 5件 合金钢锉刀组，长度8"
- 2pcs electric angle grinder & wrench,220V
- 3pcs aviation tin snips set,Cr-Mo
- 5pcs alloy file set,length 8"

0350800

12件 钣金锉与打板工具托

12pcs Panel File & Wedge Tools Set

- 4件 钣金撬棒，美式580、小弯560、直棒450、单头240mm
- 2件 调整型钣金锉刀架，长度14"，钣金锉刀
- 2件 钣金打板，L型125 x 255、T型137 x 255
- 4件 钣金打板，大直板92 x 110、中直板70 x 110、小直板48 x 110、小丸48 x 110
- 4pcs pry bars,American 580,curved 560,straight 450 & 240mm
- 2pcs adjustable panel file, length 14",file blade 14"
- 2pcs wedge tools,L type 125 x 255,T type 137 x 255mm
- 4pcs straight wedge tools,92 x 110,70 x 110,48 x 110,48 x 110mm

0112101

42件 专用型车身钣金维修工具组合方案

42pcs Specialty Sheet Metal Repair Tools Program



0350300

16件 钣金裁切工具托

16pcs Metal Cutting Tools set

- 3件 航空剪组，铬钼合金钢
- 2件 铁皮剪直口、特长直口
- 5件 金刚砂锉刀组，长度183mm
- 5件 合金钢锉刀组，长度8"
- 1件 卷尺 5米 x 19mm
- 3pcs aviation tin snips set,Cr-Mo
- 2pcs Tin ship, Cr-Mo, berlin pattern straight, extra long straight
- 5pcs corundum file set,length 183mm
- 5pcs alloy file set,length 8"
- 1pcs measuring tape 5M x 19mm

0350500

7件 狭窄空间专用大力钳工具托

7pcs Narrow space Locking Pliers Tools set

- 7件 W型、J型、LL型、J型、L型、T型、O型
- 7pcs W, JJ, LL, J, L, T, O type

0350101

11件 钣金锤击工具托

11pcs Hammering Tools set

- 3件 防震橡胶锤 30mm、45mm、50mm
- 3件 铝合金钣金锤 标准、曲面精整、鹤嘴精整
- 5件 钣金型钢垫块：墩型、通用型、弯铲型、马蹄型、月牙型
- 3pcs shock proof hammer, 30mm,45mm & 50mm
- 3pcs aluminum hammer, standard, curved cross, curved pin & finished
- 5pcs plastic steel dolly blocks set

0350700

8件 大力钳工具托

8pcs Locking Pliers Tools set

- 3件 C型大力钳，平板，6"、11"、18"
- 2件 直嘴与圆口大力钳，10"
- 3件 尖嘴大力钳9"，焊接大力钳9"，平板大力钳8"
- 3pcs C type locking pliers,swivel head,6",11" & 18"
- 2pcs locking pliers, straight & round jaw,10"
- 3pcs locking pliers, long nose 9",welding 9",flat 8"

0110102

242件 快修/快保工具组合方案

242pcs Fast Repair & Maintenance Tools Program

整个工具车的框架无任何焊点，全部一次性组装合成，从而提高了产品的质量和稳定性；
整个工具车采用铝膜防锈镀锌材料，品质无与伦比；
扶手与工具车面盖采用一次性注塑成型，精美耐用；
每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
The entire cabinet is made of galvanized antirust materials with aluminium film.
The handle and top cover are formed by one-step injection molding, exquisite and durable.
Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.
With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.




0330101

39件 两用扳手与螺丝刀组合工具

39pcs Combination wrench & Screwdriver tools set

- 13件 两用呆扳手 8~19、21mm
1件 活动扳手 12"
4件 十字螺丝刀, PH2 x 250、150、PH1x100、38mm
3件 一字螺丝刀, 6x150、5x100、6x38mm
9件 球头特长六角扳手组 1.5 ~ 10 mm
9件 星型中圆孔特长扳手组 T10 ~ T50
13pcs combination wrench 8~19,21mm
1pcs adjustable wrench 12"
4pcs Phillips screwdriver,PH2 x 250,150,PH1x100,38mm
3pcs slotted screwdriver,6x150,5x100,6x38mm
9pcs extra long L type hex key with ball head,1.5-10mm
9pcs extra long torx L type torx key with tamperproof,T10~T50



0320101

88件 全规格套筒扳手组套

88pcs 1/4"+3/8"+1/2" Socket & Ratchet handle tools set

- 4件 棘轮扳手1/2"、3/8"、1/4"、批头棘轮1/4"
5件 E型套筒 1/4" x E8、3/8" x E10、12、14、18
4件 1/4" 长套筒 8、10、11、12mm
10件 3/8" 短套筒 8~17mm
11件 1/2" 短套筒 12~16、18、22、24、27、30、32mm
4件 1/2" 长套筒 10、12、13、14mm
3件 3/8" 薄型磁性火花塞套筒 14、16mm、21mm
3件 万向接头 1/4"、3/8"、1/2"
4件 1/2" 气动长套筒 17、19、21、22mm
12件 1/4" 批头, PH1~3、一字4~6、六角4~6、星型T10~20
6件 接杆 1/4" x 2"、4"、3/8" x 3"、5"、1/2" x 5"、10"
2件 滑杆 3/8"、1/4"
8件 30mm 旋具头 T55、50、45、40、30、27、25、20
2件 弹套 3/8" x 10mm、1/2" x 10mm
10件 100mm x T52、75mm x T55、T50、45、40、30、M12、10、9、8
4pcs 72 teeth ratchet handle, 1/2",3/8",1/4",1/4" bits ratchet handle
5pcs E-type socket, 1/4" x E8,3/8" x E10, 12, 14, 18
4pcs 1/4" long socket, 6pt., 8,10,11,12mm
10pcs 3/8" short socket 6pt., 8~17mm
3pcs 3/8" magnetic spark plug socket,14,16&21mm
11pcs 1/2" short socket, 6pt., 12~16,18,22,24,27,30,32mm
4pcs 1/2" long socket, 6pt., 10,12,13,14mm
4pcs 1/2" impact long socket, 17,19,21,22mm
3pcs universal joint,1/4",3/8",1/2"
12pcs 1/4" bits length 25mm,PH1~3,FD4~6,H4~6,T10~20
6pcs extension bar,1/4" x 2"&4",3/8" x 3"&5",1/2" x 5"&10"
2pcs sliding bar,3/8",1/4"
2pcs adaptor,3/8"& 1/2"x 10mm
8pcs 10mm bits,length 30mm,T20~T55
10pcs 10mm bits,length 100mm,T52,length 75mm x T30~T55,M8~M12

0380700

50件 机油更换与油箱盖组合工具托

50pcs Torque wrench and Oil changing socket tools set

- 1件 专业级机械式扭力扳手30~210N.m
20件 油底壳螺丝 T45、M16、XS10、S7、8、10~14、5/16"、3/8"、H8~10、12~14、17、T10
1件 3/8" 滑杆
6件 1/2" 六角长套筒, 14、15、17、19、21、22mm
7件 3/8" 六角长套筒, 7~13 mm
3件 3/8" 磁性火花塞套筒, 超薄14mm, 14mm, 16mm
9件 碗型机油格套筒, 901~905、901-1、6Px27,32,36mm
3件 油箱盖板手

- 1pcs professional level torque wrench,30~210N.m
20pcs oil pan socket,T45,M16,XS10,S7,8,10~14,5/16",3/8",H8~10,12~14,17,T10
1pcs 3/8" sliding bar
6pcs 1/2" 6pt. long socket,14, 15,17,19, 21, 22mm
7pcs 3/8" 6pt. long socket,7~13mm
3pcs magnetic spark plug socket, 3/8" x 14mm thin wall,3/8" x 14 & 16mm
9pcs transmission oil changing socket,901~905,901-1,6Px27,32,36mm
3pcs fuel tank wrench set



0390102

65件 综合性维修组合工具

65pcs Combination Repair Tools set

- 12件 冲击螺丝批组 PH2 x 36mm、80mm, PH3 x 36mm、80mm 一字8 mm x 36mm、80mm, 一字10mm x 36mm、80mm 断丝取出 #3、#4, 冲击起子, 转接头
5件 样冲 扁铲 12mm、冲孔3mm、销式2mm、4mm、钎头5mm
2件 3W磁性工作灯 (360°翻转)
8件 刹车片厚薄规 2~6、8、10、12mm
1件 钳工锤 500g
4件 钳子 8" 鲤鱼钳、6" 尖嘴钳、6" 斜口钳, 6" 钢丝钳
1件 气门芯扭力扳手, 0.4Nm
1件 5m卷尺
1件 胶扣起子 6.35x100mm
1件 固定式磁性捡拾器
6件 塑钢翘棒 强尼龙
23件 塞尺 0.02~1.0mm
12pcs impact screwdriver set,PH2,PH3,FD8mm,10mm x 36&80mm,screw extractor #3,#4,changeable impact handle,adaptor
5pcs chisel punch set
2pcs working light, magnetic seat, angle adjustable,280lm
8pcs brake disc thickness gauge,2~6,8,10,12mm
1pcs engineers hammer,300g
4pcs pliers,8" slip joint,6" long nose,6" diagonal,6" combination
1pcs valve core torque wrench,0.4Nm
1pcs measuring tape,5M x 19mm
1pcs tackler puller,6.35 x 100mm
1pcs magnetic pick up, dia 10mm x length 640mm
6pcs panel remover set,extra strong Nylon
23pcs feeler gauge,0.02~1.0mm



0623600

211件 通用机修工具组合方案

211pcs Mechanical Tools Program



整个工具车的框架无任何焊点，全部一次性组装合成，从而提高了产品的质量和稳定性；
整个工具车采用铝膜防锈镀锌材料，品质无与伦比；
扶手与工具车面盖采用一次性注塑成型，精美耐用；
每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
The entire cabinet is made of galvanized antirust materials with aluminium film.
The handle and top cover are formed by one-step injection molding, exquisite and durable.
Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.
With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.



0623604

124件 全规格套筒工具托

124pcs 1/4"+3/8"+1/2" Socket & Ratchet handle tools set

- 3件 72齿棘轮扳手，1/4"、3/8"、1/2"
- 17件 1/2" 短套筒，六角，10mm-19mm、21mm-24mm、27mm、30mm、32mm
- 4件 1/4" 旋具套筒，长度37mm，H3~H6
- 5件 1/4" E型套筒，E4-E8
- 6件 1/2" 长套筒，六角，10、12~16mm
- 3件 万向接头，1/4"、3/8" & 1/2"
- 5件 转接头，3/8"F x 1/4"M、3/8"F x 1/2"M、1/2"F x 3/8"M、1/4"F x 3/8"M、1/4"弹套
- 8件 摇头式接杆，1/2" x 3"、5" & 10"、3/8" x 3" & 6"、1/4" x 2" & 4"，弹性接杆1/4" x 6"
- 3件 1/2" L杆10"，1/4" 方杆 6"，1/4" 滑杆110mm
- 11件 1/4"短套筒，六角，4mm、5mm、5.5mm、6mm~13mm
- 12件 3/8"短套筒，六角，8mm~19mm
- 7件 3/8" E型套筒，E10~E12、E14、E16、E18、E20
- 12件 1/4"旋具套筒，长度37mm，T8、T10~T27，FD 4、6、7，PH1~PH3，
- 10件 1/4"长套筒，六角，4~13mm
- 10件 3/8" 旋具套筒，长度 48mm，T30~T45，T50H~T60H，H7、H8、H10、
- 5件 10mm 旋具头，长度30mm，M5、M6、M8、M10、M12
- 3件 1/2"气动长套筒，六角，17mm、19mm、21mm
- 1件 1/2"x100mm T52旋具套筒

- 3pcs 72 Teeth ratchet handle, 1/2", 3/8" & 1/4"
- 17pcs 1/2" short socket, 6pt., 10mm-19mm, 21mm-24mm, 27mm, 30mm, 32mm
- 4pcs 1/4" bits socket, length 37mm, H3~H6
- 5pcs 1/4" E type socket, E4-E8
- 6pcs 1/2" long socket, 6pt., 10, 12~16mm
- 3pcs universal joint, 1/4", 3/8" & 1/2"
- 5pcs adaptor, 3/8"F x 1/4"M, 3/8"F x 1/2"M, 1/2"F x 3/8"M, 1/4"F x 3/8"M, 1/4"x1/4"H
- 8pcs extension bar, 1/2" x 3", 5" & 10", 3/8" x 3" & 6", 1/4" x 2" & 4", flexible 1/4" x 6"
- 3pcs L wrench 1/2"x10", socket handle 1/4"x 6", sliding bar 1/4"x 110mm
- 11pcs 1/4" short socket, 6pt., 4mm, 5mm, 5.5mm, 6mm~13mm
- 12pcs 3/8" short socket, 6pt., 8mm~19mm
- 7pcs 3/8" E type socket, E10~E12, E14, E16, E18, E20
- 10pcs 1/4" long socket, 6pt., 4~13mm
- 12pcs 1/4" bits socket, length 37mm, T8, T10~T27, FD 4, 6, 7, PH1~PH3,
- 10pcs 3/8" bits socket, length 48mm, T30~T45, T50H~T60H, H7, H8, H10, H12
- 5pcs 10mm bits, length 30mm, M5, M6, M8, M10, M12
- 3pcs 1/2" Thin wall impact wheel socket, length 100mm, 19, 21, 22mm
- 3pcs 1/2"x100mm T52 bits socket

0623605

42件 螺丝批工具托

42pcs Screwdriver tools set

- 9件 加长球头六角扳手H1.5~H10mm
- 9件 加长星型带中圆孔扳手T10-T50
- 2件 胶扣起子6.35 x 100mm，卷尺19mm x 5m
- 7件 星型中圆孔螺丝批T8 x 100mm、T10 x 100mm、T15 x 100mm、T20 x 100mm、T25 x 125mm、T27 x 150mm、T30 x 150mm
- 5件 PP柄一字螺丝批SL3 x 75mm、SL5 x 75mm、SL6 x 100mm、SL6 x 150mm、SL6 x 250mm
- 5件 PP柄十字螺丝批PH0 x 75mm、PH1 x 75mm、PH2 x 38mm、PH2 x 100mm、PH2 x 150mm
- 5件 样冲组套
- 9pcs long L type hex key with ball head, 1.5-10mm
- 9pcs long torx L type torx key with tamperproof, T10~T50
- 1pcs tacker puller, 6.35 x 100mm
- 1pcs measuring tape, 5m x 19mm
- 7pcs torx screwdriver, T8Hx75, T10H~T20H x 100mm, T25Hx125, T27H~T30H x 150mm
- 5pcs PP Slotted screwdriver, SL3&SL5 x 75mm, SL6 x 100mm, SL6 x 150mm, SL6 x 250mm
- 5pcs PP Phillips screwdriver, PH0&PH1 x 75mm, PH2 x 38mm, PH2 x 100mm, PH2 x 150mm
- 5pcs punch set



0623606

32件 双梅花棘轮与呆扳手工具托

32pcs Ratchet wrench & Combination wrench tools set

- 21件 薄型两用呆扳手，6~19、21~24、27、30 & 32mm
- 2件 油管扳手，8 x 9mm、10 x 12mm
- 2件 双梅花棘轮呆扳手，8x10mm、12x13mm
- 1件 圆口大力钳，10"
- 6件 双梅花45度呆扳手，8 x 10、10 x 12、12 x 14、14 x 15、16 x 17、17 x 19mm
- 21pcs combination wrench, 6~19, 21~24, 27, 30 & 32mm
- 2pcs flar nut wrench, 8 x 9mm, 10 x 12mm
- 2pcs ratchet type double ring wrench, 8x10mm, 12x13mm
- 1pcs locking pliers, round jaws, 10"
- 6pcs double ring wrench, 45 degree, 8x10, 10x12, 12x14, 14x15, 16x17, 17x19mm



0623607

13件 钳类工具托

13pcs Pliers and Hammer tools set

- 2件 起子刮刀，美工刀18mm
- 1件 圆头锤24oz
- 2件 5" 吹尘枪，固定式磁性拾检器
- 4件 卡簧钳，7"，内直、内弯、外直、外弯
- 4件 8"钢丝钳，6"斜口钳，6"尖嘴钳，8"鲤鱼钳
- 2pcs scraper Screwdriver, utility knife, width 18mm
- 1pcs round head hammer, 24oz
- 2pcs blow gun, 5" , magnetic pickup 610mm
- 4pcs Circlip pliers, 7" External straight & curved, 7" internal straight & curved
- 4pcs pliers, 6" diagonal, 6" long nose, 8" combination, 8" slip joint



0111400

98件 新能源工具组合方案

98pcs Insulated Socket & Wrench Tools Program



0430504

25件 绝缘螺丝批与旋具套筒工具托

25pcs Insulated Screwdriver & Bits Socket Tools Set

- 4件 一字绝缘螺丝批, 2.5x75、4x100、5.5x125、6.5x150mm
- 4件 十字绝缘螺丝批, PH0x60、PH1x80、PH2x100、PH3x150
- 9件 绝缘旋具套筒, 1/4" x H3~H6, 3/8" x H4~H6、H8, 1/2" x H10
- 3件 绝缘旋具套筒, 1/4" x T25 & T30, 3/8" x M10
- 3件 绝缘自动浸塑夹套套筒, 20 mm、30mm, 绝缘塑料圆头线夹
- 2件 非接触式测电笔, AC 12~1,000V、绝缘电工胶布

- 4pcs slotted insulated screwdriver, 2.5x75,4x100,5.5x125,6.5x150mm
- 4pcs Phillips insulated screwdriver, PH0x60,PH1x80,PH2x100,PH3x150mm
- 9pcs insulated bits socket, 1/4" x H3~H6, 3/8" x H4~H6,H8, 1/2" x H10
- 3pcs insulated bits socket, 1/4" x T25 & T30, 3/8" x M10
- 3pcs insulated closing sleeve socket, 20 & 30mm, insulated round head pliers
- 2pcs non-contact voltage tester, AC 12~1,000V,electrical adhesive tape

0430501

43件 绝缘套筒工具托

43pcs Insulated Ratchet handle & Socket Tools Set

- 3件 1/4"、3/8"、1/2"绝缘棘轮扳手
- 4件 1/4"x 100mm绝缘快脱接杆4"、3/8"x100mm 绝缘接杆4"、1/2" x125mm绝缘接杆5"、3/8" 绝缘T杆
- 7件 1/4" 6角绝缘短套筒5mm-10mm、12mm
- 14件 1/2" x6角绝缘短套筒10mm-22mm、24mm
- 12件 3/8" x6角绝缘短套筒8mm-19mm
- 3件 3/8"x 6角绝缘长套筒8mm、10mm、12mm
- 3pcs insulated ratchet handle,1/4",3/8" & 1/2"
- 3pcs insulated extension bar,1/4" x 4" quick release, 3/8" x 4",1/2" x 5"
- 1pcs insulated T handle,3/8"
- 7pcs 1/4" insulated short socket, 6pt., 5~10,12mm
- 14pcs 1/2" insulated short socket, 6pt., 10~22,24mm
- 12pcs 3/8" insulated short socket, 6pt., 8~19mm
- 3pcs 3/8" insulated long socket, 6pt., 8,10,12mm

0430503

15件 绝缘套筒螺丝批工具托

15pcs Insulated Nut Screwdriver & Pliers Tools set

- 4件 绝缘钳, 6" 绝缘斜口钳、6" 绝缘尖嘴钳、8" 绝缘钢丝钳
- 1件 绝缘电工刀 (直刀)
- 11件 绝缘套筒螺丝批, 长度125mm, M4、M5、M5.5、M6~M13
- 4pcs insulated pliers,6" diagonal,6" long nose,8" combination
- 1pcs insulated electric straight knife
- 11pcs insulated nut screwdriver,length 125mm,M4,M5,M5.5,M6~M13

0430514

15件 绝缘开口扳手工具托

15pcs Insulated Nut Screwdriver & Pliers Tools set

- 15件 绝缘开口扳手, 8~19、21、22 & 24mm
- 15pcs Insulated Open End Wrench Tools Set

0110800

81件 新能源(绝缘)工具组合方案

81pcs Insulated Socket & Wrench Tools Program



0311000

31件 绝缘互换式螺丝刀工具托

31 pcs Insulated Interchangeable Screwdriver Tools Set

- 6件 一字螺丝批 0.4x2.5、0.5x3.0、0.6x3.5、0.8x4.0、1.0x5.5、1.2x6.5mm
- 3件 十字螺丝批 PH1、PH2、PH3
- 3件 米字螺丝批 PZ1、PZ2、PZ3
- 7件 套筒螺丝批 5、6、7、8、9、10、13mm
- 7件 星型螺丝批 T8、T9、T10、T15、T20、T25、T30
- 2件 螺丝批互换手柄互换式尾盖、互换手柄
- 1件 验电笔 110~250V AC, TUV / GS、CE
- 1件 电工刀直口
- 1件 剥线钳6"

- 6pcs Slotted Screwdriver 0.4x2.5,0.5x3.0,0.6x3.5,0.8x4.0,1.0x5.5,1.2x6.5mm
- 3pcs Phillips Screwdriver PH1 ,PH2,PH3
- 3pcs Pozzi Screwdriver PZ1,PZ2,PZ3
- 7pcs Socket Screwdriver 5,6,7,8,9,10,13mm
- 7pcs Torx Screwdriver T8,T9,T10,T15,T20,T25,T30
- 2pcs Interchangeable Handle Tail Cover,Interchangeable Handle
- 1pc Electric Tester 110~250V AC, TUV / GS,CE
- 1pc Knife Straight Blade
- 1pc Wire Stripper 6"

0311100

34件 绝缘套筒与扳手工具托

34 pcs Insulated Socket and Wrench Tools Set


- 4件 L型扳手六角 4、5、6、8mm
- 4件 星型 L扳手 T15、T20、T25、T30
- 3件 钳子 6.5" 斜口钳、7.0" 钢丝钳、9.0" 尖嘴钳
- 2件 棘轮扳手 1/4"、1/2"
- 4件 接杆 1/2" x 5"、1/2" x 10"、1/4" x 4"、1/4" x 6"
- 2件 1/2" 批头套筒 1/2" x H7、1/2" x H8
- 4件 1/4" 批头套筒 1/4" x H3、H4、H5、H6mm
- 4件 1/4" 短套筒 5、6、7、8mm
- 7件 1/2" 短套筒 10、12、13、14、16、17、18mm
- 4pcs L-Type WrenchHex, H4,H5,H6,H8mm
- 4pcs L-Type WrenchTorx, T15,T20,T25,T30
- 3pcs Pliers 6.5" Diagonal,7.0" Combination,9.0" Long nose
- 2pcs Ratchet Handle1/4",1/2"
- 4pcs Extension Bar 1/2" x 5",1/2" x 10",1/4" x 4",1/4" x 6"
- 2pcs 1/2" Bits Socket 1/2" x H7,1/2" x H8
- 4pcs 1/4" Bits Socket 1/4" x H3,H4,H5,H6mm
- 4pcs 1/4" Short Socket 5,6,7,8mm
- 7pcs 1/2" Short Socket 10,12,13,14,16,17,18mm

0311200

16件 绝缘开口与梅花扳手工具托

16 pcs Insulated Open End and Box End Wrench

- 8件 开口扳手 8、10、12、13、14、16、17、18mm
- 8件 梅花扳手 8、10、12、13、14、16、17、18mm
- 8pcs Open End 8,10,12,13,14,16,17,18mm
- 8pcs Box End 8,10,12,13,14,16,17,18mm



0111000

125件 新能源(绝缘)工具组合方案

125pcs Insulated Socket & Wrench Tools Program



整个工具车的框架无任何焊点，全部一次性组装合成，从而提高了产品的质量和稳定性；
整个工具车采用铝膜防锈镀锌材料，品质无与伦比；
扶手与工具车面盖采用一次性注塑成型，精美耐用；
每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
The entire cabinet is made of galvanized antirust materials with aluminium film.
The handle and top cover are formed by one-step injection molding, exquisite and durable.
Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.
With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.

0310510

7件 绝缘钳类工具托

7 pcs Insulated Pliers Set

- 1件 重型斜口钳 8"
- 1件 斜口钳 6"
- 3件 钢丝钳 6"、7"、8"
- 2件 尖嘴钳 6.5"、9"
- 1pc Heavy Duty Diagonal Pliers 8"
- 1pc Diagonal Pliers 6"
- 3pcs Combination Pliers 8", 7", 6"
- 2pcs Long Nose Pliers 6.5", 9"

0310310

12件 绝缘T型套筒工具托

12 pcs Insulated T Handle Socket Wrench Set

- 12件 绝缘T型套筒扳手 4~14mm
- 12pcs Insulated T Handle Socket Wrench 4~14mm

0310210

41件 绝缘互换螺丝刀工具托

41 pcs Insulated Interchangeable Screwdriver Tools Set

- 2件 手柄与尾盖
- 4件 开关箱 5.3、6.0、8、9 x 100 mm L
- 9件 锉刀
- 7件 套筒 5~13 mm
- 3件 十字 PH0 ~ PH2
- 3件 米字 PZ0 ~ PZ2
- 6件 一字 2.5 ~ 6.5 mm
- 7件 星型 T8 ~ T30
- 2pcs Interchangeable Handle Tail Cover、Interchangeable Handle
- 4pcs Control Box Key 5.3、6.0、8、9 x 100 mm L
- 9pcs File Blade
- 7pcs Socket 5 ~ 13 mm
- 3pcs Phillips PH0 ~ PH2
- 3pcs Pozi PZ0 ~ PZ2
- 6pcs Flate 2.5 ~ 6.5 mm
- 7pcs Torx T8 ~ T30

0310610

20件 绝缘开口扳手工具托

20 pcs Insulated Open End Wrench Tools Set

- 18件 开口扳手 7~24mm
- 1件 测电笔
- 1件 电工刀
- 18pcs Open End Wrench 7 ~ 24 mm
- 1pc Voltage Tester
- 1pc Knife

0310110

30件 绝缘3/8" 套筒扳手工具托

30 pcs 3/8" Insulated Socket and Wrench Tools Set



- 1件 棘轮扳手 3/8"
- 1件 T型扳手 3/8" x 280 mm
- 1件 接杆 3/8" x 4"
- 11件 套筒 7 ~ 22 mm
- 8件 旋具套筒 T8 ~ T55
- 4件 旋具套筒 H4、H7、3/16"、5/16"
- 3件 旋具套筒 PZ1 ~ PZ3
- 1件 旋具套筒 PH3
- 1pcs Ratchet Handle 3/8"
- 1pcs T Handle Wrench 3/8" x 280 mm
- 1pcs Extension Bar 3/8" x 4"
- 11pcs Socket 7 ~ 22 mm
- 8pcs Bits Socket T8 ~ T55
- 4pcs Bits Socket H4, H7, 3/16", 5/16"
- 3pcs Bits Socket PZ1 ~ PZ3
- 1pcs Bits Socket PH3

0310410

15件 绝缘梅花扳手工具托

15 pcs Insulated Box End Wrench Tools Set



- 15件 梅花扳手 7 ~ 24 mm
- 15pcs Box End Wrench 7 ~ 24 mm



0452600

68件 绝缘工具组合方案

68pcs Insulated Socket & Wrench Tools Program



0452611

31 件绝缘套筒扳手工具托

31pcs 3/8" & 1/2" insulated Socket Tools Set

- 11件 1/2"x6角绝缘短套筒10mm-14mm、16mm、17mm、19mm、21mm、22mm、24mm
- 2件 1/2"、3/8"绝缘棘轮扳手
- 2件 绝缘接杆: 1/2" x125mm 5"、3/8" x100mm 4"
- 3件 绝缘快脱接杆: 1/2" x250mm 10"、3/8"x250mm10", 1/2" 绝缘T杆
- 5件 1/2"六角绝缘旋具套筒H4、H5、H6、H8、H10
- 8件 3/8"x 6角绝缘短套筒8mm、10mm、12mm、13mm、14mm、16mm、17mm、18mm
- 11pcs 1/2" insulated short socket,6pt., 10~14,16,17,19,21,22,24mm
- 2pcs insulated ratchet handle,1/2" & 3/8"
- 3pcs insulated extension bar,1/2" x 5", 3/8" x 4",1/2" insulated T handle
- 2pcs insulated extension bar with quick release,1/2" & 3/8" x 10"
- 5pcs 1/2" insulated bits socket,H4~H6,H8,H10
- 8pcs 3/8" insulated short socket, 6pt., 8,10,12~14,16~18mm

0452612

11件 绝缘螺丝刀与钳类工具托

11pcs Insulated Screwdriver & Pliers tools set

- 3件 一字绝缘螺丝批2.5x75mm、4x100mm、5.5 x 125mm
- 3件 十字绝缘螺丝批PH0x60mm、PH1x80mm、PH2 x 100mm
- 5件 8" 重型绝缘斜口钳、8" 绝缘钢丝钳、8" 绝缘尖嘴钳、10" 绝缘活络扳手、绝缘电工刀 (直刀)
- 3pcs slotted insulated screwdriver,2.5 x 75,4 x 100,5.5 x 125mm
- 3pcs Philips insulated screwdriver,PH0 x 60,PH1 x 80,PH2 x 100mm
- 3pcs insulated pliers,8" diagonal,8" combination,8" long nose
- 2pcs 10" insulated adjustable wrench,insulated straight blade knife

0452613

13件 绝缘开口扳手工具托

13pcs Insulated Open End Wrench Tools Set

- 13件 绝缘开口扳手8mm、10mm、12mm-19mm、21mm、22mm、24mm
- 13pcs insulated open end wrench,8,10,12~19,21,22 & 24mm

0452614

15件 绝缘梅花扳手工具托

15pcs Insulated Box End Wrench Tools Set

- 15件 绝缘开口扳手8mm-19mm、21mm、22mm、24mm
- 15pcs insulated box end wrench,8~19,21,22 & 24mm

0113500

37件新能源工具组合方案

37pcs Insulated Tool Box Set



0314701

11件 绝缘螺丝刀与钳类工具托

11pcs Insulated Screwdriver and Pliers Tools Set

- 6件 一字螺丝批2.5*75mm、4*100mm、5.5*125mm
- 十字螺丝批PH0*75mm、PH1*75mm、PH2*100mm
- 3件 绝缘斜口钳8"、绝缘钢丝钳8"、绝缘尖嘴钳8"
- 1件 注塑型双色绝缘活动扳手10"
- 1件 注塑型双色绝缘护套式直平型电缆刀50*180mm
- 6 pcs Slotted Screwdriver 2.5*75mm,4*100mm,5.5*125mm
- Phillips screwdriver PH0*75mm,PH1*75mm,PH2*100mm
- 3 pcs Insulated diagonal Pliers8",Combination Pliers,Long nose Pliers
- 1 pcs Insulated Adjustable Wrench 10"
- 1 pcs Knife Straight Blade



0314801

26件 绝缘呆扳手与套筒工具托

26pcs Insulated Wrench and Socket Tools Set

- 11件 1/2"注塑型单色绝缘公制套筒 10mm、12mm、13mm、14mm、16mm、17mm、18mm、19mm、1/2" 注塑型单色绝缘延长接杆 1/2"*125mm1/2" * 250mm 快落绝缘接杆 1/2" 注塑型双色绝缘棘轮扳手
- 13件 注塑型双色绝缘开口扳手8mm、10mm、12mm、13mm、14mm、15mm、16mm、17mm、18mm、19mm、21mm、22mm、24mm
- 2件 1/2"注塑型单色绝缘公制旋具套筒H8 * 120mm、H10 * 120mm
- 11 pcs 1/2" Short Socket 10mm,12mm,13mm,14mm,16mm,17mm,18mm,19mm1/2" Insulated Extension Bar 1/2" * 125mm,1/2" * 250mm Insulated Extension Bar with quick release function1/2" Ratchet Handle
- 13 pcs Open End Wrench 8mm,10mm,12mm,13mm,14mm,15mm,16mm,17mm,18mm,19mm,21mm,22mm,24mm
- 2 pcs 1/2" Bits Socket H8*120mm,H10*120mm





0314901

24件 绝套筒扳手工具托

24pcs Insulated Socket and Wrench Set

- 7件 1/2" 六角绝缘短套筒10mm、12-14mm、16-18mm
 4件 1/4" 绝缘六角套筒5-8mm
 3件 绝缘棘轮扳手1/4"、1/2"、尖嘴钳8"
 4件 接杆1/2" x 125mm、1/2" x 250mm、1/4" x 100、1/4" x 150
 6件 1/2"L55六角绝缘旋具套筒H7、H8、1/4"L37六角绝缘旋具套筒H3、H4、H5、H6
 7pcs 1/2" Insulated Short Socket 6PT 10mm,12-14mm,16-18mm
 4pcs 1/4" Insulated Short Socket 6PT 5-8mm
 3pcs Insulated Ratchet Handle 1/4", 1/2", Insulated Long Nose Plier 8"
 4pcs Insulated Extension Bar 1/2" x 125mm,1/2" x 250mm,1/4" x 100,1/4" x 150
 6pcs 1/2" L55 Insulated Hex Bit Socket H7,H8 1/4" L37 Insulated Hex Bit Socket H3,H4,H5,H6

0250200

91件 1/4" & 1/2" 专业汽修套筒与扳手工具组套

91pcs 1/4" & 1/2" Socket and Wrench Tools Set

- 2件 72齿棘轮扳手 1/2", 1/4"
 2件 万向接头 1/2", 1/4"
 21件 1/4" 套筒 短套4~13mm, 长套4~13
 4件 接杆 1/2" x 5" & 10", 1/4" x 2" & 4"
 13件 1/4" 批头套筒 PH1~3, FD4~6, Hex 8, 10, T20~40
 3件 1/4" 滑杆, 1/4" 方杆, 三用接头 3/8"(F) x 1/2"(M)
 16件 1/2" 套筒 短套10~34mm
 4件 1/2" 气动短套筒 17, 19, 21, 23mm
 9件 1/2" 星型套筒 E10~E24
 13件 两用呆扳手 7~19mm
 4件 双套筒扳手 8-9, 10-11, 12-13, 14-15
 2pcs 72T Ratchet Handle 1/2", 1/4"
 2pcs Universal Joint 1/2", 1/4"
 21pcs 1/4" Socket Short Socket 4~13mm, Long Socket 4~13mm
 4pcs Extension Bar 1/2" x 5" & 10", 1/4" x 2" & 4"
 13pcs 1/4" Bits Socket PH1~3, FD4~6, Hex 8, 10, T20~40
 3pcs 1/4" Sliding T-Bar, 1/4" Spinner Handle, 3-Way 3/8" F x 1/2" M
 16pcs 1/2" Short Socket 10~34mm
 4pcs 1/2" Short Impact Socket 17, 19, 21, 23mm
 9pcs 1/2" E-Type Socket E10~E24
 13pcs Combination Wrench 7~19mm
 4pcs Double End Swivel Socket Wrench 8-9, 10-11, 12-13, 14-15mm

0250100

163件 全系列专业汽修套筒工具组套

163pcs Professional Car Repair Tools Set

- 3件 72齿专业棘轮扳手 1/2"、3/8"、1/4"
 5件 接杆 1/2" x 5" & 10"、3/8" x 5"、1/4" x 2" & 4"
 4件 接头 1/4" x 1/4" Hex、3/8" x 10mm、1/2" x 10mm、3-Way 3/8" F x 1/2" M
 3件 万向接头 1/2"、3/8"、1/4"
 13件 E型套筒 1/4" x E4~E8、3/8" E10~E18、1/2" E20, E24
 3件 磁性火花塞套筒 3/8" x 16、18、21mm
 20件 1/4" 套筒 短套 4~14mm、长套 4~10mm
 16件 3/8" 套筒 短套 10~19mm、长套 10~15mm
 22件 1/2" 套筒 短套 10~32mm、长套 16~22mm
 2件 1/4" 滑杆、1/4" 方杆
 18件 1/4" 批头 Hex 1.5~6mm、T8~27、PH1~3、FD4~6
 30件 1/4" 批头套筒 FD4~6、TH8~30、H4~6、PH1~3、PZ1~3、T10~45
 24件 10mm 批头 Hex4~12、M5~12、TH20~50、TS25、30、T45~55
 3pcs 72T Professional Ratchet Wrench 1/2", 3/8", 1/4"
 5pcs Extension bar 1/2" x 5" & 10", 3/8" x 5", 1/4" x 2" & 4"
 4pcs Adaptor 1/4" x 1/4" Hex, 3/8" x 10mm, 1/2" x 10mm, 3-Way 3/8" F x 1/2" M
 3pcs Universal joint 1/2", 3/8", 1/4"
 13pcs E-type socket 1/4" x E4~E8, 3/8" E10~E18, 1/2" E20, E24
 3pcs Magnetic spark plug 3/8" x 16, 18, 21mm
 20pcs 1/4" socket, Short Socket 4~14mm, Long Socket 4~10mm
 16pcs 3/8" Socket, Short Socket 10~19mm, Long Socket 10~15mm
 22pcs 1/2" Socket, Short Socket 10~32mm, Long Socket 16~22mm
 2pcs 1/4" Sliding T-Bar, 1/4" Spinner Handle
 18pcs 1/4" Bits Hex 1.5~6mm, T8~27, PH1~3, FD4~6
 30pcs 1/4" Bits Socket FD4~6, TH8~30, H4~6, PH1~3, PZ1~3, T10~45
 24pcs 10mm Bits Hex4~12, M5~12, TH20~50, TS25, 30, T45~55

0250400

62件 3/8" 套筒扳手组套

62 pcs 3/8" Sockets with Wrenches set

- 11件 薄型两用呆扳手8mm、10mm、12mm-19mm, 22mm
 2件 一字贯穿螺丝批SL6 x 100mm, 十字贯穿螺丝批PH2 x 100mm
 2件 3/8" X 6角薄型磁性火星塞套筒14mm、16mm
 15件 3/8" 6角短套筒7mm-22mm
 2件 3/8" 专业级棘轮扳手, 1/4" 批头棘轮扳手
 4件 转接头: 1/4" F x 1/4", 3/8" F x 1/4" M, 三用接头: 3/8" M x 1/2" F, 3/8" 万向接头
 3件 3/8" X 3", 10" 摇头式接杆, 1/4" X 6" 方杆
 12件 6件批头组套 - 一字 4, 5, 6, 十字 1, 2, 3, 6件批头组套 - 六角 1.5, 2, 3, 4, 5, 6
 9件 加长六角扳手组, 星型带中圆孔 T10-50
 2件 6" 尖嘴钳 Cr-V, 8" 鲤鱼钳 Cr-V
 11pcs combination wrench, 8, 10, 12~19 & 22mm
 2pcs go through screwdriver, SL6 & PH2 x 100mm
 2pcs magnetic spark plug socket, 3/8" x 6pt. x 14mm & 16mm
 15pcs 3/8" short socket, 6pt., 7~22mm
 2pcs 3/8" x 72 teeth ratchet handle & 1/4" bits ratchet handle
 4pcs adaptor, 1/4" F x 1/4", 3/8" F x 1/4" M, 3 way 3/8" M x 1/2" F, 3/8" universal joint
 3pcs swivel extension bar, 3/8" x 3" & 10", socket handle 1/4" x 6"
 12pcs 1/4" bits, FD 4, 5, 6, PH 1, 2, 3, Hex 1.5, 2~6mm
 9pcs long L type hexkey wrench, ball end, 1.5~10mm
 2pcs pliers, 6" long nose & 8" slip joint



0250500

56件 1/4" 套筒扳手组套

56 pcs 1/4" Sockets set

- 13件 1/4" 六角短套筒 4mm、4.5mm、5mm、5.5mm、6mm-14mm
 4件 1/4" 六角长套筒 8mm、10mm-13mm
 7件 1/4" x L37 星型中圆孔旋具套筒 TH10, TH15, TH20, TH25, TH27, TH30, TH40
 5件 1/4" x L37 六角旋具套筒 H3-H6, H8
 3件 1/4" x L37 十字旋具套筒 PH1, PH2, PH3
 4件 1/4" 一字旋具套筒 FD 4 x 0.8mm, FD 5 x 1.0mm, FD 6 x 1.0mm, FD 7 x 1.0mm
 8件 1/4" 专业级棘轮扳手, 1/4" 批头棘轮扳手, 1/4" F x 1/4" 六角转接头, 1/4" 万向接头, 1/4" X 110mm 滑杆, 1/4" X 6" 方杆, 1/4" 摇头式接杆 2", 4"
 12件 6件批头组套一字 4, 5, 6, 十字 1, 2, 3, 6件批头组套 T7/8/9, H1.5/2/2.5
 13 PCS 1/4" Short Socket 6PT 4mm, 4.5mm, 5mm, 5.5mm, 6mm-14mm
 4 PCS 1/4" Long Socket 6PT 8mm, 10mm-13mm
 7 PCS 1/4" Tamper Proof Bit Socket TH10, TH15, TH20, TH25, TH27, TH30, TH40
 5 PCS 1/4" Hex Bit Socket H3-H6, H8
 3 PCS 1/4" Phillips Bit Socket PH1, PH2, PH3
 4 PCS 3/8" FD Bit Socket FD 4 x 0.8mm, FD 5 x 1.0mm, FD 6 x 1.0mm, FD 7 x 1.0mm
 8 PCS 1/4" 72T Professional Ratchet Handle, 1/4" Bits ratchet Wrench, 1/4" F x 1/4" Adaptor, 1/4" Universal joint, 1/4" X 110mm Sliding T-handle, 1/4" X 6" Spinner Handle, 1/4" Extension Bar 2", 4"
 12 PCS 6PCS Bits set : FD 4, 5, 6, PH1, 2, 3, 6PCS Bits set: T7/8/9, H1.5/2/2.5



0250300

130+9件 1/4"+3/8"+1/2" 系列 汽车维修套筒与扳手组套

130+9 pcs 1/4"+3/8"+1/2" Dr. Sockets and Wrenches tools set



12件 1/4"六角短套筒4.5mm、5mm、5.5mm、6mm-14mm
4件 1/4"六角长套筒8mm、9mm、10mm、12mm
9件 3/8"六角短套筒11mm-19mm
4件 3/8"六角长套筒13mm、14mm、15mm、17mm
8件 3/8"星型旋具套筒E8、E10、E11、E12、E14、E16、E18、E20
2件 3/8"薄型磁性火花塞套筒12PTx14mm、6PTx16mm
1件 3/8"薄型胶套火花塞套筒6PTx16mm
8件 1/2"六角短套筒20mm、21mm、22mm、24mm、27mm、30mm、32mm、1/2"12角短套32mm
8件 1/2" x L55星型旋具套筒T20、T25、T27、T30、T40、T45、T50、T55
6件 1/4" x L48六角旋具套筒H3、H4、H5、H6、H7、H9
8件 3/8"米字旋具套筒PZ1、PZ2、PZ3；3/8"十字旋具套筒PH1、PH2、PH3；3/8"一字旋具套筒FD5.5x1.0mm、FD 7 x 1.2mm
3件 专业棘轮扳手1/2"、3/8"、1/4"

12PCS 1/4" short socket 6PT 4.5mm、5mm、5.5mm、6mm、7mm、8mm、9mm、10mm、11mm、12mm、13mm、14mm
4PCS 1/4" long socket 6PT 8mm、9mm、10mm、12mm
9PCS 3/8" short socke 6PT 11mm-19mm
4PCS 3/8" long socke 6PT 13mm、14mm、15mm、17mm
8PCS 3/8" Torx Bit socket E8、E10、E11、E12、E14、E16、E18、E20
2PCS 3/8" Thin Wall Magnetic Spark Plug Socket 12PTx14mm、6PTx16mm
1PCS 3/8" Rubber Magnetic Spark Plug Socket 6PTx21mm
8PCS 1/2" short socket 6PT X 20mm、21mm、22mm、24mm、27mm、30mm、32mm、1/2" short socket 12PT X 32mm
8PCS 1/2" x L55 Torx Bit Socket T20、T25、T27、T30、T40、T45、T50、T55
6PCS 1/4" x L48 Hex Bit Socket H3、H4、H5、H6、H7、H9
8CPS 3/8" Pozidriv Bit Socket PZ1、PZ2、PZ3/8" Phillips Bit Socket PH1、PH2、PH3 3/8" FD Bit Socket FD5.5x1.0mm、FD 7 x 1.2mm

功能特点

- ※ 工业级PE工具箱，抗震抗压，工具卡位稳固，收纳井井有条
- ※ 搭配多种套筒，扩大使用范围，方便在狭小空间作业
- ※ 棘轮扳手采用工业级精密72齿设计，转动一次仅需5度
- ※ 铬钒合金钢套筒与扳手，水银雾面电镀处理，防锈能力特佳
- ※ 全硬化热处理，扭力值高于DIN 135%以上
- ※ 适用于机械、汽车、机电维修等

Features

- ※ High strength blow mold case, make tools organize.
- ※ Various socket size, can operation for narrow space.
- ※ 72 teeth ratchet handle, durable and easy operation.
- ※ Socket and wrench made by Cr-V, highest grade electroplate
- ※ Heat treated process, torque can over DIN stand 135%
- ※ Suitable for machine installation, car maintenance and equipment repair.

3件 万向接头1/2"、3/8"、1/4"
4件 转接头3/8" F x 1/4" M、3/8" F x 1/2" M、1/2" F x 3/8" M、六角1/4" Fx1/4
2件 三用接头3/8"M x 1/2"F、1/2"M x 3/8"F
5件 摇头式接杆1/4"*2"、3/8"*3"、3/8"*5"、1/2"*5"、1/2"*10"
2件 方杆1/4"x6"，1/4"批头棘轮扳手
12件 六件批头组套一字：4、5、6，十字：1、2、3，六件批头组套六角1.5、2、3、4、5、6，
12件 两用扳手8mm-19mm
2件 一字贯穿螺丝批SL6X100mm，十字贯穿螺丝批PH2X 100mm
1件 1/2"星型旋具套筒T52
4件 3爪机油格扳手，测电笔，油底壳螺丝H17、M16H
3件 薄型两用棘轮扳手10mm、13mm、17mm
18件 加长六角扳手：六角1.5-10mm，星型带中圆孔T10-50

3PCS 1/2"、3/8"、1/4"Ratchet Wrench
3PCS 1/2"、3/8"、1/4"Universal Joint
4PCS Adapter 6PT 1/4" F x 1/4"、1/2" F x 3/8" M、3/8" F x 1/4" M、3/8" F x 1/2" M
2PCS 3/8"M x 1/2"F、1/2"M x 3/8"F 3-Way
5PCS 1/4"*2"、3/8"*3"、3/8"*5"、1/2"*5"、1/2"*10"Wobber Extension Bar
2PCS 1/4"x6" Spinner Handle, 1/4" Bits Ratchet Wrench
12PCS Bits set:FD4、5、6、PH1、2、3、H1.5、2、3、4、5、6
12PCS Combination Wrench 8mm-19mm
2PCS Go-through Slotted ScrewdriverSL6X100mm、Go-through Phillips Screwdriver PH2X100mm
1PCS 1/2" Torx Bit Socket T52
4PCS 3-Jaw Oil Fliter Wrench、Voltage Tester 6V/12V/24V、3/8" Oil Screw Socket H17、M16H
3PCS Ratchet Combination Wrench 10mm、13mm、17mm
18PCS Long Torx Key Set 1.5~10mm、Long Ball Point Hex Key Set

8713800

12V

8713801

220V

新能源电池举升机

Electric Vehicle Battery Lift



功能特点


- ※ 8713800系列新能源汽车电池举升车，采用电动液压驱动设备升降，配置平板式托举平台和带刹车的脚轮，主要用于新能源汽车动力电池拆卸和安装时的升降转运。
- ※ 设备采用剪叉式升降结构，电动液压双油缸驱动，动力强劲，升降平稳。
- ※ 托举平台底部配置万向轴承，可以四方向平移，以保证电池安装孔和车身固定孔精准对齐。
- ※ 托举平台配置紧固装置，在确定托举位置，对正电池安装孔后，锁紧平台，以保证作业条件下托举平台稳固、安全。
- ※ 设备配置了四个尼龙材质的独立万向刹车脚轮，承载力强，移动方便，作业安全稳定。
- ※ 配置有线遥控手柄，操控便捷。
- ※ 选配DC12V/AC220V动力单元，移动转运便捷。

最大举升重量：1200kg
最大举升高度：1900mm
平台最低高度：800mm
把手高度：930mm
平台尺寸：1260x660mm
平台单边侧滑距离：25mm
电 压：DC12V
电 压：AC220V
电机功率：DC12V—1.6KW AC220V—0.75KW
举升/下降时间：DC12V:45/35s(约) AC220V:70/35s(约)
脚轮直径：6寸
遥控器电源线：3米
净重：DC12V—328kg AC220V—300kg

- ※ Maximum lifting weight: 1200kg
- ※ Maximum lifting height: 1900mm
- ※ Minimum platform height: 800mm
- ※ Handle height: 930mm
- ※ Platform size: 1260x660mm
- ※ Platform one side sliding distance: 25mm
- ※ Voltage: DC12V
- ※ Voltage: AC220V
- ※ Motor power: DC12V-1.6KW AC220V-0.75KW
- ※ Lifting/lowering time: DC12V:45/35s(approx.) AC220V:70/35s(approx.)
- ※ Castor diameter: 6 inch
- ※ Remote control power cord: 3 metres
- ※ Net weight:DC12V-328kg /AC220V-300kg

Features

- ※ 8713800 Series Electric Vehicle Battery Lift Trolley is powered by an electric hydraulic drive and fitted with a flat lifting platform and castors with brakes, which is mainly used for transferring electric vehicle power batteries during dismantling and installation.
- ※ Scissor lifting structure and twin-cylinder electric-hydraulic drive provide powerful and smooth lifting action.
- ※ The underside of the lift is fitted with universal bearings that can be moved in four directions to ensure that the battery mounting holes and body fixing holes are accurately aligned.
- ※ The lifting platform is equipped with a locking device that locks the platform after determining the lifting position and aligning the battery mounting holes to ensure that the lifting platform is stable and safe in operating conditions.
- ※ Equipped with four independent nylon universal castors with brakes. Strong load capacity, easy to manoeuvre, safe and stable.
- ※ Convenient control with wired remote.
- ※ DC12V/AC220V power supply is available as an option, easy to move and transfer.



绝缘工具认证标准

The Standards for Insulated Tools

VDE认证

- ※ 电气产品的VDE标志代表着VDE的章程准则、欧洲乃至国际协调标准。
- ※ VDE的全文是VDE Verband Deutscher Elektrotechniker.e.v. 意即为德国电气工程师协会。于1920年成立于德国Offenbach(奥芬巴赫)。它是欧洲最有测试经验的认证试验认证和检查机构之一，也是获得欧盟授权的CE公告机构及国际CB组织成员。
- ※ VDE在电气设备领域是非常知名验证标志，尤其于电气组件(如电磁开关、电线、电缆、插头...等)，更是许多制造商申请用来做为质量认证的代表。
- ※ The VDE mark of electrical products represents VDE's charter guidelines, European and even international coordination standards.
- ※ The full name of VDE is "Verband Deutscher elektrotechniker.e.v". It's the German Association of Electrical Engineers. VDE founded in 1920 in Offenbach, Germany. It's one of the most tested test certification and inspection agencies in Europe Union. It's awarded. Member of CE Announcement Agency and International CB Organization authorized by the EU.
- ※ VDE is a famous verification mark in the electrical equipment field, especially for electrical components such as electromagnetic switches, wires, cables, plugs ... and so on), and also many manufacturers apply to be used as a quality certification representative.



GS认证和VDE / GS认证

- ※ GS是德语 “Geprüfte Sicherheit” (安全性已认证)的意思，也有 “Germany Safety” 的意思。GS认证以德国产品安全法为依据，按照欧盟统一标准EN或德国工业标准DIN进行检测的一种自愿性认证，是欧洲市场公认的德国安全认证标志。
- ※ GS is the German "Geprüfte Sicherheit" (Security certified), which also means "Germany Safety". GS Certification is a voluntary certification based on the German Product Safety Act, which is tested in accordance with the EU uniform standard EN or the German industrial standard DIN. It is recognized as a German safety certification mark in the European market.



- ※ VDE GS认证是依据ProdSG (德国产品安全法) 对技术设备和消费品 (可以代替VDE标志) 的认证，它能提高市场对您的产品的接受程度。
- ※ VDE GS certification is based on ProdSG (German Product Safety Act) certification of technical equipment and consumer goods (which can replace VDE logo), which can improve the market acceptance of your products.

测试顺序如下:


The test method is as below:

绝缘胶柄-耐高压强度测试

Insulation high-voltage resistant strength test

将每个绝缘工具分别浸泡在10000V高压的水里进行测试3分钟，确保绝缘工具可在1000V的活电环境下使用无误。

Soak each insulating tool in 10000V high-voltage water for 3 minutes to ensure that the insulation tool is used correctly in a 1000V live electricity environment.



绝缘胶柄-高温拉拔测试

Insulation handle grip pull out test after high temperature

将工具存放在70°C的高温下168个小时后，再施以500牛顿的力量进行脱柄测试3分钟，该测试主目的在确保绝缘手柄在高温下也能牢固的与工具体相连。Store the tools at the 70°C for 168 hours, then apply the force of 500 N.m to pull out handle grip test for 3 minutes. The main purpose of the pull out test is to ensure that the insulating handle in the high temperature can also be firmly connected to the tool body.



IEC60900认证

- ※ IEC60900: 带电工作-交流1000V和直流1500V以下带电工作手持工具 IEC60900: Live line work-handheld tools for AC 1000V and DC 1500V below charged work. IEC/EN60900-2004国际电工委员会 (International Electro technical Commission, 简称IEC) 在欧盟标准基础上在2004年制定的带电作业交流1000V和直流1500V以下带电作业手持工具的标准。
- ※ 国际电工委员会 (International Electro technical Commission, 简称IEC) 成立于1906年，是世界上成立最早的非政府性国际电工标准化机构，根据1976年ISO与IEC的新协议，两组织都是法律上独立的组织，IEC负责有关电工、电子领域的国际标准化工作，其他领域则由ISO负责。
- ※ IEC/EN60900-2004 International Electro Technical Commission, or IEC, was established in 2004 on the basis of EU standards for live operations. AC 1000V and DC 1500V below standard for handheld tools for high voltage operations.
- ※ The International Electro technical Commission (IEC) founded in 1906. It's the world's first non-governmental International electro technical standardization organization. According to the 1976 ISO and IEC new agreement, both organizations are legally independent organizations. The IEC is responsible for international standardization in the field of electricians and electronics, while other areas are under the ISO organization.



飞鹰的绝缘工具在产品绝缘胶柄上都有以下绝缘认证标志



- ※ 绝缘工具使用操作环境通常为严苛的环境，例如高热、低温的状态、带电或带高压电的场所。
- ※ 飞鹰绝缘工具采用符合人体工学的双色胶柄，我们使用耐燃材质且耐高压，提供绝佳安全性，操作更加舒适。绝缘工具均通过德国VDE和GS认证，并符合IEC 60900耐高压1000V安全规范，可确保使用者在1000V环境下使用上的安全。
- ※ The insulation tools use environments where operating places are harsh, such as high heat, low temperatures, or places with high voltage charged.
- ※ The FLY-EAGLE Insulation Tools use an ergonomic two-tone handle grip. We uses a flame-resistant material and resistant to high voltage, it's also providing excellent safety and comfortable operation. All of Insulation tools are certified by German VDE and GS and comply with IEC 60900 high-Voltage 1000V safety specifications to ensure the safety of users in 1000V high voltage charged places.

绝缘胶柄-低温下撞击测试

Insulation handle grip impact test under low temperature

将绝缘工具放置于零下40度的环境，再进行撞击测试，绝缘手柄并需保持手柄材料韧性，不可断裂，才符合标准

Place the insulating tools in an environment of -40°C, and then perform the impact test. The insulated handle grip must maintain the toughness of the handle material and must not be broken to meet the standard.




绝缘胶柄-耐燃测试

Insulation handle grip flame resistance test

飞鹰绝缘工具采用耐燃材质手柄，确保使用者的使用安全。

Eagle Insulation Tools use flame-resistant material handle to ensure the safe use of users.





绝缘1/4"六角短套筒 1000V 1/4" Insulated Short Socket 6PT



Item No.	Type	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1010315	5	41	31	7	12	14
1010515	6	41	31	8.2	13.3	15
1010615	7	41	31	9.9	14.8	15
1010715	8	41	31	15.8	16.0	15
1010815	9	41	31	17	17.5	16
1010915	10	41	16	18.6	17.5	18
1011015	11	41	16	19.8	18	22
1011115	12	41	16	21	17.5	23
1011215	13	41	16	22.3	17.5	23
1011315	14	41	16	23.5	18	26

绝缘3/8"六角短套筒 1000V 3/8" Insulated Short Socket 6PT

Item No.	Size (mm)	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1020115	6	44.5	9.5	12	22	25
1020215	7	44.5	9.5	14	22	26
1020315	8	44.5	9.5	21.7	15.4	26.2
1020415	9	44.5	9.5	21.7	16.1	26.2
1020515	10	44.5	9.5	21.7	16.7	28.0
1020615	11	44.5	10.7	21.7	18.7	28.4
1020715	12	44.5	11.0	21.7	19.7	29.0
1020815	13	44.5	11.5	21.7	21.0	32.0
1020915	14	44.5	44.5	21.7	22.2	35.0
1021015	15	44.5	19.5	21.7	23.7	39.2
1021115	16	44.5	19.5	21.7	25.0	45.0
1021215	17	44.5	19.5	21.7	26.0	47.0
1021315	18	44.5	19.5	21.7	27.4	49.0
1021415	19	44.5	19.5	21.7	28.5	51.0
1021515	20	44.5	19.5	21.7	30.0	54.8
1021615	21	44.5	19.5	21.7	31.6	55.4
1021715	22	44.5	19.5	21.7	32.5	63.0
1021815	24	46	19.5	35	22	66

绝缘3/8"六角长套筒 1000V 3/8" Insulated Long Socket 6PT

Item No.	Size (mm)	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1020235	7	71.8	32	15.3	22.8	38
1020335	8	71.8	32	16.8	22.8	40
1020535	10	71.8	32	18.5	22.8	48
1020735	12	71.8	32	21.1	22.8	52
1020935	14	71.8	32	22.7	22.8	69
1021035	15	71.8	32	27.0	22.8	93
1021235	17	71.8	32	28.5	22.8	96
1021435	19	71.8	32	30.0	22.8	102
1021735	22	71.8	32	34.5	22.8	102



绝缘1/2"六角短套筒 1000V 1/2" Insulated Short Socket 6PT




Item No.	Size (mm)	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1030015	8	55	36	17.4	26.7	52
1030115	9	55	36	18	26.7	54
1030215	10	55	36	18.8	26.7	55
1030315	11	55	36	20.0	26.7	57
1030415	12	55	36	21.2	26.7	58
1030515	13	55	36	22.5	26.7	59
1030615	14	55	36	23.9	26.7	62
1030715	15	55	36	26.2	26.7	65
1030815	16	55	28	26.7	26.7	68
1030915	17	55	25	26.7	26.7	70
1031015	18	57	23	26.7	29.4	71
1031115	19	57	23	26.7	30.0	72
1031215	20	57	23	26.7	31.8	76
1031315	21	57	23	26.7	31.8	80
1031415	22	59	23	26.7	34.0	87
1031615	24	59	23	26.7	36.6	96
1031915	27	59	23	40	26	125
1032215	30	59	23	45	26	146
1032315	32	59	23	46	26	170





绝缘1/2"六角长套筒 1000V 1/2" Insulated Long Socket 6PT

Item No.	Size (mm)	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1030235	10	94	50	19.2	26.7	113
1030435	12	94	50	21.8	26.7	124
1030535	13	94	50	23.0	26.7	127
1030635	14	94	50	24.2	26.7	134
1030835	16	94	50	27.7	26.7	152
1030935	17	94	50	27.7	26.7	152
1031035	18	94	50	30.3	26.7	172
1031135	19	94	50	30.3	26.7	172
1031435	22	94	50	34.4	26.7	184
1031635	24	94	50	36.8	26.7	210

绝缘1/4"星型长套筒 1000V 1/4" Insulated Torx Long Socket

Item No.	Size (mm)	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1312715	T25	58	25	13	16	19
1312915	T30	58	25	13	16	19





绝缘1/4" 六角旋具套筒 1000V 1/4" Insulated Hex Bit Socket

Item No.	Type	L (mm)	I (mm)	D1 (mm)	D2 (mm)	Weight (g)
1314015	H3	54	13	14.6	17.5	18
1314115	H4	54	13	14.6	17.5	18
1314215	H5	54	13	14.6	17.5	19
1314315	H6	54	13	14.6	17.5	20

绝缘3/8" 十二角旋具套筒 1000V 3/8" Insulated Hex Bit Socket 12 PT

Item No.	Size (mm)	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1317620	M8	120	30	21	12	86
1317720	M10	120	30	21	12	89

绝缘3/8" 星型旋具套筒 1000V 3/8" Insulated Torx Hex Bit Socket

Item No.	Type	L1 (mm)	I (mm)	D1 (mm)	D2 (mm)	Weight (g)
1312625	T20	65.3	13	16	22.8	47
1312725	T25	65.3	13	16	22.8	47
1312825	T27	65.3	13	16	22.8	48
1312925	T30	65.3	13	16	22.8	48
1312A25	T40	65.3	13	16	22.8	49
1312B25	T45	65.3	13	16	22.8	50
1312D25	T50	65.3	13	16	22.8	51
1312E25	T55	65.3	13	16	22.8	52

绝缘3/8" 六角旋具套筒 1000V 3/8" Insulated Hex Bit Socket

Item No.	Size	L1 (mm)	I (mm)	D1 (mm)	D2 (mm)	Weight (g)
1314125	H4	65.3	13	16	22.8	47
1314225	H5	65.3	13	16	22.8	48
1314325	H6	65.3	13	16	22.8	49
1314425	H7	65.3	13	16	22.8	50
1314525	H8	65.3	13	16	22.8	51
1314825	HEX 3/16"	65.3	13	16	22.8	48
1314925	HEX 5/16"	65.3	13	16	22.8	51

绝缘3/8" 米字旋具套筒 1000V 3/8" Insulated Pozidriv Hex Bit Socket




Item No.	Type	L1 (mm)	I (mm)	D1 (mm)	D2 (mm)	Weight (g)
1319125	PZ1	65.3	13	16	22.8	45
1319225	PZ2	65.3	13	16	22.8	46
1319325	PZ3	65.3	13	16	22.8	47


绝缘3/8" 十字旋具套筒 1000V 3/8" Insulated Phillips Hex Bit Socket

Item No.	Type	L1 (mm)	I (mm)	D1 (mm)	D2 (mm)	Weight (g)
1315325	PH3	65.3	13	16	22.8	47

绝缘1/2"六角旋具套筒 1/2" 1000V Insulated Hex Bit Socket


Item No.	Type	L1 (mm)	I (mm)	D1 (mm)	D2 (mm)	Weight (g)
1314135	H4	91.5	16	16.2	26.7	90
1314235	H5	91.5	16	16.2	26.7	90
1314335	H6	91.5	16	16.2	26.7	90
1314435	H7	91.5	16	16.2	26.7	92
1314535	H8	91.5	16	16.2	26.7	94
1314735	H10	91.5	16	16.2	26.7	99





绝缘棘轮扳手 1000V Insulated Ratchet Handle

Item No.	Square Drive	H (mm)	L (mm)	D (mm)	Weight (g)
2017015	1/4"	54	150	18.4	150



绝缘棘轮扳手 1000V Insulated Ratchet Handle

Item No.	Square Drive	H (mm)	L (mm)	D (mm)	Weight (g)
2017025	3/8"	56	201	23	400
2017035	1/2"	61	233	27.5	640

绝缘活络扳手 1000V Insulated Adjustable Wrench

Item No.	Size	Max Jaw (mm)	Length (mm)	Weight (g)
1911805	10"	35	255	495

绝缘活络扳手 1000V Insulated Adjustable Wrench

Item No.	Size	Max Jaw (mm)	Length (mm)	Weight (g)
1911505	8"	28	215	471
1911815	10"	32	260	490

绝缘自动夹紧套筒 1000V Insulated Automatic Clamping Socket

Item No.	Size (mm)	L1 (mm)	D1 (mm)	Weight (g)
3518505	10	100	10	11
3518105	20	100	20	14
3518205	30	100	30	19

绝缘胶布 Insulated Tape

Item No.	W (mm)	Weight (g)
8511010	70	45

绝缘线夹 1000V Insulated Cable Clamp

Item No.	L (mm)	类型
3518305	150	圆头
3518405	150	尖头


绝缘剪刀 1000V Insulated Sissors

Item No.	L (mm)	W (mm)	Weight (g)
4620105	160	83	102

绝缘直刃电缆刀 1000V Insulated Cable Knife


Item No.	Type	Length (mm)
4612515	直刀 straight	210





快落绝缘接杆 1000V Insulated Extension Bar

Item No.	Square Drive	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1410415	1/4"	100	80	17.6	12	46
1410615	1/4"	150	128	17.6	12	68
1410525	3/8"	150	125	22	16.8	150
1411025	3/8"	250	225	22	16.8	250
1410535	1/2"	125	93	26.4	20.6	210
1411035	1/2"	250	220	26.4	20.6	410



固定式绝缘接杆 1000V 3/8" Insulated Extension Bar

Item No.	Square Drive	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1420415	1/4"	100				
1420615	1/4"	150				
1410325	3/8"	100	87	22.6	17	109
1420525	3/8"	125				
1421025	3/8"	250				
1410335	1/2"	125	105	26.7	21.2	222
1421035	1/2"	250				




绝缘1/4" T杆 1000V 1/4" Insulated T-Handle

Item No.	Square Drive	D1 (mm)	D2 (g)	L1 (mm)	L2 (mm)	Weight (g)
1411610	1/4"	12	14.3	115	125	83


绝缘3/8" & 1/2" T杆 1000V 3/8 & 1/2" Insulated T-Handle

Item No.	Square Drive	D1 (mm)	D2 (mm)	L1 (mm)	L2 (mm)	Weight (g)
1411720	3/8"	17.5	17.2	197	206.5	400
1411730	1/2"	21.5	21.5	197	206.5	700




绝缘L型六角扳手 1000V Insulated L-Type Hex Wrench


Item No.	Size	W	L1 (mm)	L2 (mm)	L3 (mm)	C (mm)	Weight (g)
1916050	H2.5	5.3	24	134	10	8	14.5
1916150	H3	5.3	35	134	10	8	14.7
1916250	H4	8.2	46	170	15	12	57.3
1916350	H5	8.2	46	170	15	12	27.6
1916450	H6	12	46	215	15	16.5	161.2
1916550	H8	12	46	215	15	16.5	163.5



绝缘L型星型扳手 1000V Insulated L-Type Torx Wrench


Item No.	Size	W	L1 (mm)	L2 (mm)	L3 (mm)	C (mm)	Weight (g)
1917050	T10	5.3	24	134	10	8	14.5
1917150	T15	5.3	24	134	10	8	14.5
1917250	T20	8.2	35	170	15	12	57.0
1917350	T25	8.2	35	170	15	12	57.0
1917450	T27	8.2	35	170	15	12	57.4
1917550	T30	8.2	35	170	15	12	57.9
1917650	T40	12	46	215	15	16.5	155.0
1917750	T45	12	46	215	15	16.5	162.5
1917850	T50	12	46	215	15	16.5	165.5






绝缘T型星型扳手 1000V Insulated T-handle Torx Wrench

Item No.	Size	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Weight (g)
1919050	T10	5	7.83	100	77	27	29.6
1919150	T15	5	7.83	100	77	27	29.8
1919250	T20	5	7.83	100	77	27	29.8
1919350	T25	7	11.5	150	97	33	76.3
1919450	T27	7	11.5	150	97	33	76.9
1919550	T30	7	11.5	150	97	33	77.4
1919650	T40	9	15.17	200	115	40	155.0
1919750	T45	9	15.17	200	115	40	162.0
1919850	T50	11	17.17	200	115	40	165.0



绝缘T型套筒扳手 Insulated T-handle Nuts Drive Wrench

Item No.	Size	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Weight (g)
1914050	4mm	11	9	125	97	33	63.3
1914150	5mm	11	9	125	97	33	64.3
1914250	5.5mm	14	10	125	97	33	67.4
1914350	6mm	14	10	125	97	33	67.5
1914450	7mm	16	11	125	97	33	80.7
1914550	8mm	16	11	125	97	33	82.2
1914650	9mm	16	11	125	97	33	83.1
1914750	10mm	19	12	125	115	40	133.9
1914850	11mm	19	12	125	115	40	140.7
1914950	12mm	21	13	125	115	40	144.6
1915050	13mm	21	13	125	115	40	147.7
1915150	14mm	22	14	125	115	40	148.4




绝缘T型六角扳手 1000V Insulated T-handle Hex Wrench

Item No.	Size	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Weight (g)
1918050	H2.5	4	7.83	100	77	27	29.3
1918150	H3	4	7.83	100	77	27	29.5
1918250	H4	6	11.5	150	97	33	77.8
1918350	H5	6	11.5	150	97	33	78
1918450	H6	8	15.17	200	115	40	162.2
1918550	H8	10	17.17	200	115	40	219.4


绝缘一字螺丝刀 1000V Insulated Slotted Screwdriver

Item No.	Size	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4310005	2.5 x 75	0.4	2.5	4.5	75	23.5	173.0	32
4310105	3 x 100	0.5	3.0	6.2	100	23.5	198.0	36
4310205	4 x 100	0.8	4.0	5.6	100	23.5	198.0	42
4310305	5.5 x 125	1	5.5	7.4	125	28	229.5	76
4310405	6.5 x 150	1.2	6.5	8.8	150	31.5	260.5	110
4310505	8.0 x 175	1.2	8.0	10.0	175	36.5	296.0	180




绝缘六角螺丝刀 1000V Insulated Hex Screwdriver


Item No.	Size	C (mm)	D (mm)	E (mm)	F (mm)	Weight (kg)
4312405	2.5 x 100	6	100	180	25.5	33
4312505	3.0 x 100	6.3	100	180	25.5	36
4312605	4.0 x 125	8.3	125	230	31.5	80
4312705	5.0 x 150	9.5	150	255	31.5	100
4312805	6.0 x 175	11	175	290	35.5	153
4312905	8.0 x 200	13	200	315	35.5	220



绝缘十字螺丝刀 1000V Insulated Phillips Screwdriver

Item No.	Size	N° (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4311005	PH0 x 60	4	6.0	60	23.6	154	38
4311105	PH1 x 80	5.5	7.2	80	28.2	184	59
4311205	PH2 x 100	6.5	8.3	100	31.6	210	96
4311305	PH3 x 150	8	11.0	150	36.2	271	169






绝缘米字螺丝刀 1000V Insulated Pozidriv Screwdriver

Item No.	Size	N° (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4312005	Pz0 x 60	3.0	6.0	60	23.6	158	38
4312105	PZ1 x 80	5.0	7.3	80	28.2	184	59
4312205	PZ2 x 100	6.0	8.3	100	31.6	210	96
4312305	PZ3 x 150	8.0	10.0	150	36.2	271	169


绝缘套筒螺丝刀 1000V Insulated Nuts Drive Screwdriver

Item No.	Size	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4312406	M4x125	9.2	125	31.6	235.5	110
4312506	M5x125	9.2	125	31.6	235.5	110
4312606	M5.5x125	9.2	125	31.6	235.5	115
4312706	M6x125	9.2	125	31.6	235.5	115
4312806	M7x125	9.2	125	31.6	235.5	119
4312906	M8x125	9.2	125	31.6	235.5	121
4313006	M9x125	9.2	125	31.6	235.5	122
4313106	M10x125	9.2	125	31.6	235.5	125
4313206	M11x125	9.2	125	31.6	246	170
4313306	M12x125	9.2	125	31.6	246	173
4313406	M13x125	9.2	125	31.6	246	177
4313506	M14x125	9.2	125	31.6	246	181




绝缘开口扳手 1000V Insulated Open End Wrench


Item No.	Size (mm)	D (mm)	L (mm)	H (mm)
2250115	7	21	100	7.5
2250215	8	23	106	7.5
2250315	9	25	110	8
2250415	10	28	116	8
2250515	11	30	145	9.5
2250615	12	33	145	9.5
2250715	13	35	155	10.5
2250815	14	38	155	10.5
2250915	15	39	165	11
2251015	16	41	165	11
2251115	17	43	175	11.5
2251215	18	46	175	11.5
2251315	19	48	192	11.5
2251515	21	51	192	11.8
2251615	22	53	208	12.5
2251815	24	55	208	12.5
2252115	27	64	230	13
2252415	30	70	250	13.5
2252615	32	76	285	14.5



绝缘梅花扳手 1000V Insulated Box End Wrench

Item No.	Size (mm)	D (mm)	L (mm)	H (mm)
2250115	7	17	138	7.5
2250215	8	19	148	8
2250315	9	20	160	8.5
2250415	10	21.5	167	9
2250515	11	23	182	9
2250615	12	24	182	9.5
2250715	13	26	195	10
2250815	14	27	195	10
2250915	15	29	200	12
2251015	16	30.5	200	12
2251115	17	31.5	220	12
2251215	18	32	220	12
2251315	19	34.5	232	13
2251515	21	35.5	232	13.5
2251615	22	38	252	13.5
2251815	24	39	252	14.5
2252115	27	44	290	14.5
2252415	30	48	300	15.5
2252615	32	52	315	17.5






绝缘开口扳手 1000V Insulated Open End Wrench

Item No.	Size (mm)	D (mm)	L (mm)	H1 (mm)	H2 (mm)	Weight (g)
2250005	6	18	88	13	8	19
2250105	7	18.8	88	13.3	8.3	20
2250205	8	23	104	16	9	26
2250305	9	23	104	16	9	26
2250405	10	25	114	17	9.5	40
2250505	11	28.3	124	19.6	11	60
2250605	12	28.3	124	19.6	11	60
2250705	13	33.8	154	21.8	12.3	90
2250805	14	33.8	154	21.8	12.3	90
2250905	15	42	154	24	12.4	90
2251005	16	42	170	24	12.4	125
2251105	17	42	170	24	12.4	125
2251205	18	46.6	180	31	13	150
2251305	19	46.6	180	31	13	150
2251405	20	51.4	202	27	15.3	215
2251505	21	51.4	202	27	15.3	215
2251605	22	51.4	202	27	15.3	215
2251705	23	57	237	30	17	240
2251805	24	57	237	30	17	270


绝缘梅花扳手 1000V Insulated Box End Wrench

Item No.	Size (mm)	D (mm)	L (mm)	H (mm)	H2 (mm)	Weight (g)
2253005	6	18	131	8.6	9	55
2253105	7	18.3	149	8.6	9.6	62
2253205	8	19.6	164	8.6	10	70
2253305	9	19.6	164	8.6	10	70
2253405	10	20.6	174	9.7	11.6	80
2253505	11	22.2	184	10.6	12	90
2253605	12	22.2	184	10.6	12	90
2253705	13	26	205	11.2	13	140
2253805	14	26	205	11.2	13	140
2253905	15	28	210	12.5	13	160
2254005	16	30.6	221	23.5	16	185
2254105	17	30.6	221	23.5	16	185
2254205	18	34.6	237	14.3	16.3	235
2254305	19	34.6	237	14.3	16.3	235
2254505	21	39	257	15.3	17.4	295
2254605	22	39	257	15.3	17.4	295
2254805	24	44.4	287	16.3	20	390




绝缘尖嘴钳 1000V Insulated Long Nose Plier

Item No.	Size	L (mm)	D (mm)	H1 (mm)	H2 (mm)	Weight (g)
3512805	6"	152	2.8	1.8	7.5	185
3512905	8"	203	2.8	2.0	7.5	200




绝缘斜口钳 1000V Insulated Diagonal Cutting Plier

Item No.	Size	L (mm)	D (mm)	H1 (mm)	H2 (mm)	Weight (g)
3513205	6"	152	2.8	1.8	7.5	220




绝缘重型斜口钳 1000V Insulated Diagonal Cutting Plier

Item No.	Size	L (mm)	D (mm)	H1 (mm)	H2 (mm)	Weight (g)
3513305	7"	178	3.0	2.0	7.5	295
3513405	8"	203	3.0	2.0	7.5	305




绝缘弯嘴尖嘴钳 1000V Insulated Bent Nose Plier

Item No.	Size	L (mm)	D (mm)	H1 (mm)	H2 (mm)	Weight (g)
3512815	6"	152	2.8	1.8	7.5	185




绝缘拨线钳 1000V Insulated Wire Stripping Plier

Item No.	Size	L (mm)	D (mm)	H1 (mm)	H2 (mm)	Weight (g)
3517005	6"	152	ø5=10 ²	1.8	7.5	215



绝缘钢丝钳 1000V Insulated Combination Plier

Item No.	Size	L (mm)	D (mm)	H1 (mm)	H2 (mm)	Weight (g)
3510605	6"	152	2.8	1.8	7.5	250
3510705	7"	178	3.0	2.0	7.5	300
3510805	8"	203	3.0	2.0	7.5	420



41件套绝缘互换式螺丝批组套

41 pcs Insulated Interchangeable Screwdriver Kit



绝缘互式换锉刀

Insulated Interchangeable Files Blade

Item No.	Type	Φ	L1 (mm)	L (mm)	Material	Finish
4316005	锉刀 小三角 (Triangular)	4	120	185	Carbon steel	Anti-rust treatment
4316105	锉刀 大三角 (Barrette)					
4316205	锉刀 三角尖尾 (Knife type)					
4316305	锉刀 圆形 (Round)					
4316405	锉刀 半圆型 (Half Round)					
4316505	锉刀 小椭圆 (Oval)					
4316605	锉刀 四方 (Square)					
4316705	锉刀 扁平型 (Flat)					
4316706	锉刀 扁平尖尾 (Flat Point)					

绝缘互换式控制盒钥匙

Insulated Interchangeable Control Box Key

Item No.	Size	L1 (mm)	L (mm)
4315605	四方 6 x 47mm (cabinet key)	47	112
4315705	四方 8 x 47mm (cabinet key)		
4315805	三角 9 x 47mm (cabinet key)		
4315905	一字中圆孔 x 47mm (cabinet key)		

绝缘互换式十字螺丝刀

Insulated Interchangeable Phillips Blade

Item No.	Size	Φ	L1 (mm)	L (mm)	Material	Finish
4313905	PH0 X 100mm	4	100	165	CR-MO	Chrome Plated with phosphate tip
4314005	PH1 X 100mm	5.5				
4314105	PH2 X 100mm	6.5				

绝缘互换式一字螺丝刀

Insulated Interchangeable Slotted Blade

Item No.	Size	A (mm)	L1 (mm)	L (mm)	Material	Finish
4313305	2.5 x 100mm	0.4	100	165	CR-MO	Chrome Plated with phosphate tip
4313405	3.0 x 100mm	0.5				
4313505	3.5 x 100mm	0.6				
4313605	4.0 x 100mm	0.8				
4313705	5.5 x 100mm	1				
4313805	6.5 x 100mm	1.2				

绝缘互换式螺丝刀手柄

Insulated Interchangeable Handle

Item No.	Size	B (mm)	L (mm)	H (mm)	Weight (g)
4313105	互换式手柄 (Interchangeable Handle)	16.8	120	32.7	47

绝缘互换式套筒螺丝刀

Insulated Interchangeable Nut-drive Blade

Item No.	Size	Φ	L1 (mm)	L (mm)	Material	Finish
4314605	M5 x 125mm	7.1	125	190	CR-V Steel	Anti-rust treatment
4314805	M6 x 125mm	7.1				
4314905	M7 x 125mm	7.1				
4315005	M8 x 125mm	7.1				
4315105	M9 x 125mm	7.1				
4315205	M10 x 125mm	8				
4315505	M13 x 125mm	8				

绝缘互换式米字螺丝刀

Insulated Interchangeable Pozidriv Blade

Item No.	Size	Φ	L1 (mm)	L (mm)	Material	Finish
4318105	Pz0 X 100mm	4	100	165	CR-MO	Chrome Plated with phosphate tip
4318205	PZ1 X 100mm	5.5				
4318305	PZ2 X 100mm	6.5				

绝缘互换式星型螺丝刀

Insulated Interchangeable Torx Blade

Item No.	Size	Φ	L1 (mm)	L (mm)	Material	Finish
4316805	T8 x 100mm	3	100	165	S2	Chrome Plated with phosphate tip
4316905	T9 x 100mm	3				
4314205	T10 x 100mm	3				
4314305	T15 x 100mm	4				
4314405	T20 x 100mm	4				
4317005	T25 x 100mm	5.5				
4317105	T30 x 100mm	6.5				

绝缘互换式螺丝刀尾盖

Insulated Interchangeable Blade End cap

Item No.	Size	B (mm)	L (mm)	H (mm)	Weight (g)
4313205	尾盖 (Blade End Cap)	18.5	16.3	18.8	2

1/4" 六角短套筒 1/4" Short Socket 6PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1010010	3.5mm	6.1	12	25	2	10
1010110	4mm	6.9	12	25	2	10
1010210	4.5mm	7.4	12	25	2.3	10
1010310	5mm	8	12	25	2.5	10
1010410	5.5mm	8.8	12	25	3	10
1010510	6mm	9.3	12	25	3.5	11
1010610	7mm	10.8	12	25	4	11
1010710	8mm	12	11.1	25	5	11
1010810	9mm	13	11.6	25	5	13
1010910	10mm	14	12.5	25	6	14
1011010	11mm	16	14	25	7	18
1011110	12mm	17	14.8	25	8	22
1011210	13mm	18	15.9	25	8	24
1011310	14mm	20	17.2	25	10	29

1/4" 六角长套筒 1/4" Long Socket 6PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1010130	4mm	6.9	12	50	3	22
1010230	4.5mm	7.4	12	50	3.4	22
1010330	5mm	8	12	50	3.7	23
1010430	5.5mm	8.8	12	50	4.5	23
1010530	6mm	9.3	12	50	5.2	28
1010630	7mm	10.8	12	50	6	31
1010730	8mm	12	11.1	50	7.5	33
1010830	9mm	13.2	11.6	50	7.5	38
1010930	10mm	14	12.5	50	9	39
1011030	11mm	16	14	50	10.5	48
1011130	12mm	17	14.8	50	12	49
1011230	13mm	18	15.9	50	12	52
1011330	14mm	19	16.4	50	12	60

1/4" 十二角短套筒 1/4" Short Socket 12PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1010320	5	10	6.3	23.3	14	10
1010720	8	10	9.2	23.3	14	10
1010920	10	12	10.7	23.6	14	13
1011020	11	14	12	25	14	18
1011220	13	14.1	15.9	25	14	22

1/4" 12角长套筒 1/4" Long Socket 12PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1010340	5	8	12	50	37	23
1010740	8	12	11.1	50	7.5	33
1010940	10	14	12.5	50	9	39
1010040	11	16	14	50	10.5	48
1011240	13	18	15.9	50	12	52

3/8" 六角短套筒 3/8" Short Socket 6PT








Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1020110	6	9.5	17	28	4	24
1020210	7	10.7	17	28	4	29
1020310	8	12	17	28	5	26
1020410	9	13.3	17	28	5	22
1020510	10	14.5	17	28	6	25
1020610	11	16	17	28	7	29
1020710	12	17	16	28	8	28
1020810	13	18	16.5	28	8	27
1020910	14	20	17	28	10	29
1021010	15	22	19	28	10	39
1021110	16	22	19	28	10	41
1021210	17	24	20	30	10	52
1021310	18	26	23	30	12	69
1021410	19	26	23	30	12	65
1021510	20	29	25	30	12	78
1021610	21	28	25	30	12	71
1021710	22	30	26	30	14	82
1021910	24	32	27	30	14	90



3/8" 六角长套筒 3/8" Long Socket 6PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1020130	6	10	17	63	6	44
1020230	7	11	17	63	6	46
1020330	8	12	17	63	7.5	48
1020430	9	13.3	17	63	7.5	49
1020530	10	14.5	17	63	9	61
1020630	11	16	17	63	10.5	57
1020730	12	17	16	63	12	72
1020830	13	18	16.5	63	12	76
1020930	14	20	17	63	15	79
1021030	15	22	19	63	15	99
1021130	16	22	19	63	15	93
1021230	17	24	20	63	15	119
1021330	18	26	23	63	18	135
1021430	19	26	23	63	18	139
1021530	20	26	17	63	19	137
1021630	21	27	24	63	19	142
1021730	22	27	24	63	19	150
1201830	23	27	24	63	19	155
1021930	24	28	25	63	20	260

3/8" 12角长套筒 3/8" Short Socket 12PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1020540	10	14.5	17	63	9	61
1020740	12	17	16	63	12	72







1/2" 六角短套筒 1/2" Short Socket 6PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1030010	8	13.5	22	38	5	48
1030110	9	14.5	22	38	5	47
1030210	10	15.5	22	38	6	46
1030310	11	16.7	22	38	7	53
1030410	12	18	22	38	7	57
1030510	13	19.2	22	38	8	59
1030610	14	20.5	22	38	8	60
1030710	15	21	22	38	10	63
1030810	16	22	21	38	10	68
1030910	17	24	22	38	10	67
1031010	18	26	24	38	12	81
1031110	19	26	24	38	12	73
1031210	20	28	26	38	12	80
1031310	21	28	26	38	12	79
1031410	22	30	26	38	14	79
1031510	23	32	28	38	14	118
1031610	24	32	28	38	16	110
1031710	25	33	30	42	17	115
1031810	26	33	29	40	17	120
1031910	27	36	31	42	18	150
1032010	28	38	32	44	18	160
1032110	29	39	33	44	20	180
1032210	30	40	34	44	20	200
1032310	32	42	36	44	22	230
1032510	34	44	38	44	22	280
1032710	36	48	42	46	22	345

1/2" 十二角短套筒 1/2" Short Socket 12PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1030020	8	13.5	22	38	5	48
1030120	9	14.5	22	38	5	47
1030220	10	15.5	22	38	6	46
1030320	11	16.7	22	38	7	53
1030420	12	18	22	38	7	57
1030520	13	19.2	22	38	8	59
1030620	14	20.5	22	38	8	60
1030720	15	21	22	38	10	63
1030820	16	22	21	38	10	68
1030920	17	24	22	38	10	67
1031020	18	26	24	38	12	81
1031120	19	26	24	38	12	73
1031220	20	28	26	38	12	80
1031320	21	28	26	38	12	79
1031420	22	30	26	38	14	79
1031520	23	32	28	38	14	118
1031620	24	32	28	38	16	110
1031920	27	36	31	42	18	150
1032220	30	40	34	44	20	200
1032320	32	42	36	44	22	230
1032420	34	44	38	44	23	240
1032520	36	47	40	44	24	250








1/2" 六角长套筒 1/2" Long Socket 6PT

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1030030	8	13.5	22	77	7.5	95
1030130	9	14.5	22	77	7.5	102
1030230	10	15.5	22	77	9	93
1030330	11	16.7	22	77	10.5	99
1030430	12	18	22	77	12	102
1030530	13	19.2	22	77	12	109
1030630	14	20.5	22	77	15	118
1030730	15	21	22	77	15	120
1030830	16	22	21	77	15	128
1030930	17	24	22	77	15	131
1031030	18	26	24	77	18	158
1031130	19	26	24	77	18	152
1031230	20	28	26	77	18	172
1031330	21	28	26	77	18	170
1031430	22	30	26	77	21	206
1031530	23	32	28	77	21	226
1031630	24	32	28	77	24	229
1031730	25	34	29	77	25	245
1031830	26	35	30	77	26	260
1031930	27	36	31	77	27	279
1032030	28	38	32	77	28	288
1032130	29	39	33	77	29	311
1032230	30	40	34	77	30	321
1032330	32	42	36	77	33	351

1/2" 十二角长套筒 1/2" Long Socket 12PT


Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1030040	8	13.5	22	77	7.5	95
1030140	9	14.5	22	77	7.5	102
1030240	10	15.5	22	77	9	93
1030340	11	16.7	22	77	10.5	99
1030440	12	18	22	77	12	102
1030540	13	19.2	22	77	12	109
1030640	14	20.5	22	77	15	118
1030740	15	21	22	77	15	120
1030840	16	22	21	77	15	128
1030940	17	24	22	77	15	131
1031040	18	26	24	77	18	158
1031140	19	26	24	77	18	152
1031240	20	28	26	77	18	172
1031340	21	28	26	77	18	170
1031440	22	30	26	77	21	206
1031540	23	32	28	77	21	226
1031640	24	32	28	77	24	229
1031940	27	36	31	77	27	279
1032240	30	40	34	77	30	321
1032340	32	42	36	77	33	351
1032440	34	44	38	77	36	362
1032540	36	46	39	77	39	390






1/4" E型套筒 1/4" E-Type Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1210010	E4	6.1	12	25	2	10
1210110	E5	7.1	12	25	2.5	10
1210210	E6	8.1	12	25	3.5	10
1210310	E7	9	12	25	4	11
1210410	E8	10	12	25	5	12
1210510	E10	11	12	25	6	13




3/8" E型套筒 3/8" E-Type Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1220510	E8	11	17	28	5	24
1220610	E10	13	17	28	6	25
1220710	E11	13.8	17	28	7	25
1220810	E12	14.8	17	28	8	29
1220910	E14	16	18	28	8	35
1221010	E16	20	17	28	8	38
1221110	E18	22	19	28	8	45



1/2" E型套筒 1/2" E-Type Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1230110	E10	14	22	38	6	54
1230210	E11	14.5	22	38	7	54
1230310	E12	15	22	38	8	56
1230410	E14	17	22	38	10	56
1230510	E16	18	22	38	10	60
1230610	E18	24	22	38	10	62
1230710	E20	24	22	38	10	64
1230810	E22	26	24	38	10	77
1230910	E24	28	26	38	10	99




3/8"薄型磁性火花塞套筒 3/8" Thin Wall Magnetic Spark plug Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1032500	14	18	18	63	8	57


3/8"薄型磁性火花塞套筒 3/8" Thin Wall Magnetic Spark plug Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1032620	14	20	18	65	13	85
1032720	16	22	19	65	13	95
1033320	18	26	21	65	20	145
1033520	21	28	23	65	22	160




3/8"胶套磁性火花塞套筒 3/8" Rubber sleeve Magnetic Spark plug Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1032820	16	22	19	65	13	21.6
1033230	21	28	22	65	20	27.7




3/8" 六角磁性短套筒 3/8" Magnetic Short Socket


Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1020328	8	12.2	17.0	26	4	23
1020528	10	14.7	17.0	26	4	26
1020728	12	16.8	18.0	26	4	31
1020828	13	18.0	18.0	26	4	36
1020928	14	20.0	18.0	28	4	41



3/8" 六角磁性长套筒 3/8" Magnetic Long Socket

Item No.	A(mm)	D(mm)	d(mm)	H(mm)	P(mm)	Weight(g)
1020338	8	12.2	17.0	63	4	51
1020538	10	14.5	17.0	63	5	57
1020738	12	16.8	18.0	63	5	70
1020838	13	17.0	17.0	63	6	78
1020938	14	20.0	16.8	63	6	84






氧传感器套筒 Oxygen Snsor Socket


Item No.	Square Drive	A (mm)	D (mm)	d (mm)	H (mm)	P (mm)	Weight (g)	Finish
1035530	3/8"	17	23.5	23.5	78	32.0	90.8	Matted
1035730	3/8"	19	23.5	23.5	78	36.5	104.4	Matted
1035731	1/2"	19	28.0	28.0	85	27.0	196.2	Blue

Item No.	Square Drive	A (mm)	D (mm)	d (mm)	H (mm)	Weight (g)
1035420	3/8"	14	19	19	64	54




强力磁性套筒 Strong magnetic socket

Item No.	Size	L (mm)
1351010	1/4" Hex X 13mm	51mm
1351310	1/4" Hex X 10mm	51mm



减震器拆装专用套筒 Shock absorber disassembly special socket

Item No.	Size	Weight (g)
1353100	5.5	63
1353200	8	70




转接头 Adapter

Item No.	Size (mm)	L (mm)	D1 (mm)	D2 (mm)	Weight (g)
1414420	3/8" F x 1/4" M	26	16.7	4.8	20.3
1414920	3/8" F x 1/2" M	36	17.6	12.6	44.5
1414810	1/4" F x 3/8" M	24.5	11	8.3	16
1414530	1/2" F x 3/8" M	36	21.7	8.7	44.5


万向接头 Universal Joint

Item No.	Square Drive	L (mm)	D (mm)	Weight (g)
1413010	1/4"	40	14	24.4
1413020	3/8"	54	18	64
1413030	1/2"	73	25	156



三向转接头 3-Way Adapter

Item No.	Size	L (mm)	D1 (mm)	D2 (mm)	Weight (g)
1413630	3/8" M x 1/2" F	43	24	16.5	70.2
1413520	1/2" M x 3/8" F	39	24	13.5	65



弹套 Spring Socket

Item No.	Type	Material
1414130	1/2" x 10mm	CR-V
1414220	3/8" x 10mm	CR-V
1414310	1/4" F x 1/4"	CR-V



磁性更换转换接头 Magnetic replacement adapter

Item No.	TYPE	Weight (g)
1416000	1/4" F x 3/8"	17
1416100	3/8" F x 1/2"	30
1416200	1/2" F x 1/2"	87



手动旋具套筒 Bit Socket




功能特点

- ※ 套筒底座使用进口铬钒钢 CR-V Steel冷墩成型
- ※ 旋具头使用进口S2合金钢,热处理后硬度为 HRC 58~61, 扭力标准为德国DIN标准 150%以上
- ※ 旋具头采用磷酸锌和挥发性防锈油处理,防锈效果更好
- ※ 电水银雾处理产品更美观,使用时不反光,不伤害作用者眼睛


Features

- ※ The socket base is made by imported CR-V Steel with cold forged process.
- ※ Bits use imported S2 alloy steel, the hardness is HRC 58~61, and the torque standard is more than 150% of German DIN standard.
- ※ The screwdriver head is treated with zinc phosphate and volatile anti-rust oil, which has better anti-rust effect.
- ※ Matted finish treatment products are more beautiful. Use without reflection, do not harm the user's eyes



1/4" 一字旋具套筒 1/4" FD Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1310210	FD4	12	37 mm	17.5	12
1310310	FD5	12	37 mm	17.5	12
1310510	FD6	12	37 mm	17.5	12
1310710	FD7	12	37 mm	17.5	13




1/4" 星型旋具套筒 1/4" Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312010	T6	12	37 mm	17.5	11
1312110	T7	12	37 mm	17.5	11
1312210	T8	12	37 mm	17.5	12
1312310	T9	12	37 mm	17.5	12
1312410	T10	12	37 mm	17.5	12
1312510	T15	12	37 mm	17.5	12
1312610	T20	12	37 mm	17.5	12
1312710	T25	12	37 mm	17.5	12
1312810	T27	12	37 mm	17.5	14
1312910	T30	12	37 mm	17.5	14
1312A10	T40	12	37 mm	17.5	14
1312B10	T45	12	37 mm	17.5	16


1/4" 星型中圆孔旋具套筒 1/4" Tamper Proof Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312211	TH8	12	37 mm	17.5	11
1312411	TH10	12	37 mm	17.5	11
1312511	TH15	12	37 mm	17.5	11
1312611	TH20	12	37 mm	17.5	11
1312711	TH25	12	37 mm	17.5	11
1312811	TH27	12	37 mm	17.5	13
1312911	TH30	12	37 mm	17.5	13
1312A11	TH40	12	37 mm	17.5	13
1312B11	TH45	12	37 mm	17.5	15




1/4" 五星中圆孔旋具套筒 1/4" 5-Star Tamper Proof Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1320010	TS25	13	37	17	14.8
1320110	TS30	13	37	17	15.2




1/4" 六角旋具套筒 1/4" Hex Bit Socket


Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314010	H3	12	37 mm	17.5	12
1314110	H4	12	37 mm	17.5	12
1314210	H5	12	37 mm	17.5	12
1314310	H6	12	37 mm	17.5	12
1314410	H7	12	37 mm	17.5	16
1314510	H8	12	37 mm	17.5	16
1314710	H10	12	37 mm	17.5	20



1/4" 十字旋具套筒 1/4" Phillips Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1315110	PH1	12	37 mm	17.5	14
1315210	PH2	12	37 mm	17.5	15
1315310	PH3	12	37 mm	17.5	16







1/4" 米字旋具套筒 1/4" Pozidriv Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1319110	PZ1	12	37	17.5	14
1319210	PZ2	12	37	17.5	15
1319310	PZ3	12	37	17.5	16

3/8" 米字旋具套筒 3/8" Pozidriv Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1319120	PZ1	18	48	22	34
1319220	PZ2	18	48	22	34
1319320	PZ3	18	48	22	38





1/4" 十二角旋具套筒 1/4" Spline Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1317210	M5	12	37	17.5	16
1317310	M6	12	37	17.5	16
1317510	M8	12	37	17.5	18

3/8" 星型中圓孔旋具套筒 3/8" Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312A23	Th40	16	48	22	36
1312B23	TH45	16	48	22	41
1312D23	TH50	16	48	22	45
1312E23	TH55	16	48	22	50
1312F23	TH60	16	48	22	52




3/8" 一字旋具套筒 3/8" FD Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1310420	FD5.5	18	48	22	34
1310820	FD7	48	18	22	34



3/8" 六角旋具套筒 3/8" Hex Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314020	H3	18	48	22	32
1314120	H4	18	48	22	32
1314220	H5	18	48	22	34
1314320	H6	18	48	22	35
1314420	H7	18	48	22	40
1314520	H8	18	48	22	44
1314620	H9	18	48	22	63
1314720	H10	18	48	22	52




3/8" 星型旋具套筒 3/8" Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312420	T10	18	48	22	32
1312520	T15	18	48	22	32
1312620	T20	18	48	22	32
1312720	T25	18	48	22	34
1312820	T27	18	48	22	34
1312920	T30	18	48	22	34
1312A20	T40	18	48	22	35
1312B20	T45	18	48	22	39
1312D20	T50	18	48	22	50
1312E20	T55	18	48	22	52




3/8" 十字旋具套筒 3/8" Phillips Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1315120	PH1	18	48	22	34
1315220	PH2	18	48	22	34
1315320	PH3	18	48	22	38




1/2"六角旋具套筒 1/2" Hex Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314130	H4	22	55	17	65
1314230	H5	22	55	17	65
1314330	H6	22	55	17	65
1314430	H7	22	55	17	70
1314530	H8	22	55	17	70
1314730	H10	22	55	17	94
1314830	H11	22	55	17	99
1314930	H12	22	55	17	102
1314A30	H14	24	55	17	166



1/2" 星型旋具套筒 1/2" Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312630	T20	22	55	17	74
1312730	T25	22	55	17	74
1312830	T27	22	55	17	74
1312930	T30	22	55	17	74
1312A30	T40	22	55	17	75
1312B30	T45	22	55	17	78
1312D30	T50	22	55	17	78
1312E30	T55	22	55	17	90
1312F30	T60	22	55	17	100




1/2"十二角旋具套筒 1/2" Spline Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1317330	M6	22	55	17	70
1317530	M8	22	55	17	70
1317730	M10	22	55	17	92
1317930	M12	22	55	17	100


1/2" 100L 星型旋具套筒 1/2" 100mm Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312631	T20	22	100	62	80
1312731	T25	22	100	62	80
1312831	T27	22	100	62	80
1312931	T30	22	100	62	80
1312A31	T40	22	100	62	80
1312B31	T45	22	100	62	100
1312D31	T50	22	100	62	100
1312E31	T55	22	100	62	140
1312J31	T52	22	100	62	140




3/8" 100L六角旋具套筒 3/8" 100mm Hex Bit Socket


Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314121	H4	18	100	62	80
1314221	H5	18	100	62	90
1314321	H6	18	100	62	90
1314421	H7	18	100	62	120
1314521	H8	18	100	62	130



1/2" 150L六角旋具套筒 1/2" 150mm Hex Bit Socket


Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314332	H6	22	150	112	100






1/2" 180L 六角旋具套筒 1/2" 180mm Hex Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314232	H5	22	180	142	115
1314532	H8	22	180	142	120
1314732	H10	22	180	142	150




1/2" 250L 六角旋具套筒 1/2" 250mm Hex Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314333	H6	22	250	212	145



1/2" 100L六角旋具套筒 1/2" 100mm Hex Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1314231	H5	22	100	62	80
1314331	H6	22	100	62	80
1314431	H7	22	100	62	90
1314531	H8	22	100	62	90
1314631	H9	22	100	62	125
1314731	H10	22	100	62	128




3/8" 100L星型旋具套筒 3/8" 100mm Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312421	T10	18	100	62	70
1312521	T15	18	100	62	80
1312621	T20	18	100	62	90
1312721	T25	18	100	62	95
1312821	T27	18	100	62	100
1312921	T30	18	100	62	106
1312A21	T40	18	100	62	112
1312B21	T45	18	100	62	119
1312D21	T50	18	100	62	120
1312J21	T52	18	100	62	123
1312H21	T55	18	100	62	130


1/2"200L 星型旋具套筒 1/2" 200mm Torx Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1312F31	T60	22	200	162	192
1312H31	T70	24	200	162	242




1/2" 100L 十二角旋具套筒 1/2" 100mm Spline Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1317231	M5	22	100	62	80
1317331	M6	22	100	62	100
1317531	M8	22	100	62	100
1317731	M10	22	100	62	122
1317931	M12	22	100	62	142
1317A31	M14	24	100	62	212
1317B31	M16	26	100	62	270



1/2" 150L 十二角旋具套筒 1/2" 150mm Spline Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1317732	M10	22	150	112	175
1317932	M12	22	150	112	185



1040350

15件 EP套筒组 15PCS EP socket set

Item No.	Type
1040351	1/4"x EP4套筒 六星
1040352	1/4"x EP5套筒 六星
1040353	1/4"x EP6套筒 六星
1040354	1/4"x EP7套筒 六星
1040355	1/4"x EP8套筒 六星
1040451	3/8"x EP10套筒 六星
1040452	3/8"x EP11套筒 六星
1040453	3/8"x EP12套筒 六星
1040454	3/8"x EP14套筒 六星
1040455	3/8"x EP16套筒 六星
1040551	1/2"x EP18套筒 六星
1040552	1/2"x EP20套筒 六星
1040553	1/2"x EP22套筒 六星
1040554	1/2"x EP24套筒 六星
1040650	3/8"EPR*10mm 五星







旋具头 Spline Bit

Item No.	Type	Length(mm)	Material
4110115	M5	30	S2
4110116	M6	30	S2
4110117	M8	30	S2
4110118	M10	30	S2
4110119	M12	30	S2
4110120	M5	75	S2
4110121	M6	75	S2
4110122	M8	75	S2
4110157	M9	75	S2
4110123	M10	75	S2
4110124	M12	75	S2
4110158	M14 (中孔)	75	S2
4110159	M16 (中孔)	75	S2
4110125	T20	30	S2
4110126	T25	30	S2
4110160	T27	30	S2
4110127	T30	30	S2
4110128	T40	30	S2
4110129	T45	30	S2
4110130	T50	30	S2
4110131	T55	30	S2
4110161	T60	30	S2
4110132	T20	75	S2
4110133	T25	75	S2
4110166	T27	75	S2
4110134	T30	75	S2
4110135	T40	75	S2
4110136	T45	75	S2
4110137	T50	75	S2
4110138	T55	75	S2
4110139	T52	100	S2
4110140	T20H	30	S2
4110141	T25H	30	S2
4110155	T27H	30	S2
4110142	T30H	30	S2
4110143	T40H	30	S2
4110144	T45H	30	S2
4110145	T50H	30	S2
4110146	T55H	30	S2
4110147	T30H	75	S2
4110148	T40H	75	S2
4110149	Ph3	30	S2
4110150	T25五角中圆孔	30	S2
4110152	T30五角中圆孔	30	S2

Item No.	Type	Length(mm)	Material
4110151	1.2X8	30	S2
4110101	H4	30	S2
4110102	H5	30	S2
4110103	H6	30	S2
4110104	H7	30	S2
4110105	H8	30	S2
4110165	H9	30	S2
4110106	H10	30	S2
4110107	H12	30	S2
4110108	H4	75	S2
4110109	H5	75	S2
4110110	H6	75	S2
4110111	H7	75	S2
4110113	H8	75	S2
4110156	H9	75	S2
4110113	H10	75	S2
4110114	H12	75	S2

1/4" 批头组套 1/4" bits set

Item No.	Type	Length(mm)	Material
4110501	FD4	30	S2
	FD5	30	S2
	FD6	30	S2
	PH1	30	S2
	PH2	30	S2
	PH3	30	S2
4110601	H1.5	30	S2
	H2	30	S2
	H3	30	S2
	H4	30	S2
	H5	30	S2
	H6	30	S2
4111000	T7	30	S2
	T8	30	S2
	T9	30	S2
	H1.5	30	S2
	H2	30	S2
	H2.5	30	S2
4110801	T8	30	S2
	T10	30	S2
	T15	30	S2
	T20	30	S2
	T25	30	S2
	T27	30	S2
4110901	T10	30	S2
	T15	30	S2
	T20	30	S2
	H4	30	S2
	H5	30	S2
	H6	30	S2






12件冲击螺丝批组 12 PCS Impact driver Set

Item No.	Type	Length(mm)	Weight (g)
4020000	12PCS	165	890
Item No.	Type	Length(mm)	Material
4020001	一字8x36	36	S2
4020002	一字8x80	80	S2
4020003	一字10x36	36	S2
4020004	一字10x80	80	S2
4020005	PH2x36	36	S2
4020006	PH2x80	80	S2
4020007	PH3x36	36	S2
4020008	PH3x80	80	S2
4020009	断丝取出#3x71	71	S2
4020010	断丝取出#4x71	71	S2
4020011	冲击起子	16.5	45C
4020012	转接头	5	45C




31件精密螺丝批 31PCS Precision Screwdriver

Item No.	L (mm)
4319004	25mm



25件 批头棘轮组套 25pcs Bits and Wrench set

Item No.	Material
4170000	S2




1/4"批头棘轮扳手 1/4" Bits ratchet Wrench

Item No.	Length(mm)	Weight(g)
4110400	164	110


摇头式接杆 Wobber Extension Bar

Item No.	Size	L (mm)	D1 (mm)	D2 (mm)	Weight (g)
1410210	1/4" x 2"	50	8.2	12.3	23.5
1410410	1/4" x 4"	100	8.2	12.3	44.2
1410610	1/4" x 6"	150	8.1	12.3	64.2
1410320	3/8" x 3"	75	12.2	17.8	74.5
1410520	3/8" x 5"	125	12.1	18	121.5
1411020	3/8" x 10"	250	12	18	230.2
1410330	1/2" x 3"	75	15.8	22.4	119.3
1410530	1/2" x 5"	125	15.6	22.4	193.4
1411030	1/2" x 10"	250	16	22.4	384.5
1411230	1/2" x 16"	400	16	22.4	635
1411430	1/2" x 24"	600	16	23.8	950




滑行杆 Sliding T-Bar

Item No.	Size	L1 (mm)	L2 (mm)	D1 (mm)	D2 (mm)	Weight (g)
1411510	1/4" x 110	110	23.8	6.2	14	43.3
1411520	3/8" x 165	165	31.8	10.4	18.8	145.9
1411530	1/2" x 250	250	42.2	13.5	23.8	352.6
1411540	3/4" x 18	470	66	21	40	1461



L杆 L Handle

Item No.	Size	L (mm)	D1 (mm)	L2 (mm)	Weight (g)
1412030	1/2" x 10"	250	16	64.6	462.3
1411840	3/4" x 18"	485	25	105	2100



1/4"转换接杆 1/4" Change-over rod




Item No.	Size	L (mm)
1412330	1/4" HEX x 1/2"	50
1412320	1/4" HEX x 3/8"	50



1/4"磁性批头套筒接杆 1/4"Bit Adapter Bar

Item No.	Size	L (mm)
1412410	1/4" Hex M x 1/4" Hex F	100





延长杆 Extension Bar

Item No.	Square Drive	L(mm)
1414312	1/4"	100mm

弹性接杆 Extension Bar

Item No.	Size	L (mm)	D1 (mm)	D2 (mm)	Weight (g)
1410611	1/4" x 6"	150	11.7	6.28~6.35	65
1410621	3/8" x 8"	200	160	8	120

磁性火花塞套筒接杆 Magnetic Spark Plug Socket Extension Bar

Item No.	Size	L(mm)	Weight (g)
1032621	3/8"x14mm	155	164
1032721	3/8"x16mm	155	178

1/4" 气动6角长套筒 1/4" Impact Long Socket 6PT

Item No.	A (mm)	D (mm)	d (mm)	H (mm)	P (mm)	Weight (g)
1010738	8x50	10.7	11.4	48	23	34
1010938	10x50	12.8	11.2	49.5	41	42

1/2" 5件套气动轮毂保护套筒 1/2" 5PCS Impact Wheel protection socket set

Item No.	Size(mm)	L(mm)
1711035	17	82
1711235	19	82
1711435	21	82
1711535	22	82
1711635	23	82

1/2" 薄型加长气动轮胎套筒 1/2" Thin-wall Impact Long Wheel Socket

Item No.	A (mm)	D (mm)	d (mm)	H (mm)	P (mm)	Weight (g)
1034030	17	24.6	25	100	22	190
1034230	19	26.6	25	100	22	192
1034330	21	28.6	25	100	22	217
1034430	22	30.6	25	100	23	218

气动开槽式六角套筒 Impact Oxygen Sensor Socket






Item No.	Drive	A (mm)	D (mm)	d (mm)	H (mm)	P (mm)	Weight (g)
1036030	1/2"	22	31	25.2	90	13.00~14.50	0.21

气动万向接头 Impact Universal Joint

Item No.	Size	D (mm)	L (mm)	Weight (g)
1413040	3/4"	44	93	589
1610020	3/8"	22	48	0.07
1610030	1/2"	28	61	0.14

气动转换接头 Impact Adapter

Item No.	Size	D (mm)	L (mm)	Weight (g)
1610130	1/2"F x 3/8"M	22	37	0.06
1610120	3/8"F x 1/2"M	25	38	0.065
1610110	3/8"F x 1/4"M	28	39	70
1610410	1/2"F x 3/4"M	20	35	500
1610510	3/4"F x 1/2"M	30	45	850



1/2" 气动6角短套筒 1/2" Impact Short Socket 6PT

Item No.	A (mm)	D (mm)	d (mm)	H (mm)	P (mm)	Weight (g)
1710130	8	14	25	38	6	60
1710330	10	17	25	38	6	70
1710430	11	18	25	38	8	70
1710530	12	19	25	38	8	70
1710630	13	21	25	38	8	70
1710730	14	22	25	38	8	70
1710830	15	23	30	38	9	110
1710930	16	24	30	38	9	110
1711030	17	26	30	38	9	110
1711130	18	27	30	38	9	120
1711230	19	28	30	38	10	120
1711330	20	29	30	38	12	120
1711430	21	30	30	38	12	110
1711530	22	32	30	38	12	130
1711630	23	32	30	38	14	120
1711730	24	34	30	38	14	130
1711830	25	36	30	38	14	140
1711930	26	38	30	43	14	150
1712030	27	38	30	43	14	160
1712130	28	40	30	43	15	170
1712230	29	42	30	43	15	170
1712330	30	42	30	43	16	170
1713230	31	43	30	43	17	175
1712430	32	44	30	43	18	180
1712530	33	38	38	48	20	240
1712630	34	48	38	48	20	320
1712730	35	48	38	48	20	330
1712830	36	50	38	48	20	360

1/2" 气动6角长套筒 1/2" Impact Long Socket 6PT

Item No.	A (mm)	D (mm)	d (mm)	H (mm)	Weight (g)
1710131	8	16	25	78	76
1710231	9	17	25	78	85
1710331	10	18	25	78	98
1710431	11	19	25	78	110
1710531	12	20	25	78	120
1710631	13	21	30	78	130
1710731	14	22	25	78	150
1710831	15	23	30	78	170
1710931	16	24	30	78	200
1711031	17	26	30	78	220
1711231	19	28	30	78	230
1711431	21	30	30	78	240
1711531	22	32	30	78	270
1711631	23	32	30	78	260
1711731	24	34	30	78	290

1寸气动六角短套筒 1" Impact Short Socket 6PT

Item No.	S (mm)	D1 (mm)	D1 (mm)	L (mm)	Weight (g)
1719050	65	92	54	90	1850
1719150	70	97	54	93	2044
1719250	75	104	86	95	3276

3/8" 六角气动批头套筒 3/8" Impact Hex Bit Socket





Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1771010	H3	25	78	54	56
1772010	H4	25	78	54	62
1773010	H5	25	78	54	68
1774010	H6	25	78	54	71
1775010	H7	25	78	54	76
1776010	H8	25	78	54	79
1777010	H9	25	78	54	85
1778010	H10	25	78	54	89


3/8" 12角气动批头套筒 3/8" Impact Spline Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1771011	M4	25	78	54	65
1771012	M5	25	78	54	69
1771013	M6	25	78	54	74

1/2" 星型气动批头套筒 1/2" Impact Torx Bit Socket


Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1713830	T30	25	78	54	85.5
1713930	T40	25	78	54	86
1714030	T45	25	78	54	85
1714230	T50	25	78	54	93






1/2" 12角气动批头套筒 1/2" Impact Spline Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1715130	M8	25	78	54	86.5
1715330	M10	25	78	54	98
1715430	M12	25	78	54	109
1715530	M14	25	78	54	125.5




1/2" 星型中圆孔气动批头套筒 1/2" Impact Torx Tamper proof Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1714631	T80H	25	78	54	156
1714831	T100H	25	78	54	180




1/2" 12角带中圆孔批头套筒 1/2" Impact Spline Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1715533	M14H	25	78	54	118.6
1715631	M16H	25	78	54	138.8
1715831	M17H	25	78	54	143.4



气动接杆 Impact Bar

Item No.	Size(mm)	L(mm)	D1(mm)	D2(mm)	Weight (g)
1410331	1/2"x3"	75	16.5	25	170
1410531	1/2"x5"	125	16.5	25	220



1/2" 六角气动批头套筒 1/2" Impact Hex Bit Socket

Item No.	Type	D (mm)	L (mm)	I (mm)	Weight (g)
1716230	H6	25	78	54	86.5
1716430	H8	25	78	54	94.0
1716630	H10	25	78	54	107.0
1716830	H12	25	78	54	125.5
1717030	H14	25	78	54	144.4
1717230	H16	25	78	54	163.6
1717330	H17	25	78	54	177.2
1717530	H19	25	78	54	203.6

双梅花棘轮扳手 Double ratchet wrench




Item No.	A1 (mm)	A2 (mm)	B (mm)	C (mm)	B1 (mm)	C1 (mm)	L (mm)	Weight (g)
2117000	8	9	17.1	20.7	6.4	6.7	130	52
2117100	8	10	17.1	20.7	6.4	7	130	108
2117200	10	11	20.7	23.5	7	7.3	150	128
2117300	12	13	23.5	26.8	7.6	8.1	170	174
2117400	14	15	26.8	28.8	8.5	9	190	204
2117500	16	18	30.6	34.4	9.5	10.5	210	235
2117600	17	19	33.7	34.6	10	11	230	254
2117700	22	24	41.6	48.1	13	14.5	290	263


两用扳手 Combination Wrench

Item No.	A (mm)	D (mm)	d (mm)	e (mm)	H (mm)	L (mm)	Weight (g)
2210510	5.5	15.5	10.1	4.0	4.7	100	17
2210610	6	15.5	10.1	4.0	4.7	100	17
2210710	7	17.0	11.5	4.0	5.0	110	20
2210810	8	19.2	12.8	4.5	5.5	120	26
2210910	9	21.2	14.2	4.5	5.9	130	34
2211010	10	23.2	15.6	5.0	6.5	140	36
2211110	11	25.3	16.9	5.4	6.9	150	44
2211210	12	27.2	18.3	5.5	7.3	160	52
2211310	13	29.4	19.7	5.9	7.8	170	63
2211410	14	31.5	21.2	6.2	8.3	180	78
2211510	15	33.2	22.5	6.4	8.6	190	100
2211610	16	34.7	24.0	6.7	8.9	200	110
2211710	17	36.5	25.3	6.9	9.3	210	132
2211810	18	38.7	26.8	7.2	9.9	220	144
2211910	19	40.7	28.1	7.4	10.5	230	154
2212010	20	43.1	29.7	7.7	10.9	240	188
2212110	21	44.8	31.3	8.0	11.3	250	200
2212210	22	46.9	32.6	8.2	11.5	260	220
2212310	23	50.4	35.5	8.7	12.1	280	280
2212410	24	50.4	35.5	8.7	12.1	280	280
2212510	27	55.7	55.7	9.4	13.1	310	390
2213010	30	61.8	43.7	10.1	13.7	340	500
2213210	32	65.8	46.4	10.4	14.3	360	560

薄型双开口扳手 Open End Wrench


Item No.	A1 (mm)	A2 (mm)	d1 (mm)	d2 (mm)	e (mm)	L (mm)	Weight (g)
2220310	5.5	7	15.5	18	3.7	123	25
2220410	6	7	15.5	18	3.7	123	25
2220710	8	10	20.4	22.7	4.5	140	40
2220910	10	12	24.9	27.1	4.8	156	60
2221010	11	13	29.2	31.2	5.2	172	75
2221210	12	14	31.3	33.3	5.5	180	85
2221410	14	15	33.3	35.3	5.9	190	110
2221510	14	17	33.3	38.9	6.1	195	115
2221610	16	17	37.1	38.9	6.3	204	160
2221710	17	19	40.9	42.8	6.7	221	160
2221810	18	19	40.9	42.8	6.7	221	160
2222410	21	23	46.8	50.8	7.1	247	250
2222510	22	24	46.8	50.8	7.7	247	250
2222810	24	27	52.8	59.1	8.1	263	300
2223210	30	32	65.4	69.8	9.0	298	460






E型扳手 E Type Box End Wrench

Item No.	A1 (mm)	A2 (mm)	B (mm)	C (mm)	B1 (mm)	C1 (mm)	L (mm)	Weight (g)
2230110	6	8	9.2	11.2	4.6	5.6	113	20
2230210	7	11	11.5	16	5.8	6.9	127	29
2230410	10	12	14.4	16.7	6.5	7.8	142	31
2230710	14	18	17.2	21.2	8.2	9.8	182	75
2230810	16	22	19.2	26.3	8.7	12.0	204	115
2231010	20	24	24.8	28.7	11.0	13.0	224	158



双梅花45度扳手 45-Degree double box end wrench

Item No.	A1 (mm)	A2 (mm)	B (mm)	C (mm)	B1 (mm)	C1 (mm)	L (mm)	Weight (g)
2225010	5.5	7	10.6	13.0	5.5	6.0	168	50
2225110	6	7	10.6	13.0	5.5	6.0	168	50
2227510	8	9	14.5	16.5	6.0	6.5	170	64
2225210	8	10	14.5	17.5	6.5	6.0	170	55
2225310	10	12	17.2	19.2	7.0	7.5	198	88
2225410	11	13	20.0	22.0	8.0	8.5	217	100
2225510	12	14	20	22.0	8.0	8.5	206	100
2225610	14	15	22.0	24.0	8.5	9.0	239	132
2221510	14	17	25.0	25.5	8.0	9.0	251	135
2225810	16	17	24.0	26.0	9.5	10.0	260	140
2225910	17	19	28.0	29.5	11.0	11.5	270	205
2226010	18	19	28.0	29.5	11.0	11.5	392	205
2226410	21	23	32.5	34.5	12.2	13.0	330	390
2226510	22	24	32.5	34.5	12.2	13.0	330	390
2226810	24	27	41.0	45.0	17.0	18.0	345	630
2227010	30	32	48.5	51.0	21.0	23.0	370	800




月亮扳手 Half Moon Box End Wrench

Item No.	A1 (mm)	A2 (mm)	B (mm)	C (mm)	B1 (mm)	C1 (mm)	L (mm)	Weight (g)
2241300	12	14	18.2	21.0	8.0	8.4	165	93


两用棘轮扳手 Ratchet Combination Wrench

Item No.	Gear Teeth	A (mm)	L (mm)	d (mm)	H (mm)	D (mm)	e (mm)	Weight (g)
2110210	72	8	140	18.0	5.0	16.5	6.3	40
2110310	72	9	150	19.0	5.2	20.0	6.6	50
2110410	72	10	160	21.8	6.0	22.8	7.0	65
2110510	72	11	165	22.5	6.0	24.0	7.3	70
2110610	72	12	170	23.8	6.5	27.0	7.6	85
2110710	72	13	178	26.0	6.8	28.0	8.0	110
2110810	72	14	190	27.5	7.0	31.0	8.5	120
2110910	72	15	200	29.0	7.5	32.5	9.0	140
2111010	72	16	208	30.0	7.5	34.5	9.5	150
2111110	72	17	228	32.5	7.8	37.0	10.0	180
2111210	72	18	238	33.0	8.0	38.0	10.5	210
2111310	72	19	248	35.0	8.2	41.5	11.0	240
2111510	72	21	288	40.5	10	46.5	13.0	360




双套筒扳手 Double End Socket Wrench

Item No.	A1 (mm)	A2 (mm)	B (mm)	C (mm)	L (mm)	Weight (g)
2245000	6	7	9.3	11.0	186	78.2
2245100	8	9	13.0	14.0	186	85.5
2245300	10	11	14.7	15.9	203	1143
2245700	12	13	17.9	18.9	212	168.4
2246000	14	15	20.0	22.1	249	235.8
2246500	17	19	24.0	25.9	274	382.5




加长双梅花扳手 T-type extended universal socket wrench

Item No.	A1 (mm)	A2 (mm)	B (mm)	C (mm)	B1 (mm)	C1 (mm)	L (mm)	Weight (g)
2242000	8	10	12.2	15.0	7.5	8.5	235	70
2242200	10	12	15.5	18.0	8.4	9.0	290	110
2242400	12	14	21.5	25.0	11.0	12.5	328	190
2242500	13	15	22.0	26.0	11.2	12.6	368	300
2242600	14	17	27.0	27.0	12.0	13.0	388	410
2242700	16	18	24.3	26.7	14.0	15.0	408	500
2243000	19	21	27.8	29.7	15.0	16.0	415	560
2243100	22	24	29.8	32.8	16.0	17.0	430	630




摇头两用棘轮扳手 Flexible Combination Gear Wrench


Item No.	Gear Teeth	A (mm)	L (mm)	d (mm)	D (mm)	E1 (mm)	E2 (mm)	Weight (g)
2114210	72	8	140	19.0	16.5	5.0	6.3	45
2114410	72	10	160	22.0	21.0	5.3	7.0	70
2114610	72	12	170	25.5	25.5	5.6	7.6	95
2114710	72	13	178	26.0	27.5	6.0	8.0	120
2114810	72	14	190	28.5	29.5	6.8	8.5	140
2114910	72	15	200	29.0	31.5	7.0	9.0	160
2115110	72	17	228	32.0	35.5	8.0	10.0	200
2115310	72	19	249	35.0	41.0	8.5	11.0	270



烟斗扳手 L Type Hollow Socket Wrench

Item No.	A1 (mm)	A2 (mm)	D1 (mm)	D2 (mm)	L (mm)	L1 (mm)	Weight (g)
2237600	6	6	11.05	11.05	100.57	80.64	40.7
2237700	7	7	11.11	11.11	100.70	80.78	45.5
2237800	8	8	11.24	11.24	110.30	80.97	63.5
2237900	9	9	11.30	11.30	120.20	90.48	74.7
2238000	10	10	15.00	15.00	127.60	99.80	89.9
2238100	11	11	16.30	16.30	135.40	109.80	107.5
2238200	12	12	17.85	17.85	145.30	111.60	143.9
2238300	13	13	19.40	19.40	151.00	115.00	173.7
2238400	14	14	21.00	21.00	161.00	122.00	216.1





0341000

两用扳手8-19MM Combination wrench set 8-19MM

Item No.	A (mm)	D (mm)	d (mm)	e (mm)	H (mm)	L (mm)	Weight (g)
2210810	8	19.2	12.8	4.5	5.5	120	26
2210910	9	21.2	14.2	4.5	5.9	130	34
2211010	10	23.2	15.6	5.0	6.5	140	36
2211110	11	25.3	16.9	5.4	6.9	150	44
2211210	12	27.2	18.3	5.5	7.3	160	52
2211310	13	29.4	19.7	5.9	7.8	170	63
2211410	14	31.5	21.2	6.2	8.3	180	78
2211510	15	33.2	22.5	6.4	8.6	190	100
2211610	16	34.7	24.0	6.7	8.9	200	110
2211710	17	36.5	25.3	6.9	9.3	210	132
2211810	18	38.7	26.8	7.2	9.9	220	144
2211910	19	40.7	28.1	7.4	10.5	230	154

T型套筒扳手

T-handle Hex Wrench

Item No.	Size (mm)	D (mm)	L (mm)	d (mm)	Weight (g)
1914500	8	196	305	12	62
1914600	9	196	305	14	64
1914700	10	196	305	15	64
1914900	12	196	305	19	68
1915000	13	196	305	20	68
1915100	14	214	326	24	76
1915400	17	220	346	28	82
1915600	19	235	352	31	85

T型万向火花塞扳手

E Type Box End Wrench

Item No.	Size (mm)	Ø (mm)	L1 (mm)	L (mm)	g (g)
7510500	14	10	200	480	420
7515200	16	11	200	481	420

T型加长万向套筒扳手

Item No.	Size (mm)	D (mm)	L (mm)	d (mm)	Weight (g)
1915700	10	175	400	15	388
1915800	12	175	400	16	388
1916000	14	175	400	18.5	388

镜面十字轮胎扳手

Cross Tire Socket Wrench

Item No.	A1 (mm)	A2 (mm)	A3 (mm)	A4 (mm)	D1 (mm)	D2 (mm)	D3 (mm)	D4 (mm)	L1 (mm)	L2 (mm)	Weight (g)
2240110	17	19	21	23	26.3	27.7	30.7	31.6	453	451	1590

活动扳手

Adjustable Wrench

Item No.	Size	Length (mm)	Max Jaw Capacity (mm)	Weight (g)
1911000	6"	150	20mm	133
1911500	8"	200	24mm	320
1911200	10"	250	28mm	450
1911300	12"	300	34mm	700
1911400	15"	380	40mm	1302

油箱盖扳手

Oil cap wrench

Item No.	Qty	L(mm)	H(mm)	Weight (g)
6912200	3PCS	200	110	527.2

后倾角调整扳手

Rear Camber Adjusting Wrench

Item No.	Size	Length(mm)
2511800	120mm	18

4件式油封勾针组

4PCS Stainless O-ring Picker Set

Item No.	Size (mm)	L (mm)	W (mm)	H (mm)	Weight (g)
4213000	直型, 直角, 尖形, 弯勾各1个	130	17.6	17.6	80.5

油封勾针


Stainless O-ring Picker

Item No.	Size (mm)	L (mm)	W (mm)	H (mm)	Weight (g)
4213100	直型x125	130	17.6	17.6	19.5
4213200	直角x125	130	20	17.6	20.5
4213300	尖形x125	130	17.6	17.6	19.8
4213400	弯勾x125	130	17.6	17.6	20.7

方杆

Spinner Handle

Item No.	Size	L (mm)	D1 (mm)	D2 (mm)	Weight (g)
1412510	1/4" x 6"	150	23.6	8.2	88.9




内径: A1
外径: D1

内径: A4
外径: D4

内径: A2
外径: D2

内径: A3
外径: D3



1912501

特长星型扳手 Extra Long Torx Key Set(Tamperproof)

Item No.	Size (mm)	A (mm)	H (mm)	L (mm)	Weight (g)
1912524	T10	2	17	90	5.2
1912525	T15	3	18	100	7.6
1912526	T20	4	19	110	10.8
1912527	T25	4.5	20	126	14.8
1912528	T27	5	21	140	21.6
1912529	T30	6	24	160	37.4
1912530	T40	7.5	26	176	49
1912531	T45	8	32	195	97.2
1912532	T50	10	38	217	165.2

1912502

加长星型扳手 Long Torx Key Set(Tamperproof)

Item No.	Size (mm)	A (mm)	H (mm)	L (mm)	Weight (g)
1912533	T10	2	17	86	4.8
1912534	T15	3	18	90	6.8
1912535	T20	4	19	95	9.2
1912536	T25	4.5	20	100	12.2
1912537	T27	5	21	105	16.2
1912538	T30	6	24	114	27.2
1912539	T40	7.5	26	124	35.4
1912540	T45	8	32	133	68.8
1912541	T50	10	38	152	120.8

1912601

特长球头内六角扳手 Extra Long Ball Point Hex Key Set

Item No.	Size (mm)	A (mm)	H (mm)	L (mm)	Weight (g)
1912627	H1.5	1.5	14	90	1.2
1912628	H2	2	16	100	2.8
1912629	H2.5	2.5	18	112	5.2
1912630	H3	3	20	126	8.6
1912631	H4	4	24	140	17.4
1912632	H5	5	28	160	30.4
1912633	H6	6	32	180	49.8
1912634	H8	8	36	200	98.6
1912635	H10	10	40	224	172.4

1912602

加长球头六角扳手 Long Ball Point Hex Key Set

Item No.	Size (mm)	A (mm)	H (mm)	L (mm)	Weight (g)
1912636	H1.5	1.5	14	75	2
1912637	H2	2	16	80	3
1912638	H2.5	2.5	18	87	4
1912639	H3	3	20	96	7
1912640	H4	4	24	107	13
1912641	H5	5	28	120	24
1912642	H6	6	32	136	39
1912643	H8	8	36	154	79
1912644	H10	10	40	172	140

互换式螺丝起子 Interchangeable screwdriver

Item No.	Size (mm)	B内径 (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4019500	PH2	6.35	15.4	33.9	124	55
	SL5.5	6.35	15.4	33.9	124	55

一字螺丝起子 Slotted Screwdriver

Item No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4010100	SI3x75	0.5	3.0	3	75	23.6	149.7	25
4011500	SL5.5x150	1.0	5.5	5	150	29.35	242.7	60
4011800	SL6x300	1.0	6.0	6	300	34.9	410.2	110

十字螺丝起子 Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4013500	PH1X75	5.0	75	29.4	167.7	50
4014300	PH2X150	6.0	150	34.9	260.2	100
4014600	PH2X300	6.0	300	34.9	410.2	140

一字贯穿螺丝起子 Go-through Slotted Screwdriver






Item No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4012500	6.5x150 mm	1	6.5	6	150	34.9	260.0	150


十字贯穿螺丝起子 Go-through Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4015500	PH3x150	8	150	34.9	275	213

胶扣起子 Track Puller

Item No.	Size (mm)	Tip Size (mm)	L1 (mm)	L (mm)	W (mm)	H (mm)	Weight (g)
4214000	6.35x100L	6.35	100L	210L	32	30	90.5
4214100	8x120L	8.00	120L	240L	35	33	133





一字螺丝起子 Slotted Screwdriver

Item No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4010121	SL3.0x75	0.4	3.2	3	75	24	170	29
4010421	SL5.5x75	0.8	3.2	5	75	31	180	40.5
4010521	SL5.5x100	0.8	5.2	5	100	33	205	58.8
4011221	SL6.5x38	0.8	5.2	6	38	35	148	38.9
4011321	SL6.5x100	0.9	6.3	6	100	35	210	85.1
4011521	SL6.5x150	0.9	6.3	6	150	35	260	96.6
4011721	SL6.5x250	0.9	6.3	6	250	35	360	112.3
4011921	SL8.0x150	0.9	6.3	8	150	35	260	123.5
4012121	SL8.0x300	0.9	6.3	8	300	35	410	127.5

十字螺丝起子 Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4013121	Ph0x75	3	75	24	190	29
4013521	PH1x75	3	75	31	180	40.5
4013621	PH1x100	5	100	33	205	58.8
4014121	PH2x38	5	38	35	133	38.9
4014221	PH2x100	5	100	35	210	85.1
4014321	PH2x150	6	150	35	260	96.6
4014521	PH2 x250	6	250	35	360	112.3
4014821	PH3x150	6	150	35	260	123.5
4015121	PH3x300	6	300	35	410	127.5

一字贯穿螺丝起子 Go-through Slotted Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4013000	10x300	10	300	35	50	374

十字贯穿螺丝起子 Go-through Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4015900	PH4x300	10	300	35	50	380

一字螺丝起子 Slotted Screwdriver

Item No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4010120	SL3.0x75	0.4	3.2	3	75	24	170	29
4010420	SL5.0x75	0.8	3.2	5	75	31	180	40.5
4010520	SL5.0x100	0.8	5.2	5	100	33	205	58.8
4011220	SL6.0x38	0.8	5.2	6	38	35	148	38.9
4011320	SL6.0x100	0.9	6.3	6	100	35	210	85.1
4011520	SL6.0x150	0.9	6.3	6	150	35	260	96.6
4011720	SL6.0x250	0.9	6.3	6	250	35	360	112.3
4011920	SL8.0x150	0.9	6.3	8	150	35	260	123.5
4012120	SL8.0x300	0.9	6.3	8	300	35	410	127.5

十字螺丝起子 Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4013520	PH1x75	3	75	31	180	40.5
4013620	PH1x100	5	100	33	205	58.8
4014120	PH2x38	5	38	35	133	38.9
4014220	PH2x100	5	100	35	210	85.1
4014320	PH2x150	6	150	35	260	96.6
4014520	PH2 x250	6	250	35	360	112.3
4014820	PH3x150	6	150	35	260	123.5
4015120	PH3x300	6	300	35	410	127.5

十字螺丝起子 Phillips Screwdriver






Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4012202	PH1X100	5	100	31	203	58.8
4012203	PH2X38	6	38	33	105	38.9
4012204	PH2X100	6	100	35	215	85.1
4012205	PH2X150	6	150	35	265	96.6
4012206	PH2X200	6	200	35	315	110.7
4012207	PH2X300	6	300	35	415	127.5


一字贯穿螺丝起子 Go-through Slotted Screwdriver

Item No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4012710	SL8X200	1.6	8	8	200	39.5	323	300

十字贯穿螺丝起子 Go-through Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4015410	PH2X150	6	150	35	267	184.1
4015610	PH3X200	8	200	39.5	323	300





星型螺丝起子 Torx Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4017210	T8x100	4	100	24	197	34.1
4017410	T10x100	4	100	24	197	34.4
4017510	T15x100	4	100	24	197	34.7
4017710	T25x125	5	125	31	203	75.8
4017810	T27x150	6	150	31	253	77.4

一字贯穿螺丝起子 Go-through Slotted Screwdriver

Item No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4012310	SL6X100	1.2	1.2	1.6	1.6	6.5	6.5	8
4012320	SL6X150	8	6	6	8	8	100	150
4012710	SL8X200	200	300	35	35	39.5	39.5	217
4012810	SL8X300	267	323	423	169.6	184.1	300	345

十字贯穿螺丝起子 Go-through Phillips Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4015360	PH2X100	6	100	35	217	169.6
4015411	PH2X150	6	150	35	267	184.1
4015611	PH3X200	8	200	39.5	323	300

星型螺丝起子 Torx Screwdriver

Item No.	Size (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
4017200	T8	4	100	24	197	34.1
4017400	T10	4	100	24	197	34.4
4017500	T15	4	100	24	197	34.7
4017600	T20	4	100	24	197	35
4017700	T25	5	125	31	203	75.8
4017800	T27	6	150	31	253	77.4
4017900	T30	6	150	31	253	77.7
4018000	T40	6	150	31	253	78
4017601	T20	4	300	24	197	67.7
4017701	T25	5	300	31	203	105.8
4017801	T27	6	300	31	253	107.9
4017911	T30	8	300	31	253	121.5

4件式油封勾针组 4PCS Stainless O-ring Picker Set

Item No.	Size (mm)	Weight (g)
4213500	直型, 直角, 尖形, 弯勾各1个	80.5

油封勾针 Stainless O-ring Picker

Item No.	Size (mm)	Weight (g)
4213600	直型x160	19.5
4213700	直角x160	20.5
4213800	尖形x160	19.8
4213900	弯勾x160	20.7

倍力拉钉枪 Pneumatic-hydraulic Blind Rivet Gun

Item No.	最大拉铆力 Max Pull Force	最大力臂倍数 Max Multiple of Arm Force	加工能力 Processing capacity	L (mm)	H (mm)	Weight (g)
3614600	10000N	30	2.4~6.4mm	380mm	40mm	1.2kg

功能特点

- ※手动调节式圆形滚花套筒设计拆卸方便, 无需借助工具紧固。
- ※4.3mm加厚热处理手柄; 防震设计, 消除操作时铆枪对手臂的震动。
- ※滚花导嘴配在集钉瓶底盖上, 节约空间方便取用。
- ※集钉瓶设计, 可回收钉芯及保持环境清洁。
- ※适用铆接Φ2.4mm、Φ3.2mm、Φ4.0mm、Φ4.8mm、Φ6.4mm所有材料的铆钉。
- ※可铆接铝、铁、铜、不锈钢等多种材质的铆钉, 有拉花、鼓型、自锁、开口、闭口、等多种铆钉类型

Features

- ※Manual adjustable round knurled sleeve design, easy to disassemble and fasten without tools
- ※4.3mm thickened heat treatment handle, shockproof design eliminating the vibration of the rivet gun to the arm during operation.
- ※Knurled tip mounted on nail bottle's bottom cover, space-saving and accessible.
- ※Nail bottle design for rivet core collection and enviromental cleaning.
- ※Available for riveting Φ2.4mm, Φ3.2mm, Φ4.0mm, Φ4.8mm and Φ6.4mm rivets made of all materials.
- ※Available for riveting wide range of rivet materials like aluminium, ron, copper, stainless steel and wide range of blind rivet types like peel type, multi-grip, self-locking, open end and closed end.



倍力铆螺母枪 Pneumatic-hydraulic Rivet Nut Gun

Item No.	最大拉铆力 Max Pull Force	最大力臂倍数 Max Multiple of Arm Force	加工能力 Processing capacity	L (mm)	H (mm)	Weight (g)
3614700	12000N	45	M3~M12mm	390mm	40mm	1.3kg

功能特点

- ※适用于M3~M12各种材质的铆螺母的铆接, 可铆接公制、英制、美制等多种螺母大小。
- ※全新式固定套筒设计, 免调节工作行程, 适用各种铆接作业。
- ※联动式手柄设计, 双手不离手柄, 打开可自动退枪, 操作方便, 使用简单。
- ※故障孔设计,方便从被卡死的螺母中退出。
- ※4.3mm加厚热处理手柄; 防震设计, 消除操作时铆枪对手臂的震动。
- ※铆完螺母后, 可以自动从螺母里退出, 无须旋出。

Features

- ※Available for riveting M3~M12 rivet nuts made of various materials and in various sizes in Metric, BS and ANSI standards.
- ※New fixed sleeve design, free from adjustment of working stroke, available for all kinds of riveting operations. Linked handle design with both hands on the handle, retracting the gun automatically when it turns on, convenient operation and easy usage.
- ※Fault hole design, easy to exit from the jammed nut.
- ※4.3mm thickened heat treatment handle, shockproof design eliminating the vibration of the rivet gun to the arm during operation.
- ※Exiting from the rivet nuts automatically without screwing out after riveting.




扳手 Wrench



F 杆 Flex Handle

Item No.	Square Drive	L (mm)	W (mm)	H (mm)	Weight (g)
1910011	1/4"	138	14	20	110
1910020	3/8"	243	23	16	270
1910030	1/2"	250	29	19	510
1910031	1/2"	458	30	19	810



3/4"快速脱落棘轮扳手 3/4"Flexible High Torque Ratchet Handle

Item No.	Drive	Teeth	Torque	Weight(g)
1020040	3/4"	24	1412N/M	2.73KG



链条扳手 Chain Wrench

Item No.	Size	Long (mm)
1911600	15寸	375(mm)



摇头棘轮扳手 Flexible ratchet handle

Item No.	Torque Tange	Square Drive	Teeth	Graduation (N.m)	Length (mm)	Width (mm)	Weight (g)
2016125	20-100N.m	1/2"DR	48T	0.5	457	40.1	1250

数显扭力显示器 Digital Torque Adapter

Item No.	Torque Range	Square Drive
2015201	6.8~135N.m	3/8"
2015202	10~200N.m	1/2"
2015203	17~340N.m	1/2"



迷你棘轮扳手 Mini ratchet handle

Item No.	Drive	Weight(g)
2012010	1/4"	226
2012020	3/8"	108



指针式扭力扳手 Pointer torque wrench

Item No.	Specification	size	L(mm)
2018130	0-200N.m	1/2" 12.5mm	483mm
2018030	0-300N.m	1/2" 12.5mm	483mm

功能特点

- ※ 刚性强，高扭力，不易变形
- ※ 头部高频淬火处理，更加耐磨
- ※ 抗油污墨印刷，指数清晰，指针式扭力指示更直观

Features

- ※ Strong rigidity, high torque, not easy deformation
- ※ High frequency head quenching treatment, more wear – resistantHead high
- ※ frequency quenching treatment, more wear-resisting anti-oil ink printing, clear index, pointer torque indicator more intuitive



L型伸缩轮胎扳手三件套 3PCS L type extension tire wrench set

Item No.	Specification	Size
2512000	300-380mm	1/2"



72T专业级棘轮扳手

72T Professional Ratchet Handle



- ※超薄头部设计，在狭窄空间更容易操作；
- ※具有换向拨片设计；
- ※带快脱设计；
- ※Ultra-thin head design for easier operation in narrow spaces.
- ※Switch paddle Design.
- ※Quick release function.

功能特点

- ※主体为铬钒钢热锻造，扭力头为铬钼钢
- ※扭力头和主体经过专业淬火处理
- ※72T设计、每齿5°、转动操作更快速
- ※双色防滑带悬挂孔握把，使用更安全收纳更方便
- ※电水银雾表面处理，表面细致质感更好
- ※最大扭矩超过130%德国DIN标准

Features

- ※Main body is hot forging of CR-V steel, square drive material is CR-MO.
- ※Square driver and main body are heat treated by a professional heat treatment plant
- ※72 Teeth Design, 5° per tooth, faster rotation and operation
- ※Two-tone anti-slip with hanging hole handle grip, for safety use and storage easier
- ※Matted Finished threarmnt surface is finer and better.
- ※Maximum forque exceeds 130% German DIN standard.

Item No.	Drive	Teeth	L (mm)	W (mm)	H (mm)	Weight (g)
2010110	1/4"	72	145	25	23.5	110
2010120	3/8"	72	200	31	29.5	220
2010130	1/2"	72	250	41	37	490



工业级扭力扳手


Industrial level torque wrench



功能特点

- ※1. 精度为正负3%，符合DIN EN ISO6789 与 ASME b107.3300-2010质量要求
- ※2. 72齿双方向片结构，可以在5度的狭窄空间操作
- ※3. 正反转都有坚固的棘轮结构，扭力调节定位设计可靠
- ※4. 产品有独立序号与对应的校验报告
- ※5. 止滑手柄设计，握感符合人体工学设计

Item No.	Torque Range	Teeth	Square Drive	Length (mm)	Accuracy
2014516	5-25Nm	72	1/4"	247	± 3%
2014126	5-25Nm	72	3/8"	247	± 3%
2014026	10-60Nm	72	3/8"	309	± 3%
2014036	10-60Nm	72	1/2"	309	± 3%
2014037	10-100Nm	72	1/2"	405	± 3%
2014038	20-200Nm	72	1/2"	514	± 3%
2014039	40-340Nm	72	1/2"	604	± 3%



可调式扭力扳手

Adjustable torque wrench



激光雷射扭力刻度,扭力值清晰,扭力调整更准确

功能特点

- ※金属本体结构,全硬化热处理,紧固扭力精准度误差小于4%
- ※工程塑胶PC手柄,轻量化、耐油且防摔,不会变形卡死
- ※45齿双方向片棘轮结构,只需要8度的操作角度
- ※铝合金缩紧扣环,激光刻度清晰,微调定位直观且精准
- ※喷塑雾面镀铬设计,工作灯照明下不炫目,符合汽修特性
- ※双重到达扭力提醒:触感与“咔哒”响声
- ※独立序列号与出厂校校正检查报告,符合连锁提醒管理需求
- ※产品符合 DIN ISO6789 与 ASME B107.14 国际规范

Item No.	Torque Range	Teeth	Square Drive	Accuracy
2014510	3-15Nm	72	1/4"	±4%
2018325	5-25Nm	72	1/4"	±4%
2017121	10-60Nm	72	3/8"	±4%
2017122	20-100Nm	72	3/8"	±4%
2018335	25-125Nm	72	3/8"	±4%
2017131	10-110Nm	72	1/2"	±4%
2017132	30-210Nm	72	1/2"	±4%
2017133	60-330Nm	72	1/2"	±4%

加长型轮胎专用扭力扳手

Extended tires torque wrench



激光雷射扭力刻度,扭力值清晰,扭力调整更准确

功能特点

- ※工业级加长柄扭力扳手,特别针对轮胎扭力调校设计
- ※金属本体结构,全硬化热处理,紧固扭力精准度误差小于3%
- ※加厚铝合金手柄,轻量化且耐油,不会变形卡死
- ※48齿双方向片棘轮结构,只需要7.5度的操作角度
- ※金属缩紧扣环,激光刻度清晰,微调定位直观且精准
- ※雾面镀铬设计,工作灯照明下不炫目,符合汽修特性
- ※双重到达扭力提醒:触感与“咔哒”响声
- ※独立序列号与出厂校校正检查报告,符合连锁提醒管理需求
- ※产品符合 DIN ISO6789 与 ASME B107.14 国际规范

Item No.	Torque Range	Teeth	Square Drive	Length (mm)	Accuracy	Weight (g)
2014032	40-200N.m	72	1/2"	610	±1%	1973

扭力换算表

	N.cm	N.m	Ozf.in	Lbf.in	Lbf.ft	Kgf.cm	Kgf.m
1 N.cm	1	0.010	1.416	0.0880	0.007	0.102	0.0010
1 N.m	100.000	1	141.600	8.8510	0.738	10.200	0.1020
1 Lbf.in	0.706	0.070	1	0.0625	0.005	0.072	0.0007
1 Ozf.in	11.300	0.113	16.000	1	0.083	1.152	0.0115
1 Lbf.ft	135.600	1.356	192.000	12.000	1	13.830	0.1380
1 Kgf.cm	9.807	0.098	13.890	0.868	0.072	1	0.0100
1 Kgf.m	980.700	9.807	1,389.000	86.800	7.233	100.000	1

绝缘扭力扳手 1000V Insulated Torque Wrench



功能特点

- ※ 绝缘扭力扳手可承受1000V电压, 可以再高压电缆工作避免触电
- ※ 扳手整体包裹有硬质绝缘, 有效防止在带电流情况操作触电
- ※ 精度为 $\pm 4\%$, 质量符合 DIN EN ISO6789 和 ASME b107.3300-2010

Features

- ※ The insulated torque wrench can withstand 1000V voltage, can work with high voltage cable to avoid electric shock.
- ※ The wrench is wrapped with hard insulation to prevent electric shock during operation.
- ※ The accuracy is $\pm 4\%$, and the quality meet DIN EN ISO6789 & ASME b107.3300-2010.

Item No.	Torque Range	Square Drive	Teeth	Graduation (N.m)	Length (mm)	Width (mm)	Weight (g)
2016025	5~25N.m	3/8"DR	48T	0.1 N.m	370	40.1	1000
2016125	20~100N.m	3/8"DR	48T	0.5 N.m	457	40.1	1250
2016015	20~100N.m	1/2"DR	48T	0.5 N.m	620	40.1	1957

工业级数显扭力扳手 Industrial Digital Torque Wrench



功能特点

- 精度: 顺时针: $\pm 1.5\%$ 逆时针: $\pm 2.5\%$
- 操作温度: $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
- 保存温度: $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$
- 湿度: 无凝露可到 90%
- 电池寿命(待机): 1 年
- 电池寿命(持续): 110 小时
- 掉落测试: 1m
- 振动测试: 10G
- 耐久度: 10000 次
- 环境试验: 通过
- EMC试验: 通过

Features

- Accuracy C.W.: $\pm 1.5\%$, C.C.W.: $\pm 2.5\%$
- Operating Temperature: $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
- Storage Temperature: $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$
- Humidity: Up to 90% non-condensing
- Battery Life(standard mode): 1 year
- Battery Llife (continuous operation): 110 hrs.
- Drop Test: 1m
- Shaking Test: 10G
- Service life test: 10000 cycles
- Environmental test: PASS
- EMC test: PASS

Item No.	Torque Range	Square Drive	Teeth	Length (mm)	Width (mm)	Weight (g)
2015010	1.5~30N.m	1/4"	72	410	37	720
2015020	6.8~135N.m	3/8"	72	434	37	890
2015030	10~200N.m	1/2"	72	565	40	1.3
2015031	17~340N.m	1/2"	24	666	40	1420
2018365	17~340N.m	1/2"	24	666	10	1420
2015040	100~600N.m	3/4"	24	940	63.6	3800
2015041	100~1000N.m	3/4"	24	1235	63.6	4800

工业级扭力扳手

Industrial Level Torque Wrench

耐用的棘轮头部, 64T 和 32T 结构
棘轮修理包可供购买替换
Durable ratchet head with 64T & 32T structure.
Ratchet Head Repair kit available

双刻度, 容易在 N.m 和 Ft-lb 两种刻度间使用
精确的刻度可达到精确的扭矩设定
Dual scale, easy to use between N.m and Ft-lb two units.
Fine graduation for accurate torque setting.

防滑铝合金握把带阳极处理
重量轻
Non-slip with anodic aluminum knurled handle design.
Light Weight



带快脱, 方便套筒更换
Push quick release allow easy socket switching.

拉下拉环可以轻松调整扭力
自动锁定扭力避免意外更改设定
Easy torque adjustment by pull down the Lock-ring.
Automatically lock device to avoid accidentally altering setting.



- 功能特点**
- ※ 用于正反转操作的坚固棘轮机构, Click type 和工业级设计
 - ※ 计算机校验系统校验, 每把扭力扳手都有序号, 校验报告和使用说明书
 - ※ 精度为 $\pm 3\%$ 的质量符合 DIN EN ISO6789 和 ASME b107.3300-2010

- Features**
- ※ Robust ratchet mechanism for C.W. & C.C.W. operation. Click type and industrial application.
 - ※ Calibrate with computer calibration equipment. Each piece have a serial number, calibration certificate and user manual.
 - ※ The accuracy is $\pm 3\%$. Quality meet DIN EN ISO6789 & ASME b107.3300-2010



Item No.	Torque Range	Teeth	Square Drive	Graduation (N.m)	Length (mm)	Accuracy	Weight (g)
2014011	1 ~ 6N.m / 11.1~50.9 In-lb	64	1/4"	0.05	310	$\pm 3\%$	300
2014120	5~25N.m / 53~212 In-lb	64	3/8"	0.2	248	$\pm 3\%$	340
2014220	10~60N.m/9.2~42.4In-lb	32	3/8"	0.5	370	$\pm 3\%$	840
2014020	20~100N.m / 16.6~71.9Ft-lb	32	3/8"	0.5	433	$\pm 3\%$	1020
2014030	40~200N.m / 33~144Ft-lb	32	1/2"	1	530	$\pm 3\%$	1650
2014031	60~340N.m / 52~243Ft-lb	32	1/2"	2	610	$\pm 3\%$	1800

检测设备 Test Device



火花塞专用工具套装

Spark plug torque wrench set



火花塞的安装方法

- ※ 根据火花塞螺纹直径的不同, 所需扭矩也会不同。
- ※ 安装角度: 无论产品新旧, 一律转动1/16圈
- ※ 安装火花塞时首先用手将火花塞选择拧上, 直至碰到密封胶圈, 然后使用扭矩扳手按照下述扭矩按照。

Item No.	2017126
火花塞螺纹直径	安装扭矩
18mm	35~40Nm(3.5~4.0kg.m)
14mm	25~30Nm(2.5~3.0kg.m)
12mm	15~50Nm(1.5~2.0kg.m)
10mm	10~12Nm(1.0~2.0kg.m)

锥形式 (没有密封垫圈的火花塞)

安装扭矩	10~20Nm(1.0~2.0kg.m)
------	----------------------



燃油卡簧钳 Fuel clamp pliers

Item No.	L (mm)	Weight
3713300	220	233

卡箍钳 Clamp pliers

Item No.	L(mm)	Weight(g)
3713000	210	219



汽车卡扣钳 Car clamp pliers

Item No.	L(mm)	Material
3810800	175	Alloyed tool steel

异形钳 Pipe separating pliers

Item No.	L (mm)	Weight (g)	Material
3713100	200	185	合金钢



专利大开口鲤鱼钳 Slip Joint Plier with Pat

Item No.	Size	L (mm)	Weight (g)
3514010	8"	228	354

管钳 Pipe wrench

Item No.	Size	长度(mm)	最大夹持(mm)
3810000	8"	200	35
3810100	10"	250	48
3810200	12"	300	60



自动剥线钳 Automatic wire stripper

Item No.	Size	L (mm)	Weight (g)	Material
3517100	8"	210	315	高碳钢 High carbon steel

水汞钳 Water Pump Plier

Item No.	Size	L (mm)	Weight (g)
3514800	10"	249	393



顶切钳 End Cutting Nipper

Item No.	Size	长度(mm)	材质
3515400	8"	200	高碳钢





德式钢丝钳 German Type Combination Pliers

Item No.	Size	L (mm)	Material
3510001	6"	160	Cr-Ni
3510201	8"	200	Cr-Ni




德式斜口钳 German Type Diagonal Pliers

Item No.	Size	L (mm)	Material
3513001	6"	160	Cr-Ni




尖嘴钳 Long Nose Pliers

Item No.	Size	L (mm)	Material
3512001	6"	160	Cr-Ni
3512101	8"	200	Cr-Ni




加长型尖嘴钳 Extra Long Nose Plier

Item No.	Size	L (mm)	Material
3512402	11"(45度)	286	Cr-V
3512403	11"(0度)	286	Cr-V



内直卡簧钳 Internal Straight Circlip Pliers

Item No.	Size	L (mm)	Material
3410201	5"	125	Cr-V
3411801	7"	180	Cr-V
3412600	9"	228	Cr-V



内弯卡簧钳 Internal Curved Circlip Pliers

Item No.	Size	L (mm)	Material
3410301	5"	125	Cr-V
3411901	7"	180	Cr-V
3512700	9"	228	Cr-V


外弯卡簧钳 External Curved Circlip Pliers

Item No.	Size	L (mm)	Material
3410101	5"	125	Cr-V
3411701	7"	180	Cr-V



外直卡簧钳 External Straight Circlip Pliers

Item No.	Size	L (mm)	Material
3410001	5"	125	Cr-V
3411601	7"	180	Cr-V



航空剪 Aviation Tin Snips

Item No.	Size	L (mm)	Type	Weight (g)
4610201	10	250	直口 Straight Cut	410



航空剪 Aviation Tin Snips

Item No.	Size	L (mm)	Type	Weight (g)
4610200	10"	250	左弯 Left Cut	407



航空剪 Aviation Tin Snips

Item No.	Size	L (mm)	Type	Weight (g)
4610202	10"	250	右弯 Right Cut	408



加长直口航空剪 Long Nose Aviation Tin Snips

Item No.	Size	L (mm)	Type	Weight (g)
4610203	10"	250	加长直口 Long Nose Straight Cut	435

功能特点

- ※ 选用优质60CR-V材料
- ※ 产品头部整体硬度44-48 HRC
- ※ 产品刃口硬度58-62 HRC
- ※ 可剪切冷轧钢板厚度1.2mm
- ※ 可剪切不锈钢板厚度0.8mm
- ※ 钳头带齿设计, 刃口剪切平整省力,同时防止打滑





J型钣金大力钳 J-Type Axial Locking Pliers

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614003	210	0-14	475

- ※J型夹具U形型材或相邻的点。
- ※即使通过孔也可以在狭窄的地方工作。
- ※适用于中央后端部件，后侧板和折迭金属板。汽车车身焊接车库维修工作。
- ※镀镍表面处理和电沉积涂层。
- ※J-type clamps U-shaped profiles or adjacent points.
- ※Enables to work in tight spots even through holes.
- ※For use on center rear-end parts, rear side panels and folded sheet metals.
- ※Auto-body welding garage repair work.
- ※Nickel plated finish and electrode position coating.

L型钣金大力钳 L-Type Axial Locking Pliers

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614004	195	0-15	430

- ※L型夹具两个搭接接头。
- ※特别适合在狭窄区域工作。
- ※用于门开口，下中心后端部件，车轮拱门和问题区域。
- ※汽车车身焊接车库维修工作。
- ※镀镍表面处理和电沉积涂层。
- ※L-type clamps two lap joints.
- ※Especially suitable for work in narrow areas.
- ※For use on door openings, lower center rear-end parts, wheelarches and problem areas.
- ※Auto-body welding garage repair work.
- ※Nickel plated finish and electrode position coating.

T型钣金大力钳 T-Type Axial Locking Pliers

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614005	194	0-12	490

- ※T型夹具两个厚度相等的金属片，间距为90°。
- ※一个操作员可以轻松高效地工作。
- ※汽车车身焊接车库维修工作。
- ※镀镍表面处理和电沉积涂层。
- ※T-type clamps two sheet metal pieces of equal thickness at 90°.
- ※Enable easily work by one operator with efficiency.
- ※Auto-body welding garage repair work.
- ※Nickel plated finish and electrode position

焊接钣金大力钳 Plugweld Pliers With Pad

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614006	240	0-80	440

- ※铜合金滚花旋转垫：
- ※当焊接薄金属板时，防止燃烧。
- ※焊缝不粘铜，铜可以快速冷却焊缝。
- ※U形移动钳口：提供现场周围的压力焊接得当。
- ※镀镍表面处理和电沉积涂层。
- ※Copper alloy knurled swivel pad:
- ※Prevent burning through when plugwelding thin sheet metal.
- ※Weld does not stick to copper. Copper allows quick cooling of weld.
- ※U-shaped mobile jaw: provide pressure around the spot to bewelded properly.
- ※Finish : jaw-electrode position coating ; body-nickel plated.

W型钣金大力钳 W-Type Axial Locking Pliers

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614000	200	0-12	550

- ※T型夹，夹紧两个厚度相同的金属片，间距为90°。
- ※一个操作员可以轻松高效地工作。
- ※汽车车身焊接，车库维修工作。
- ※镀镍表面处理和电沉积涂层。
- ※W-type provides four spot welds continued and aligned without tool removal.
- ※For use on door openings, side panels, lap joints and folded sheet metals.Auto-body, welding, garage repair work.
- ※Nickel plated finish and electrode position coating.

JJ型钣金大力钳 JJ-Type Axial Locking Pliers

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614001	230	0-10	560

- ※JJ型夹具两个法兰环，“Z形”型材或相邻点。
- ※钳口之间的焊接。
- ※适用于中心后端部件，侧板和折叠金属板。
- ※汽车车身，焊接，车库维修工作。
- ※镀镍表面处理和电沉积涂层。
- ※JJ-type clamps two flanged laps, “Z-shapped” profiles or adjacent points.
- ※Plug welding between the jaws.
- ※For use on center rear-end parts, side panels and folded sheet metals.
- ※Auto-body, welding, garage repair work.
- ※Nickel plated finish and electrode position coating.

LL型钣金大力钳 LL-Type Axial Locking Pliers

Item No.	Length (mm)	Jaw Adjustment (mm)	Weight (g)
3614002	213	0-10	510


- ※LL型夹具U形型材或相邻点。
- ※即使通过孔也可以在狭窄的地方工作和钳口之间的焊接。
- ※用于门坎、轮拱、侧板和折叠金属板。
- ※汽车车身，焊接，车库维修工作。
- ※镀镍表面处理和电沉积涂层。
- ※LL-type clamps U-shaped profiles or adjacent points.
- ※Enables to work in tight spots even through holes.
- ※Plug welding between the jaws.
- ※For use on door sills, wheel arches, side panels and folded sheet metals.
- ※Auto-body, welding, garage repair work.
- ※Nickel plated finish and electrode position coating.





铁皮剪 Berlin Pattern Snips

Item No.	Size	L (mm)	Type	Weight (g)
4610101	8"	200	直口 Straight	250



铁皮剪 Metal Scissors

Item No.	Size	L (mm)	Type	Weight (g)
4610100	8"	210	弯嘴 Bent nose	163



喉式管束钳 Curved Type Tube Clamp

Item No.	Size	L (mm)	Weight (g)
3712500	8"	225	267
3710600	8"(45°)	250	284



可弯式管束钳 Hose Clamp Plier

Item No.	Max Camp Capacity (mm)	Weight (g)
3710000	55	696



长嘴气门油封拉拔器 Valve Stem Seal Pliers

Item No.	Size (inch)	Length (mm)	Weight (g)
3710900	10"	255	300

平口封管钳 Flat sealing pliers

Item No.	(Inch)	Max Jaw Capacity
3713400	8"	20mm
3713500	10"	26mm



自动圆口大力钳 Automatic Curved Jaw Locking Pliers

Item No.	Size (inch)	Jaw Adjustment (mm)	Length (mm)	Weight (g)
3614100	6"(150mm)	0-28	125	325.5
3614101	10"(250mm)	0-27	250	619.5



自动C型大力钳 Automatic C-Clamp Locking Pliers

Item No.	Size (inch)	Max Jaw Capacity (mm)	Length (mm)	Weight (g)
3614200	7"	0-62	150	367.4



自动尖嘴大力钳 Automatic Long Nose Locking Pliers

Item No.	Size (inch)	Max Jaw Capacity (mm)	Length (mm)	Weight (g)
3614500	7"	55	150	287.5





宝马一代-轮毂防盗螺丝套筒 BMW Gen-I Wheel Lug Anti-Theft Nuts Socket

Item No.	Size	Qty
7510001	#30(13PT)	1PC
7510002	#31(15PT)	1PC
7510003	#32(16PT)	1PC
7510004	#33(17PT)	1PC
7510005	#34(18PT)	1PC
7510006	#35(19PT)	1PC
7510007	#36(20PT)	1PC
7510008	#37(21PT)	1PC
7510009	#38(22PT)	1PC
7510010	#40(23PT)	1PC

宝马二代-20件轮毂防盗螺丝套筒组 BMW 20PCS Gen-II Wheel Lug Anti-Theft Nuts Socket Set

Item No.	Size	Qty
7510200	#41~#60	1SET

宝马二代-轮毂防盗螺丝套筒 BMW Gen-II Wheel Lug Anti-Theft Nuts Socket

Item No.	Size	Qty
7510201	#41	1PC
7510202	#42	1PC
7510203	#43	1PC
7510204	#44	1PC
7510205	#45	1PC
7510206	#46	1PC
7510207	#47	1PC
7510208	#48	1PC
7510209	#49	1PC
7510210	#50	1PC
7510211	#51	1PC
7510212	#52	1PC
7510213	#53	1PC
7510214	#54	1PC
7510215	#55	1PC
7510216	#56	1PC
7510217	#57	1PC
7510218	#58	1PC
7510219	#59	1PC
7510220	#60	1PC



奥迪-20件轮毂防盗螺丝套筒组 AUDI 20PCS Wheel Lug Anti-Theft Nuts Socket Set

Item No.	Size	Qty
7510400	#A~#X	1SET

奥迪-轮毂防盗螺丝套筒 AUDI Wheel Lug Anti-Theft Nuts Socket

Item No.	Size	Qty
7510401	#A	1PC
7510402	#B	1PC
7510403	#C	1PC
7510404	#D	1PC
7510405	#E	1PC
7510406	#F	1PC
7510407	#G	1PC
7510408	#H	1PC
7510409	#J	1PC
7510410	#L	1PC
7510411	#M	1PC
7510412	#N	1PC
7510413	#O	1PC
7510414	#P	1PC
7510415	#R	1PC
7510416	#S	1PC
7510417	#T	1PC
7510418	#V	1PC
7510419	#W	1PC
7510420	#X	1PC



大众-20件轮毂防盗螺丝套筒组 VW 20PCS Wheel Lug Anti-Theft Nuts Socket Set

Item No.	Size	Qty
7510600	#A~#X	1SET

大众-轮毂防盗螺丝套筒 VW Wheel Lug Anti-Theft Nuts Socket

Item No.	Size	Qty
7510601	#21	1PC
7510602	#22	1PC
7510603	#23	1PC
7510604	#24	1PC
7510605	#25	1PC
7510606	#26	1PC
7510607	#27	1PC
7510608	#28	1PC
7510609	#29	1PC
7510610	#30	1PC
7510611	#31	1PC
7510612	#32	1PC
7510613	#33	1PC
7510614	#34	1PC
7510615	#35	1PC
7510616	#36	1PC
7510617	#37	1PC
7510618	#38	1PC
7510619	#39	1PC
7510620	#40	1PC





保时捷-20件轮毂防盗螺丝套筒组
PORSCHE 20PCS Wheel Lug Anti-Theft Nuts Socket Set

Item No.	Size	Qty
7510800	#50~#69	1SET

保时捷-轮毂防盗螺丝套筒
PORSCHE 20PCS Wheel Lug Anti-Theft Nuts Socket Set

Item No.	Size	Qty
7510801	#50	1PC
7510802	#51	1PC
7510803	#52	1PC
7510804	#53	1PC
7510805	#54	1PC
7510806	#55	1PC
7510807	#56	1PC
7510808	#57	1PC
7510809	#58	1PC
7510810	#59	1PC
7510811	#60	1PC
7510812	#61	1PC
7510813	#62	1PC
7510814	#63	1PC
7510815	#64	1PC
7510816	#65	1PC
7510817	#66	1PC
7510818	#67	1PC
7510819	#68	1PC
7510820	#69	1PC



奔驰-轮毂防盗螺丝套筒组 BENZ 12PCS Wheel Lug Anti-Theft Nuts Socket Set

Item No.	Size	Qty
7511000	5D~5E含顶杆,套筒	1SET

奔驰-轮毂防盗螺丝套筒 BENZ Wheel Lug Anti-Theft Nuts Socket

Item No.	Size	Qty
7511001	5D	1PC
7511002	5N	1PC
7511003	5G	1PC
7511004	5F	1PC
7511005	5X	1PC
7511006	5L	1PC
7511007	5C	1PC
7511008	5A	1PC
7511009	5P	1PC
7511010	5E	1PC
7511011	顶杆	1PC
7511012	套筒	1PC

16件气动刹车分泵更换组套 16PCS Air powered brake caliper wind back tool set

Item No.	Size	Qty
2910100	#2	1PC
	#3	1PC
	#4	1PC
	#5	1PC
	#6	1PC
	#7	1PC
	#8	1PC
	#9	1PC
	#0	1PC
	#E	1PC
	#F	1PC
	#N	1PC
	#M	1PC
	#K	1PC



21刹车分泵调整器组套 21PCS Manual Brake caliper wind back kit


Item No.	Model	Qty
2910200	左旋与右旋调整器各1个 left and right hand reverser adjuster x 1 pc each. (#LH、#RH)	2pcs
	调整片共19片 Adjustment disks x 19PCS (#1、#2、#3、#4、#5、 #6、#7、#8、#9、#0、#K1 、#K2、#K3、#A、#E、 #F、#M、#N、#O)	19pcs



强磁油底壳螺丝松脱器 Magnetic drain plug tool

Item No.	Length(mm)	Qty
7432021	335	52
7432022	200	101






16件破坏套筒组套 16PCS Twist socket set

Item No.	D(mm)	S(mm)	L(mm)
7512724	1/4"	6	32
	1/4"	8	32
	1/4"	10	32
	1/4"	11	32
	1/4"	12	32
	1/2"	13	34
	1/2"	14	34
	1/2"	15	34
	1/2"	17	34
	1/2"	19	34
	1/2"	21	34
	1/2"	24	34
	1/2"	27	34

21件破坏套筒组套 21PCS Twist socket set

Item No.	D(mm)	S(mm)	L(mm)
7512725	1/2"	6	38
	1/2"	7	38
	1/2"	8	38
	1/2"	9	38
	1/2"	10	38
	1/2"	11	38
	1/2"	12	38
	1/2"	13	38
	1/2"	14	38
	1/2"	15	38
	1/2"	16	38
	1/2"	17	38
	1/2"	18	38
	1/2"	19	38
	1/2"	20	38
	1/2"	21	38
	1/2"	22	38
	1/2"	24	38
	1/2"	27	38



5件套细牙断丝取出器 5pcs Screw Extractor Set

Item No.	Name	Dia(mm)	L(mm)	Screw Dia (mm)	Dirve (mm)	App (mm)
4021000	1#	4.0	52/16mm	3.4-4.2	3.4	3-6
	2#	4.5	58/20mm	3.4-4.8	3.6	6-8
	3#	6.5	65/28mm	4.4-4.8	5.3	8-11
	4#	7.5	75/30mm	5.3-7.3	6.35	11-14
	5#	11.0	82/32mm	7.4-10.3	8.6	14-18



6件套细牙断丝取出器 6pcs Screw Extractor Set

Item No.	D (mm)	Range
4021100	4	3-6
	4.5	6-8
	6.5	8-11
	7.5	11-14
	11	14-18
	15	18-25



3/8"20件套油底壳螺丝组 3/8" 20PCS Oil Screw Socket Set

Item No.	Size	Qty
7432000	S7~XS10	1SET

六角套筒: 8、9、10、12、10、13、14、17 mm
 四角套筒: 5/16"、3/8"、7、8、10、11、12、13、14 mm
 星型套筒: T45
 三角形套筒: 10 mm
 12角圆孔套筒: M16
 四方孔套筒(xs): 10 mm
 Hex key socket: 8、9、10、12、10、13、14、17 mm
 Square socket: 5/16"、3/8"、7、8、10、11、12、13、14 mm
 Torx socket: T45
 Triangular socket: 10 mm
 Spline (TAMPER) socket: M16
 Square drive socket(xs): 10 mm

3/8" 油底壳螺丝 3/8" Oil Screw Socket

Item No.	Size	Qty
7432001	S7	1PC
7432002	S8	1PC
7432003	S5/16	1PC
7432004	S3/8	1PC
7432005	S10	1PC
7432006	S11	1PC
7432007	S12	1PC
7432008	S13	1PC
7432009	S14	1PC
7432010	H8	1PC
7432011	H9	1PC
7432012	H10	1PC
7432013	H12	1PC
7432014	H13	1PC
7432015	H14	1PC
7432016	H17	1PC
7432017	M16	1PC
7432018	T10	1PC
7432019	T45	1PC
7432020	XS10	1PC

功能特点

※适用于BMW, LANCIA, RENAULT, CITROEN, MAZDA, SAAB, FIAT, MERCEDES, TOYOTA, FORD, NISSAN, VAUXHALL/OPEL, HONDA, PEUGEOT, VW发动机上的油底壳塞, 变速箱和后轴。

Features

※BMW, LANCIA, RENAULT, CITROEN, MAZDA, SAAB, FIAT, MERCEDES, TOYOTA, FORD, NISSAN, VAUXHALL/OPEL, HONDA, PEUGEOT, VOLKSWAGEN Suitable for sump plugs on engine, gearbox and back axle.








7710100

6件撬棒组 6PCS Panel Remover- Extra Slim Profile Set

Item No.	Model	L (mm)	W (mm)	H (mm)	Weight (g)
7710101	1	200	30	35	50
7710102	2	200	40	3	20
7710103	3	200	30	15	30
7710104	4	200	25	3	20
7710105	5	200	25	3	20
7710106	6	200	18	3	20



7710000

27件撬棒组 27PCS Panel Remover Set

Item No.	Model	Type	L (mm)	W (mm)	H (mm)	Weight (g)
7710001	1	Wide Type	175	31.3	12	27.8
7710002	2	General Type	175	31.3	12	27.1
7710003	3	Flat Type	175	31.3	12	25.3
7710004	4	General Purpose Wide Edge Tool	175	31.3	12	26.1
7710005	5	Thin & Flat Tool	175	31.3	12	24.4
7710006	6	General Purpose Wedge Tool	175	31.3	12	24.8
7710007	7	General Purpose Pry Tool	175	31.3	12	24.2
7710008	8	Thin with Pry Tip Tool	175	31.3	12	24.6
7710009	9	Pry Tool	175	31.3	12	27.8
7710010	10	Concentrated Type	175	31.3	12	24.9
7710011	11	Curved Type	175	31.3	12	26.9
7710012	12	Tube Type	175	31.3	12	25.2
7710013	13	Angle Type	175	31.3	12	25.0
7710014	14	Emblem Remover	175	31.3	12	27.4
7710015	15	Rounded Corner Type	175	31.3	12	27.7
7710016	16	Box Corner Type	175	31.3	12	28.8
7710017	17	Sharp Corner Type	175	31.3	12	26.1
7710018	18	Angled Push/Pull Scraper	175	31.3	12	25.9
7710019	19	Flat Push/Pull Scraper	175	31.3	12	26.7
7710020	20	Panel Clip Removal Tool	175	31.3	12	27.5
7710021	21	Large Grommet Pry Tool	175	31.3	12	27.2
7710022	22	Small Grommet Pry Tool	175	31.3	12	26.9
7710023	23	Flat Grommet Remover	175	31.3	12	25.3
7710024	24	Flat Grommet Pry Tool	175	31.3	12	24.2
7710025	25	Flat Sealant Application Spade	175	31.3	12	26.5
7710026	26	Interior Button Removal Tool	175	31.3	12	25.8
7710027	27	Wire Insertion Tool	175	31.3	12	23.6

塑柄弯头撬棒

Plastic handle Panel Remover


Item No.	(Inch)	Max Jaw Capacity
5414102	7/16" x 24"	600mm
5414101	7/16" x 18"	450mm
5414100	3/8" x 12"	300mm
5414103	1/4" x 8"	125mm



7710200

4件撬棒组 4PCS Panel Remover Set

Item No.	Model	L (mm)	W (mm)	H (mm)	Weight (g)
7710201	1	270	38	50	123.2
7710202	2	270	25	40	90.2
7710203	3	270	22	40	85.6
7710204	4	270	19	40	80.0



7711000

12件套钣金塑钢垫块组 12PCS PVC Dolly Blocks Set

Item No.	Model	Type
7711001	A	大墩型 Double End Dolly
7711002	B	圆铲型 Round Head Chisel Dolly
7711003	C	铲型 Bolster Head Dolly
7711004	D	折痕棒型 Crease Alignment Tool
7711005	E	椎棒型 Profile Arranging Block I + II
7711006	F	锤头型 Hand Fist Flat + Curved
7711007	G	大马蹄型 Large Rubber Dolly
7711008	H	马蹄型 Rubber Dolly
7711009	I	通用型 General Purpose Dolly
7711010	J	墩型 Block Dolly
7711011	K	弯铲型 Curved Dolly
7711012	L	月牙型 Wedge Dolly




7711800

5件套钣金塑钢垫块组 5PCS PVC Dolly Blocks

Item No.	Model	Type
7711801	H	马蹄型 Rubber Dolly
7711802	I	通用型 General Purpose Dolly
7711803	J	墩型 Block Dolly
7711804	K	弯铲型 Curved Dolly
7711805	L	月牙型 Wedge Dolly





7711100

5件套钣金垫块组 5PCS Dolly Blocks Set

Item No.	Model	Type
7711101	A	衬铁墩型, A
7711102	B	砧型, B
7711103	C	踵型, C
7711104	D	楔型, D
7711104	E	铲型, E



FY-8001

铝车身专用钣金组套

ALUMINIUM HAMMERS AND DOLLIES COMBINATION SET

标准型铝合金钣金锤 Standard Type Aluminum Alloy Hammer

Item No.	Type	Weight (g)
5413900	标准型 Standard	257

曲面铝合金钣金锤 Curved Cross Chisel Type Aluminum Alloy Hammer

Item No.	Type	Weight (g)
5413901	曲面精整 Curved Cross Chisel	214

鹤嘴铝合金钣金锤 Curved Pin & Finished Type Aluminum Alloy Hammer

Item No.	Type	Weight (g)
5413902	鹤嘴精整 Curved Pin & Finished	204

钣金锤五件套 5PCS Stainless steel hammer set

Item No.	L (mm)	Weight (g)
5415000	330	1495

不锈钢鹤嘴精整钣金锤 Stainless steel Curved Pin Finish Hammer

Item No.	L (mm)	Weight (g)
5415001	330	260

不锈钢标准钣金锤 Stainless steel Standard Finish Hammer

Item No.	L (mm)	Weight (g)
5415002	330	320

不锈钢曲面精整钣金锤 Stainless steel Curved Cross Finish Hammer

Item No.	L (mm)	Weight (g)
5415003	330	320

不锈钢直面精整钣金锤 Stainless steel Sharp Finish Hammer

Item No.	L (mm)	Weight (g)
5415004	330	305

不锈钢直面精整钣金锤 Stainless steel Sharp Finish Hammer

Item No.	L (mm)	Weight (g)
5415005	330	1495

八角铜锤 Octagonal copper hammer

Item No.	Type	Weight (g)
5413301	1P	454 g
5413303	2P	908 g
5413302	3P	1362g
5413300	4P	1816g





安装锤 Setting hammer

Item No.	Type	Weight (g)
5413503	35mm	452

钳工锤 Fitter's hammer

Item No.	Type	Weight (g)
5413001	300g	379
5413002	500g	636

圆头锤 Rounded hammer

Item No.	Type	Weight (g)
5413500	24OZ	687

防震橡胶锤 Shock Proof Hammer

Item No.	Type	Weight (g)
5413600	30mm	385
5413601	45mm	641
5413602	35mm	745
5413603	50mm	854

标准金属钣金锤 Standard metal hammer

Item No.	Type	Weight(g)
5413812	标准Standard	807

鹤嘴金属钣金锤 Curved Pin & Finished Type metal hammer

Item No.	Type	Weight(g)
5413811	鹤嘴 Curved Pin & Finished Type	362

曲面金属钣金锤 Curved cross Chisel Type metal hammer

Item No.	Type	Weight(g)
5413810	曲面 Curved cross Chisel Type	365

圆头木槌 wooden round head mallet


Item No.	规格	直径(mm)	宽度(mm)	长度(mm)
5414001	5分锤 #5	40-49mm	100mm	250mm
5414002	6分锤 #6	50-55mm	105mm	250mm
5414003	7分锤 #7	60-65mm	115mm	250mm
5414004	8分锤 #8	70-75mm	125mm	250mm
5414005	9分锤 #9	80-85mm	135mm	300mm

7418000

31件 碗型机油格扳手组套 31PCS Oil Exchange Wrench Set

包装：3套/箱

Item No.	Model No.	Spec	Item No.	Model No.	Spec
7418100	901	64-65mm/14P	7418700	907	89-88mm/15P
7420200	901-1	86-87mm/16p	7418800	908	91-90mm/15P
7418200	902	66-67mm/14p	7718900	909	93-92mm/15P
7420300	902-2	84mm/14p	7419000	910	94-93mm/15P
7418300	903	74-73mm/14P	7419400	911	80mm/12P
7419700	903-1	76-75mm/15P	7419200	911-1	80-79mm/15P
7419800	903-2	74mm/8P	7420400	809	101mm/15P
7419900	903-3	74-73mm/15P	7419100	914	92-91mm/15P
7420000	903-4	73-72mm/14P	7419300	915	89mm/12P
7421000	903-6	77mm/12P	7419500	901-C	64-65mm/14P
7418400	904	79-78mm/15P	7419600	901-L	64-65mm/14P
7418500	905	73mm/15P	7420700	27	3/8"-27mm
7420100	905-1	75-74mm/14P	7420600	32	3/8" 32mm
7418600	906	86mm/18P	7420500	36	3/8" 36mm
7420800	手拷式机油格板手(小号) Handcuffs wrench (S)		7420900	手拷式机油格板手(中号) Handcuffs wrench (M)	
7431000	梅花板手 Box End Wrench				





无刷电动冲击扳手 Brushless Li-ion Impact Wrench

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
6311300	130	80	210	1100

功能特点

- 1.1/2"方头，最大输出380Nm，满足汽车底盘、缸盖与轮胎更换操作需要
- 2.380、200Nm 与智能自停三档输出切换，节省无谓的电力损耗
- 3.无刷马达，高输出功率且无需更换碳刷
- 4.合金钢锤击机构，高精度尺寸要求，震动力低且耐用

技术参数

额定电压： 21V DC
 额定转速： 2200 / 2600 RPM $\pm 5\%$
 额定冲击频率： 3000 / 3500 IPM $\pm 5\%$
 最大扭矩： 380 / 200Nm $\pm 5\%$
 驱动轴： 12.7mm (1/2")
 额定功率： 500W
 锂电池： 21V, 6,000mAh
 额定电流： 26A
 跌落要求： 1.2 m
 裸机净重： 1.1 kg
 整体尺寸： 130 x 80 x 210 mm



无刷电动冲击扳手 Brushless Li-ion Impact Wrench

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
6311200	225	75	240	2800

功能特点

- 1.1/2"方头，最大输出1000Nm，满足汽车底盘、缸盖与轮胎更换操作需要
- 2.1000、850与700Nm三档输出切换，节省无谓的电力损耗
- 3.无刷马达，高输出功率且无需更换碳刷
- 4.合金钢锤击机构，高精度尺寸要求，震动力低且耐用

技术参数

额定电压： 21V DC
 额定转速： 1700 / 1200/1000 RPM $\pm 5\%$
 额定冲击频率： 2100 / 1500/1200 IPM $\pm 5\%$
 最大扭矩： 1000 / 850/700Nm $\pm 5\%$
 驱动轴： 12.7mm (1/2")
 额定功率： 900W
 锂电池： 21V, 6,000mAh
 额定电流： 45A
 跌落要求： 1.2 m
 裸机净重： 2.8 kg
 整体尺寸： 230 x 85 x 230 mm

锂电无刷电钻 Brushless Li-ion Auto Locking Drill

Item No.	最大扭矩
6310400	50 N.m $\pm 5\%$

功能特点

- 1.无刷电机，高效节能
- 2.橡胶手柄，手持舒适
- 3.双速动力，多材质钻孔
- 4.自锁夹头，加持力强
- 5.品质锂电芯，续航持久
- 6.LED照明灯

技术参数

额定电压： 21V DC
 额定转速： 0-500/1600 rpm $\pm 5\%$
 最大扭矩： 50 N.m $\pm 5\%$
 夹头最大夹持能力： 10mm
 最大钻孔直径（钢材/木材/混凝土）： 12/24/10mm
 额定功率： 500W
 额定电流： 25A
 锂电池： 21V, 6,000mAh
 跌落要求： 1.2 m



锂电无刷冲击起子机 Brushless Li-ion Screwdriver

Item No.	最大扭矩
6310100	230 N.m

功能特点

- 1.内六角夹头设计，夹持稳当
- 2.LED灯照明，无惧暗处及死角作业
- 3.高质量调速开关，通断灵敏，寿命持久
- 4.高强度精校齿轮箱，耐磨耐用
- 5.正反转模式，改变旋转方向，满足起拧需求
- 6.灵巧机身，狭小空间也能工作自如
- 7.品质锂电芯，续航持久

技术参数

额定电压： 21V DC
 额定转速： 1200/1900/2500/3200 Rpm
 额定冲击频率： 1400/1800/3500/4000 lpm
 最大扭矩： 230 N.m
 最大拆卸扭矩： 320N.m
 能力：标准螺栓：M5-M12 高强度螺栓：M5-M10
 输出轴尺寸： 6.35mm (1/4 inch)
 额定功率： 500W
 跌落要求： 1.2 m
 裸机净重： 1 kg
 裸机尺寸： 110x75x200mm



数显电压测试仪 VOLTAGE TESTER

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7114900	300	90	40	239

功能特点

此测试仪能够进行交流电、直流电的电压测试，连续性、二极管测试、电阻测量、单极电压检测、相位旋转测试、照明功能等。

Features

This tester is capable of AC, DC voltage testing, continuity, diode testing, resistance measurement, unipolar voltage detection, phase rotation testing, lighting functions, and so on.

使用方法

将L1探头和L2探头连接到要测量的负载上
按"Ω"按钮一次，等待读数稳定，然后读取数字显示屏上的读数。

Instructions

Connect the L1 probe and L2 probe to the load to be measured.
Press the "Ω" button once, wait for the reading to stabilize, then read the "measurement values" from the digit display.

技术参数

电压范围: 6~690V AC/DC
单电压: 100~690V, 频率: 45~65Hz
电阻: Range: 0~2kΩ, Accuracy: ±(5%rdg+10d)
通断测试: Test Current: <200kΩ, Threshold: <20 μA
相续测试: 电压: 100~690V, 频率: 50Hz/60Hz
工作温度: -10 ~ 55℃
工作湿度: <85%
工作海拔: <2000m
过电压等级: CAT III 1000V; CAT IV 600V
防水防尘等级: IP64
电源: 使用一个9V x 6F22电池 (不包含电池)

Technical data

Voltage Range: 6~690V AC/DC
Single pole Voltage: 100~690V, Frequency Range: 45~65Hz
Resistance: Range: 0~2kΩ, Accuracy: ±(5%rdg+10d)
Continuity Test: Test Current: <200kΩ, Threshold: <20 μA
Rotary Field Indication: Voltage: 100~690V, Frequency: 50Hz/60Hz
Temperature: -10 ~ 55℃
Relative Humidity: <85%
Altitude: <2000m
Over voltage Class: CAT III 1000V; CAT IV 600V
IP Degree: IP64
Power supply: 1 x 9V 6F22 battery (not included)



数位红外线测温仪 Digital Infrared Thermometer

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7113300	160	118	40	155.0

功能特点

※ 本产品是一款使用红外线技术的非接触式测温仪
※ 液晶屏幕带三色背光显示功能
※ 手持式变携设计, 操作简单
※ 高 / 低模式, 最大读数模式
※ 摄氏温度 / 华氏温度可切换
※ 数据保持模式
※ 可用于测量物体的表面温度以及查找墙面、铸件、管道等物体的泄漏点

Features

※ a non-contact temperature measuring thermometer using infrared technology.
※ LCD display with 3 back light colors (red, green and blue) indicate
※ Handheld portable design, reliable and easy to operate
※ Hi / Lo mode, Maximum reading mode
※ °C / °F switchable
※ Data-hold mode
※ You can use it to measure the surface temperature of an object or find leaks along walls, molding, duct work and more.

技术参数

测量范围: -38℃ ~ 520℃ (-36.4° F ~ 968° F) 光 响应: 7.5 ~ 13.5 μm
测量精度: ±2℃ (4° F) 或读数的2%, 二者之中取误差范围大的
响应时间: 1秒, 95%
视镜与视点直径之比: D: S = 8: 1
发射率: 0.95
读数的分辨率: 0.1℃/0.1° F
背光自动关闭时间: 仪器停止操作之后约15秒
自动关机时间: 仪器停止操作之后约60秒
电源: 使用1.5V AAA 电池2个 (不包含)
工作温度: 0℃ ~ 40℃
工作湿度: 相对湿度 < 75%, 无凝结
贮存温度: -20℃ ~ 60℃, 相对湿度 ≤ 85%

Technical data

Measuring Range: -38℃ ~ 520℃ (-36.4° F ~ 968° F)
Response Wavelength: 7.5 ~ 13.5 μm
Measuring Precision: ±2℃ (4° F) or 2% of reading, whichever is greater
Response Time: 1 sec, 95% response
Optical Ratio: D: S = 8: 1
Emissivity: 0.95
Display Resolution: 0.1℃/0.1° F
Back light Shut Off: In about 15s of inactivity
Auto Power Off For Thermometer: In about 60s of inactivity
Power Supply: 1.5V AAA battery x 2pcs (not included)
Operating Temperature: 0℃ ~ 40℃
Operating Humidity: 0 ~ 75%RH, non-condensing
Storage Temperature: -20℃ ~ 60℃, 85%RH

注意

※ 使用该仪器时眼睛不要直视激光束, 否则将对眼睛造成永久性的损坏。
※ 操作时, 请保持高度谨慎。
※ 不要将激光束对准任何人的眼睛, 或通过反射面间接照射人的眼睛。
※ 不要让小孩接触和使用本仪器。
※ 切勿在有爆炸性的气体、蒸汽或灰尘附近使用本仪器。

Caution

※ Do not look into the machine beam when using the thermometer, otherwise it will cause permanent damage to the eyes.
※ Please be highly cautious when operating
※ Do not point the laser beam toward anyone's eye or allow the laser beam to strike the eye from a reflective surface.
※ Keep the thermometer out of reach of children.
※ Do not use the thermometer where explosive or flammable liquids, gases, or dust is present.



交直流数显钳型万用表 Digital Clamp Meter

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7113000	194	71	38	239

功能特点

※ 本仪表是一款性能稳定、安全、可靠的3 3/4数字钳形表，整机电路设计以大规模集成电路为核心，全量程的过载保护电路，独特的外观设计使之成为性能优越的专用电工仪表。

Features

※ This meter is a 3 3/4 digit auto range digital clamp meter for measuring DC and AC voltage, DC and AC current, resistance, diode and continuity. It is easy to operate and an ideal measurement

技术参数

直流电压：400m/4/40/400/400V
交流电压：4/40/400/600V
直流电流：400A
交流电流：400A，频率：50~60Hz
电阻：400/4k/40k/400k/4M/40MΩ
二极管：开路电压约2.0V
通断测试：测试电流约0.6mA，当电阻≤约30Ω时蜂鸣器响
工作温度：0~40摄氏度，<75分rh
显示：3 3/4 液晶屏，最大显示数值3999
负极性指示：负号-自动显示在显示屏上
超限指示：显示屏上显示的“OL”
采样率：约3秒
钩子开口能力：33mm
电源：使用两个1.5V，aaa 电池
温度系数：0.2 x (指定精度)/摄氏度 (<18摄氏度或28摄氏度)
储存环境：-10~50摄氏度，<85度rh

Technical data

DC Voltage:400m/4/40/400/400V
AC Voltage:4/40/400/600V
DC current: 400A
AC current:400A, Frequency: 50~60Hz
Resistance:400/4k/40k/400k/4M/40MΩ
Dimension:194x71x38mm
Diode :Open circuit voltage approx. 2.0V
Through-Break testing: Test current approx. 0.6mA, buzzer ringing when resistance ≤ approx. 30Ω,
Operating Temperature: 0~40 Celsius, <75%RH
Display: 3 3/4 digit LCD, with a max. reading of 3999
Negative Polarity Indication: negative sign - shown on the display automatically
Over range Indication: OL shown on the display
Sampling Rate: about 3 times/sec
Jaw Opening Capability: 33mm
Power Supply: 1.5V, AAA battery, two pcs
Temperature Coefficient: 0.2x(specified accuracy)/ Celsius (<18 Celsius or 28 Celsius)
Storage Environment: -10~50 Celsius, <85%RH

配 件

布包/测试导线

Accessories

Carry bag, test lead

数字兆欧表(绝缘电阻测试仪) Insulation Resistance Tester

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7113100	168	110	62	485.0

技术参数

交流电压：600V
电阻：200Ω
通断：如果电阻小于50Ω，则会发出内置蜂鸣器
额定测试电压：250/500/1000V
输出电压：额定测试电压x(1±10%)
Normal Current: 1mA
显示范围：2/20/200/2000MΩ
测试范围：0.25mΩ~2000mΩ
最小分辨率：0.01MΩ
精度：0.25MΩ~200MΩ：±(3%+3)
200MΩ~2000MΩ：±(5%+5)
电源：使用1.5V 电池(AA)6个

Technical data

AC Voltage: 600V
Resistance: 200Ω
Continuity: : The built buzzer will sound if the resistance is less than 50Ω
Rated Test Voltage: 250/500/1000V
Out Put Voltage: rated test voltage x (1 ± 10%)
Normal Current: 1mA
Display Range: 2/20/200/2000MΩ
Test Range: 0.25mΩ~2000mΩ
Mini Resolution: 0.01MΩ
Accuracy: 0.25MΩ~200MΩ：±(3%+3)
200MΩ~2000MΩ：±(5%+5)
Power supply: 1.5V aa battery x 6 pcs

配 件

布包\背带\说明书\高压测试导线\普通测试导线\带大测试夹的测试导线

Accessories

Caarry bag, strap, user manual, high voltage test lead, common test lead, test lead with large test clip

机油检测仪 Oil detector

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
5210300	88	54	16	44

功能特点

※ 对油品状态和设备运行状态进行分析判断，提供维护建议。
※ 油品质量检测，保障用油安全。
※ 润滑油新油品质检测，防止误用各类不合格和假冒伪劣润滑油。
※ 通过机油酸性，积碳胶质物和水等其它杂志成分含量，用十几个显示灯准确地吧机油品质标示出来。
※ 设备小巧玲珑，携带方便。

Features

※ Analyze and judge the oil product status and equipment operation status, and provide maintenance Suggestions
※ Oil quality inspection to ensure oil safety
※ Check the quality of new lubricating oil to prevent misuse of all kinds of unqualified and fake lubricating oil
※ Accurately mark the quality of the oil with a dozen of display lamps through the content of the oil acid, carbon glue, water and other impurities
※ The equipment is compact and portable



安全等级：CAT II
Safety level: CAT II



测试线
test lead



安全等级：CAT II
Safety level: CAT II



布包
Caarry bag



带大测试夹的测试线
test lead with large test clip



高压测试线
high voltage test lead



测试线
test lead



背带
strap



刹车油检测仪 Break Fluid Tester

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
5210201	175	70	29	135

功能特点

※ 本仪器通过检测汽车刹车油的油质，判定刹车油是否仍然可以使用或者需要更换提供参考。以确保刹车灵敏，保障驾驶安全。

Features

※ This unit can be used to test the quality of brake fluid
 ※ It can indicate whether the brake fluid under test can still be used safely or needs to be replaced.
 ※ It is a very useful tool for ensuring good braking effect and driving safety.

仪器校准

使用前应对仪器进行校准，校准的方法如下：

※ 旋出测试棒
 ※ 将测试探头以及两电极间的部位擦拭干净，并使之干燥，然后将测试探头插入新开封的刹车油液体内2cm深，或将测试探头至于干燥的空气中。
 ※ 按住"ON"按钮不放，等待约3秒后，用一个合适的螺丝刀轻轻地调整校准旋钮直至第一个绿色指示灯亮，此时仪器校准完成可以进行测试。
注意：在此步骤中，应始终按住 "ON" 按钮不放

Instrument calibration

※ Turn the test rod to make it stand up.
 ※ Clean the test head and make it dry. Note: The test head consists of the two electric poles and the short cylinder connecting with the two electric poles.
 ※ Insert the test head into the new brake fluid about 2cm deep or exports the test head in dy air directly. Note: if you choose to use the new brake fluid for unit adjustment, this brake fluid must be the same type as the brake fluid you want to test later.
 ※ Press and hold down the "ON" button, wait about 3 second then use a suitable screwdriver to adjust the adjustor. When the first green LED just lights and the other LEDs are off, stop adjusting the adjustor. Now, the unit is ready to test.
Note: Don't release the " ON" button until the adjustment is finished.

Usage method

※ Clean the test head (include two poles) and make it dry.
 ※ Insert the test head into the brake fluid to be tested about 2cm deep.
 ※ Press and hold down the "On" button, wait about 3 seconds, then read the LED indication:
 a. if the two green LEDs light, the quality of the brake fluid is good.
 b. if the yellow LED light, the quality of the brake fluid is bad.
 c. if the red LED lights and the built-in buzzer sounds, the quality of the brake fluid is unsafe to use.
 ※ After the test is completed, please clean and dry the test head and the test rod and save the tester properly.
Note:
 1. If LED (or LEDs) flashes or the buzzer sounds when you press and hold down the "ON" button with nothing being test, the battery is exhausted and should be replaced (9V, 6F22).
 2. Each time before test, make adjustment to the unit.
 3. Do not use the unit if it's damaged or has malfunction.

刹车油 / 冷却液沸点检测仪 Brake Fluid / Cooling water Boiling Point Detector

Item No.	防水等级
5210203	1.IP67

制动液沸点参考值

制动液规格	干沸点(新开瓶制动液)	湿沸点(使用中制动液)
DOT3	205℃/401	140℃/284
DOT4	230℃/446	155℃/311
DOT5	260℃/500	180℃/356
DOT5.1	270℃/518	190℃/374

乙二醇冷却液沸点湿度参考值

沸点												
冷却液湿度		0	10	20	30	40	50	60	70	80	90	100
% (V/V)												
温度		212	214	216	220	220	225	232	245	260	288	386
	℃	100	101	102	104	104	107	111	118	127	142	197

功能特点

※ 金属定型管身，方向定型
 ※ 防水等级：IP67
 ※ 3英寸高清大屏幕显示
 ※ 采用可弯曲高灵敏探头，配有机身支架、TPU保护套、电瓶鳄鱼夹
 ※ 检测不同类型制动液（ DOT3/DOT4/DOT5/DOT5.1 ），可快速准确得到制动液最低沸点

刹车油水分检测仪 Brake oil moisture detector

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
5210202	440	60	30	182

技术参数

测试油品范围: DOT3 DOT4 DOT5.1

测量范围: 0.1%~6%

测试状态解析:

a: 数值， ≤1%: 表示状态良好。

b: 1%~2.5%, 警示.表示状态尚可。

c: ≥3%, 报警，屏闪红光，显示油品的含水量处于不良状态。

d: ≥4%, 红光闪，具有报警功能，当测试出现报警时，提示需要更换刹车油。

背光: 有

报警提示音: 有

自动关机: 五分钟无操作，则自动关机

测试时间: 0.5秒

测试模式: 基本模式

供电: 9V碱性电池

使用温度: -10℃~50℃

管材: 金属蛇形管（金属软管）

Technical data

Test range: DOT3 DOT4 DOT5.1

Measurement range: 0.1%~6%

Test status analysis:

A: numerical value ≤1%; In good condition.

B: 1%~2.5%, warning, indicating the status is ok.

C: ≥ 3%, alarm, screen flashing red, indicating that the water content of oil is in a bad state.

D: ≥ 4%, red light flashing, alarm function, when the test occurs alarm, Indicate that brake fluid needs to be changed.

Backlight: yes

Alarm tone: yes

Automatic shutdown: five minutes no operation, automatic shutdown


Test time: 0.5 seconds

Test mode: basic mode

Power supply: 9V alkaline battery

Service temperature: -10℃~50℃

Pipe: metal coiled pipe (metal hose)



操作方法

※ 将测试棒、测试探头以及两电极之间的部位擦干净，并使之干燥
 ※ 将测试探头插入待测试的刹车油内2cm深
 ※ 按住"ON"按钮不放，等约3秒后，根据工作指示灯的只是判断刹车油的质量状态
 a. 两个绿色指示灯亮，表示刹车油质量 "良好"
 b. 黄色指示灯亮，表示刹车油质量 "不良"
 c. 红色指示灯亮伴随着蜂鸣器响，则表示刹车油质已经严重变坏，已不能安全使用，必须更换！
 ※ 测试完毕后，将测试探头和测试棒擦干净，并使之干燥并归位
注意：
 1. 开机后，在非测试状态下，如果指示灯闪烁且蜂鸣器响，说明电池电力不足，需要及时更换电池(9V, 6F22)
 2. 每次在测量不同型号的刹车油之前，必须对仪器进行校准
 3. 如果设备损坏或出现故障，请勿使用。
 4. 测试完成后将测试探头擦干净并使之干燥，然后将仪器妥善保存



笔式刹车油检测仪 Portable Break Fluid Tester

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
5210200	167.5	25	25	29.0

功能特点

- ※ 本产品适用于3号,4号和5.1号刹车油
- ※ 本仪器通过检测汽车刹车油的油质, 为判定刹车油是否仍然可以使用或者需要更换提供参考。
- ※ 用来确保刹车灵敏, 保障驾驶安全。
- ※ 快速简便地测试刹车油中的含水量。刹车油中含有的水分测量范围为 0~3%

Features

- ※ Apply to test the DOT 3, DOT4, and DOT 5.1 brake fluid.
- ※ This unit can be used to test the quality of brake fluid.
- ※ It can indicate whether the brake fluid under test can still be used safely or needs to be replaced. It is a very useful tool for ensuring good braking effect and driving safety.
- ※ Quick and easy way to test for moisture content in the Brake fluid. The moisture content contain in the Brake fluid Measurement range is from 0~3%

操作方法

- ※ 将测试棒、测试探头以及两电极之间的部位擦干净,并使之干燥
- ※ 按下仪器顶部的测试键不放, 绿色LED灯亮, 表示仪器内的电源开启且电池的电量充足
- ※ 仍按住测试键不放,将仪器的测试探头插入待测刹车油内1cm深, 3秒后根据指示灯的灯号判断刹车油的质量
绿色LED亮灯:表示含水量小于1.5%, 刹车油良好
黄色LED亮灯:表示含水量为1.5~3%, 刹车油目前仍可以用,但应经常检测
红色LED亮灯:表示含水量大于3%, 应立即更换刹车油
- ※ 测试完成后松开测试键,将测试探头擦干净并使之干燥,然后将仪器妥善保存
注意:如按下测试键后,若红色的LED指示灯闪烁表示电池电量不足应立即更换

Usage method

- ※ Clean the test head and two electrode and make it dry.
- ※ Press the test button on the top of the tester, the green LED light is on, indicating that the power is turned on and the battery is fully charged.
- ※ Press and hold down the "On" button, insert the test head into the brake fluid about 1cm deep after 3 seconds, then read the LED indication:
Green : If the green test indicator LED lights up, the moisture content in the brake fluid is less than 1.5% and the brake fluid quality is good.
Yellow : If the yellow test indicator LED lights up, the moisture content in the brake fluid is between 1.5% and 3%. The brake fluid still can be used, but if you want to continue using the brake fluid, you must often check the brake fluid.
Red : if the red test indicator LED lights up, the moisture content in the brake fluid more than 3% and the brake fluid must be changed immediately.
- ※ After the test is completed, please clean and dry the test probe and electrode and save the tester properly.
Note: When the test button is pressed, if the red LED light flashes, it's mean the battery is low. Should be replaced immediately.



刹车油良好
Good



请注意经常检测
Attention



更换刹车油
Bad



LED指示灯:在透明灯罩下分别有绿色、黄色和红色指示灯各一个
Under the transparent mask there are three test indicator LEDs, green, yellow and red one each.



数显万用表 Digital Automotive Multimeter

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7113400	160	75	54	255

技术参数

白金闭合角:3-4-5-6-8CYL (120° /90° /72° /60° /45°)
发动机转速:0~20000RMP, 最小分辨率: 1RMP
汽车电池:电池电量高、中、低 (12/24V)
占空比:5%~95%
温度:-20~1000℃
直流电压:20/35V
直流电流:10A
电阻:200Ω/2kΩ/20kΩ/200kΩ/20MΩ
频率:20kHz
二极管:开路电压约2.8V
电路通断:被测电阻小于30Ω 蜂鸣器响
电源: 使用一个9V x 6F22电池 (不包含电池)

Technical data

Dwell Angle: 3CYL/4CYL/5CYL/6CYL/8CYL (120° /90° /72° /60° /45°)
Tacho: 250~40kRMP, Highest Resolution: 1RMP
Battery range:12V/24V
Duty Cycle:5%~95%
Temperature Range: -20~1000℃
DC voltage range: 20V/35V
DC current range: 10A
Resistance: 200Ω/2kΩ/20kΩ/200kΩ/20MΩ
Frequency:20kHz
Diode: Open circuit voltage approx. 2.8V
Circuit Disconnect: The measured resistor is less than 30 Omega buzzer ringing
Power supply: 1 x 9V 6F22 battery (not included)

USB汽车数显万用表 Digital Automotive Multimete

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7113500	165	83	47	300

技术参数

白金闭合角:2-3-4-5-6-8CYL (180° /120° /90° /72° /60° /45°)
发动机转速: 250~40kRMP, 最小分辨率: 1RMP
占空比:5%~95%
温度:-20~1000℃ / -4~1832
直流电压:4/40/250V
交流电压:400μ/4000μ/40m/400m/4/10A
直流电流:400μ/4000μ/40m/400m/4/10A
电阻:400/4k/40k/400k/4M/40MΩ
电容:5/50/500/5k/50k/200kHz
频率:5/50/500/5k/50k/200kHz
二极管:开路电压约1.5V
电路通断:被测电阻小于50Ω 蜂鸣器响/大于120Ω 不响
电源: 使用一个9V x 6F22电池 (不包含电池)

Technical data

Dwell Angle: 2-3-4-5-6-8CYL (180° /120° /90° /72° /60° /45°)
Tacho: 250~40kRMP, Highest Resolution: 1RMP
Duty Cycle: 5%~95%
Temperature: -20~1000℃ / -4~1832
Voltage DC: 400m/4/40/250V
Voltage AC: 4/40/250V
Current DC: 400μ/4000μ/40m/400m/4/10A
Current AC: 400μ/4000μ/40m/400m/4/10A
Resistance: 400/4k/40k/400k/4M/40MΩ
Frequency: 5/50/500/5k/50k/200kHz
Diode Check: approx. 1.5V
Continuity: Less than about 50Ω, more than about 120Ω
Power Supply: 9V(6F22) battery x 1pc



安全等级: **CAT II**
Safety level: CAT II



布包
Carriable Bag



热电偶
Thermocouple



测试线
Pair test lead



安全等级: **CAT II**
Safety level: CAT II



布包
Carriable Bag



软件光盘
CD



USB数据线
USB Data Cable



测试线
Pair test lead



K型温度探头
K Type Thermocouple



蓄电池检测仪 Multi Function Battery Tester with printer (12/24V)

技术参数 Technical Information	型号: 7113902
适用电池 Applicable battery	12V起动机铅酸蓄电池和12V/24V汽车系统
特殊测试夹 Special test clip	双导体开尔文夹 Double conductor Kelvin clip
外壳材料 Sheating material	耐酸ABS塑料 Acid resistant ABS plastic
工作温度 Operating temperature	-20℃—50℃
测量电压范围 Voltage Range	7V-30V
测量电池范围Measuring battery range	30AH-220AH

操作步骤:

- 1.将测试仪红黑夹子夹到被测电池上,红正黑负,测试仪显示屏会显示开机界面。被测电池低于7.0V以下则无法正常测试;按OK键往下继续。
- 2.按照测试仪提示,按上下键可以依次选择:①电池测试,②启动系统测试③充电系统测试④查看测试结果⑤打印测试结果⑥输出测试结果。

多功能电瓶检测仪 Multi Function Battery Tester (12/24V)

Item No.	测试方法	适用电池	电池范围	工作范围
7113901	四线开尔文测试	12V/24V	3AH-250AH	-10℃-50℃

产品介绍

- ※全保护蓄电池电量检测仪,针对汽车蓄电池的工作能力判断的专业分析检测设备。蓄电池检测仪能够精确测量蓄电池电压、内阻、电池容量、电池循环寿命。

产品特点

- ※LCD数字屏显示,显示屏字迹清楚,测试结果一目了然
- ※具保护橡胶护套,耐磨防滑,防摔,掉落不易摔坏
- ※夹子咬合力,接触好测量稳定
- ※多项功能测试:
- ※电池寿命测量
- ※分析是否良好CCA测量(启动能力)
- ※启动负荷测试电压测量
- ※电池内阻测量
- ※充电系统测试
- ※具反向输入保护功能

冰点测试仪 Freezing Point Detector

Item No.	测量范围 Measuring Range	测量精度 Measuring Precision	L (mm)	Weight (g)
5210100	防冻液冰点:-50~0℃ Freezing point of antifreeze:-50~0℃	±1.5℃	160	337
	电池液比重:1.10~1.40 Battery specific gravity:1.10~1.40			
	玻璃水冰点:0~40℃ Freezing point of glass water:0~40℃			
	车用尿素浓度:30~35℃ Car urea concentration:30~35℃			

双镜头转向内窥镜 Dual Lens Dinsersion Endoscope

编号	图像传感器	有效像素	镜头尺寸	视角
7116001	1/9" CMOS	1280*720(100万)	6.0mm	70°
7116002	1/5" CMOS	1920*1080(200万)	8.0mm	75°

摄像头光源	焦距	软管长度	工作温度	防水等级
0402LED*8	20-50m	0.8m	-10℃~60℃	Ip67
0603LED*8	30-80m	1.0m		

产品介绍:

- ※本产品是一款手持式内窥镜,通过内窥镜的图像及视频功能;可以实现无损检查狭小部位及人眼无法直接观察的地方;广泛用于航空,汽车、管道、机械设备、化工等行业的检测领域。

功能特点

- ※信号输出方式:USB接口
- ※两方向转向蛇镜±180°,可检测任何难以触及的空间,无死角。
- ※LED 4级亮度可调
- ※下载手机APP,具有拍照、录像存储功能
- ※直接连OTG手机,可打开图像
- ※可连接电脑



数字高清内窥镜 Digital HD Endoscope

Item No.	L (mm)	W (mm)	H (mm)	Weight (g)
7116100	180	118	90	326.8

技术参数

- 屏幕:960(RGB)x240 2.7英寸屏
- 信号输入:USB数字信号
- 图像翻转:90° / 180° / 270° / 360°
- 蛇镜LED调节: 0-3档调节
- 拍照:支持
- 录像:支持
- 存储功能:支持TF卡,最大32G
- 菜单语言:12国
- 电池:AA 1.5V X 4
- 使用时间:1.5小时左右
- 工作电流:≤250mA
- 工作温度:10~50℃
- 工作湿度:15%~85%RH
- 存储环境:-20~60℃





数显轮胎充气表 Digital Tire Inflation Meter

技术参数 Technical Information	型号: 7113800
产品尺寸 Product dimensions	288*127*96mm
包装尺寸 Packaging dimension	290*125*95mm
净重 Net weight	510g
毛重 Gross weight	690g

功能特点

- ※ 充气、放气、压力检测一体。
- ※ 塑胶握柄真正采用人机工程设计、独特、舒适。
- ※ 采用高精度进口机芯，确保轮胎充气压力的准确性以及车辆的行驶安全。

高精度数显轮胎充气表 Accurate type Digital Tire Inflation Meter

Item No.	压力范围	测量误差	L (mm)	W (mm)	H (mm)	Weight (g)
7113810	0~12Bar	0 < P ≤ 4bar ± 0.15 4 < P ≤ 10bar ± 0.18 10 < P ± 0.24	242	75	30	289

功能特点

- ※ 铝合金手柄式枪体，坚固耐用
- ※ 适用于各类中小型客货车、轿车、摩托车等
- ※ 充气、测胎功能
- ※ 可接空气泵，对车辆发动机等具有吹尘功能
- ※ 测量数据直观快捷



轻量化工作头灯 Lightweight Head Light

Item No.	工作档位	工作电压	重量	材质
7214605	6档	3.7V	122G	ABS+PC

高亮度铝合金手电筒 High Light Aluminum Flashlight

型号	描述	LED	亮度	电池
6011600	铝合金USB锂电池充电电筒，带USB线及18650锂电池	国产5W灯珠	200LM	18650 锂离子充电电池 (3.7V/1800mAh)
电池工作时间	产品尺寸及重量	充电时间	功率	防护等级
约4~5小时	144*35mm 约90克不含电池	约4小时	3 W	Ip54 防尘防水 1米抗摔



磁性工作灯 Magnetic Working Light

Item No.	Watt	L(m)	Battery
6011200	3W	260	18650 x 1800 mAh

※ 长按三秒变红光，再按红光闪烁



磁性工作灯 Magnetic Working Light

Item No.	Watt	LM	Model	Weight (g)
6011100	20W	30.6	强光-微光 High light - low light	385



折叠警示工作灯 Folding warning light


Item No.	Watt	L(m)	Battery
6011500	8W	700	18650 x 2000 mAh x 2



热风枪 Heat gun

Item No.	Power	Voltage	Certificate	Display
7513300	2000W	220V 50Hz	CE	Digital with temp adjustable





数显深度尺 Digital Vernier Caliper

Item No.	Range Metric	Resolution	Battery	Tolerance
5212000	0~200mm	0.01mm	LR44H	±0.03mm



电子数显轮胎花纹深度尺 Digital Tire Gauge

Item No.	Measure Range	Resolution	Battery	Weight (g)
7110500	0~25.4mm / 0~1"	0.01mm / 0.0005"	SR44/LR44, 1.5V	40



数显式游标卡尺 Electronic Vernier Caliper

Item No.	Range (Metric/Inch)	Resolution	Battery
7114700	0~150mm / 0~6"	0.01mm / 0.0005"	SR44/LR44, 1.5V
7114800	0~300mm / 0~12"	0.01mm / 0.0005"	SR44/LR44, 1.5V

强磁数显角度器 Magnetic Digital Angle Gauge

Item No.	测量范围	分辨率	驱动电源	工作湿度	工作温度	储存温度
7115101	0~360° (4*90°)	0.1°	2节1.5V AAA 七号电池	< 85%	0℃~40℃	-10℃~50℃

- ※精度：水平/垂直角度：+/-0.1°；其他角度：+/-0.2°；
- ※圆形吸附基座：铝型材质，直径不能超过45mm；
- ※基座内磁铁：吸附力要保证在进行角度定位的调整过程中，产品不会位移或者晃动；
- ※外壳主体：ABS材质，尺寸必须控制在基座的直径范围内；
- ※电池盖：ABS材质；
- ※屏幕材质：黑底白字VA液晶；
- ※按键：两个按键；左边按键控制开关机；右边按键设置参考零点功能；
- ※左边按键：短按开机；开机状态下，长按关机。
- ※右边按键：短按，设置和取消参考零点 (SET ZERO) 的功能；
- ※偏移显示方式：与水平面的方向偏移，用方向箭头 (↑)，(↓) 显示；
- ※低电压提醒功能：有；



数显测电笔 Digital Voltage Tester

Item No.	Test Range	L (mm)
7112700	12~250V	130mm



验电笔 Voltage Tester

Item No.	Test Range	L (mm)
7112300	12~250V	130mm



VDE 测电笔 Voltage Tester with VDE certificate

Item No.	Test Range	Length	Battery	Neon Lamp Lifetime	Material	Certificate
7112105	AC 100~250V	142mm	None	30,000	ABS+AS Cr-V blade	CE, GS VDE



非接触式测电笔 Non Contact Voltage Tester

Item No.	Test Range	Length	Battery	Neon Lamp Lifetime	Material	Certificate
7112201	AC 60~1000V	140mm	AAAx2	Sound Light	ABS	CE



电瓶式测电笔 Battery Type Voltage Tester

Item No.	Type	Weight (g)
7112400	6~12~24V	36



汽车噪声查找器 Automotive Noise Finder

Item No.	Weight (g)
7115500	156

技术参数

- ※ 获得CE认证
- ※ 电池电压指示
- ※ 带音量控制的声音放大
- ※ 根据不同的噪音确定故障位置
- ※ 具有音量控制功能，配有耳机和9V电池
- ※ 准确地确定汽车噪音和振动，将其转换为电信号并进行放大。

Technical data

- ※ With CE Approval.
- ※ Battery voltage indication.
- ※ Sound amplification with volume control.
- ※ To determine the trouble location according to different noises.
- ※ Features a volume control and is supplied with headphones and 9V battery.
- ※ Accurately pinpoints automotive noises and vibrations, which are converted into an electrical signal and amplified.

发动机听诊器 Engine stethoscope

Item No.	Measuring range	Probe Lengh	Weight(g)
7114500	10HZ-10KHZ	210mm	900g

94件 终端测试套件 94PCS Terminal Test Kit

Item No.	Weight (g)
7115000	2628

SRS气囊更换连接器x2
5K可变电阻 x 2
绝缘子穿过夹子x2
1至2连接器x 2
公/母对公/母延长线x4
极性测试仪/频闪仪x2
圆形码头x24
测试针x4
鳄鱼夹x2
测试探针x2
扁平终端x 48

SRS Air Bag Replacement Connector x 2
5K Variabale Resistora x 2
Insulator Pierce Through Clip x 2
1 to 2 Connector x 2
Male/Female to Male / Female Extension Wire x 4
Polarity Tester/Stroboscope x 2
Round Terminal x 24
Testing needle x 4
Alligator Clip x 2
Testing Probe x 2
Flat Terminal x 48

酸碱度检测笔 PH meter

Item No.	Range	Resolution	Accurature	Battery	Operating Temperature
6510004	0.0-14.0PH	0.1PH	± 0.1PH	3x1.5V(AG-13)	0℃-50℃

操作方法：

- ※ 取下保护帽，先用蒸馏水清洗电极，然后用滤纸吸。将ph计电极浸入溶液中至浸入水平。在任何情况下都不要浸没在显示水平之上。轻轻搅拌，等待读数稳定。使用后，关闭电源，用蒸馏水清洗电极，并更换保护帽。

火花塞测试器 In Line Spark Plug Tester

Item No.	Weight (g)
7115300	67.5

功能特点

- ※ 无火花测试环境
- ※ 通过CE和RoHS认证
- ※ 便携式袖珍螺丝刀型
- ※ 检查汽车中坏掉的火花塞
- ※ 对于所有内燃机的故障排除非常重要

Features

- ※ Test for no spark condition.
- ※ With CE and RoHS Approval.
- ※ Handy pocket screw driver type.
- ※ Checks bad spark plugs in automotive.
- ※ Essential for trouble shooting all internal combustion engines.

火花塞点火测试器 Spark Plug Ignition Tester

Item No.	Weight (g)
6510006	220

电烙铁组套 Soldering Iron Tools Set

Item No.	Weight (g)
6917100	96

12V汽车多功能测试仪 12V Automotive Multi Tester

Item No.	Test Range	Weight (g)
7115200	DV 5V ~ 14.0V	81

功能特点

- ※ 用于所有12V DC系统的电压/电池/交流发电机多功能测试仪，背面有磁性板，可轻松固定在合适的汽车的金上。

Features

- ※ Voltage / battery / alternator multi tester for all 12V DC systems. with a magnetic board on the back side to fix on suitable metal sheet of car easily.





6916700 万用机油漏斗 Universal Oil Funnel

功能特点

- ※透明的部分采用PC，耐冲击不会碎裂
- ※添加了滤网，避免异物进入变速箱
- ※漏斗延伸，更加方便机油添加与可以吊挂
- ※自动复位的增强尼龙夹钳，不会碎裂
- ※自动调整口径的螺口牙纹，适用于所有小车

Features

- ※ Funnel tube made by PC, Shock proof will not broken
- ※ Filter net can avoid article drop into gearbox
- ※ Extension length Funnel with hole can hang up
- ※ Pliers made by reinforced nylon with position setting function
- ※ Suitable for all kind of passenger car

划线规 Lineation

Item No.	半径(mm)	材质
7214707	200	碳钢

划线针 Marking-Off Pin

Item No.	长度(mm)
7214801	250

划线笔 Marking-Off Pan

Item No.	L(mm)	Weight (g)
4612700	143mm	52

刹车碟盘卡尺 Brake Disk Thickness Caliper

Item No.	Type	Weight (g)
7110600	6cm	34

外径千分尺 Outside Micrometer

Item No.	测量范围	长度
5212700	50-75mm	190mm
5212701	0-25mm	128mm
5212702	75-100mm	210mm
5212703	25-50mm	154mm

数显探针式测温器 Digital display probe thermometer

Item No.	Weight (g)
6510005	56

速读温度计 Fast reading thermometer

Item No.	Measuring range	Probe Lengh
6912800	40°C-370°C\100°F-700°F	230mm

钢角尺 Steel Square

Item No.	Type	Weight (g)
5213000	0-300mm	77

基准尺 Reference Meter

Item No.	Size (mm)	Material
5212100	400x30x6	高速钢High-speed steel

钢直尺 Steel Ruler

Item No.	Type	Weight (g)
5111104	100mm	60
5111101	150mm	75
5111100	300mm	82
5111113	500mm	92

卷尺 Tape Measure

Item No.	Size	Material	Weight (g)
5110100	19mm x 5M	TPR + ABS	201





不锈钢刮刀 Stainless Steel Scraper

Item No.	Size	Weight (g)
4620600	6"	96




起子刮刀 Screwdriver Scraper

Item No.	Size	L (mm)
4612600	1"	280



检测镜 Inspection Mirror

Item No.	Scale range mm	L(mm)	W(mm)	H(mm)
7810400	240-750	330	300	410




磁性捡拾器 Telescope Pickup

Item No.	Scale range mm	L(mm)	W(mm)	H(mm)
7810301	130-475mm	455	250	295


磁性捡拾器 Magnetic Pickup

Item No.	L(mm)	l(mm)	Weight(g)
7810100	650	13	194.2



4爪磁性捡拾器 4 Jaws Pickup

Item No.	L(mm)	l(mm)	Type
7810000	650	10	4爪 4 Claws



钩石器 Groove Cleaner

Item No.	Length(mm)	Weight (g)
6410600	320mm	130g



10件套金刚石锉刀 Diamond File Set

Item No.	Size	Weight (g)
4651000	6"	319



5件套金刚石锉刀 Diamond File Set

Item No.	Size	Length(mm)	Weight (g)
4650600	4"Half Round半圆	183	27.2
	4"Triangular三角	183	23.2
	4"Flat平角	183	25
	4"Round圆角	183	21.8
	4"Square四方	183	27



锉刀 File Set

Item No.	Size	Length(mm)	Weight (g)
4650302	8"Half Round半圆	315	194.8
4650201	8"Triangular三角	315	188.2
4650403	8"Flat平角	315	196.2
4650100	8"Round圆角	315	132.2
4650504	8"Square四方	315	161.2





钣金锉刀组 Steel file Set

Item No.	Length(mm)	Weight (g)
7712012	350	919
7712013(锉刀片)	350	150



木质车档块 Wood Stop block

Item No.	L (mm)	W (mm)	H (mm)
8713602	160	120	120




工业剪刀 Industrial Scissors

Item No.	Length (mm)	Weight(g)
4620800	215mm	220 (g)



磁力碗 Magnetic Bowl

Item No.	规格	材质
6410112	6"	增强尼龙



刹车片厚度与轮胎深度检测笔 Universal Oil Funnel

Item No.	L(mm)	Weight(g)
5211500	183	30




DC 6-24V汽车电路测试仪

Item No.	Test Range	Weight (g)
7115400	DC 6-24V	38

塞尺 Thickness Gauge

Item No.	Size	Weight (g)
5111000	0.02~1.0mm	85



刹车片厚薄规 Brake Pad Thickness Gauge

Item No.	Size	Weight (g)
5111200	Green: 8, 10, 12 mm	85
	Yellow: 4, 5, 6 mm	
	RED: 2, 3 mm	



冷气/油管拆放座 Dismounting base

Item No.	Size (mm)	L (mm)
7611600	1/4"	90g
	3/8"	
	5/8"	
	3/4"	
	7/8"	
	5/16"	



吹尘枪 Blow Gun

Item No.	Size	Weight (g)
2819000	5"	125.2
2819010	12"	133.7



水平式吹尘枪 Horizontal Bow Gun

Item No.	Size	Weight (g)
2819100	5"内置铜螺母	108.1
2819110	12"内置铜螺母	118.6





加速杆 Speed Up Wrench

Item No.	Size	Long(mm)
1411431	1/2"	410mm



撬棒 Crowbar

Item No.	Size	Weight (g)
5413700	20"	600



胶柄凿子 Plastic grip Chisel

Item.No	Type	Material
6510009	16x300mm	CR-V



胶柄平冲 Rubber Grip Flat Punch

Item.No	Size (mm)	Weight(g)
7414514	2mm	105
7414515	3mm	106
7414516	4mm	110
7414517	5mm	114
7414518	6mm	148
7414519	7mm	153
7414520	8mm	164

扁凿 Flat Chisel

Item.No	Type	Material
5410901	13*23*250mm	CR-V
5410902	20*12*200 mm	CR-V
5410903	17*11*175 mm	CR-V



样冲扁铲 Punch Shovel

Item No.	Size	Weight (g)
5410100	Punch Shovel 12mm	5PCS
	Hole 3mm	
	#2	
	Bit 5mm	
	Pin 4mm	



4040200 19件高速钢钻头组套 19 PCS HSS Drill set

Item No.	Specification (mm)	Lengh (mm)
4040201	1.0	34
4040202	1.5	40
4040203	2.0	49
4040204	2.5	57
4040205	3.0	61
4040206	3.5	71
4040207	4.0	46
4040208	4.5	80
4040209	5.0	87
4040210	5.5	93
4040211	6.0	93
4040212	6.5	102
4040213	7.0	109
4040214	7.5	109
4040215	8.0	117
4040216	8.5	117
4040217	9.0	125
4040218	9.5	125
4040219	10.0	136





中心冲 Central Punch

Item No.	Size	L(mm)	D(mm)	d (mm)
5411002	5"	130	13	4
5411003	6"	150	16	7

多功能美工刀 Utility Knife

Item No.	Size	Weight (g)
4612000	18mm, SK5 刀片	116



气门芯扭力扳手 Fix Torque Value Core Wrench

Item No.	固定扭力值	最小值 (N.m)	最大值 (N.m)
6912101	0.4N.m	0.392 N.m	0.427 N.m



手拷式机油格扳手 Handcuff Oil Filter Wrench

Item No.	Size
7420800	55~75mm
7420900	75~85mm



三爪机油格扳手 3 Jaw Oil Filter Wrench

Item No.	Type	Weight (g)
6911000	3 Jaw Type	295



活塞环压缩机 Piston ring compressor

Item No.	Size	Long(mm)
6510002	4寸	175mm



5212500

多功能气缸压力表组套 Multi-function Cylinder Pressure Gauge Set

功能特点

- ※压力表直径:2.5"
- ※双刻度读数:0~300psi/0~20bar表头部分带有快速接头和泄压阀。
- ※表头和接头用高压管连接, 并且连接接头处有用于固定的安全瑞扣。
- ※两根硬管都带有橡胶塞, 一根直杆型和一根弯杆型。
- ※四种尺寸的接头:M10x10M12x125, M14*125M18x1.5适用于所有汽油小车型。



5212604

发动机机油压力表组套 Engine oil pressure gauge set

功能特点

- ※压力表直径:2.5"
- ※双刻度读数:0~100psi/0~7bar
- ※用于检查轿车和卡车的发动机油压力。
- ※方便观察的双刻度表头方便使用的24"(600mm)耐油胶管连NPT1/8"螺纹接口。



5212600

柴油气缸压力表组套 Diesel Cylinder Pressure Gauge Set

功能特点

- ※压力表量程:0~1000psi/0~70bar适用于各种柴油引擎。
- ※电热塞接口接头:(长度一螺纹)
- ※68mm-M10x1068mm-M10x12555mm-M10x12545mm-M12x12545mm-M12x12545mm-M12x1.25
- ※喷油器接头:(长度一螺纹)
- ※50mm-M24x273mm-M24x1.531mm-M18x1531mm-M18x1.5



5212605

自动变速箱压力表组套 Automatic transmission pressure gauge set

功能特点

- ※压力表直径:3"
- ※双刻度读数:0~300psi/0~21bar用于检查轿车的自动变速箱压力。
- ※方便观察的双刻度表头。方便使用的39"(1000mm)耐油胶管连接NPT1/8螺纹接口。
- ※配有NPT1/4"螺纹接头和NPT3/8"螺纹接头。





5212606

真空压力表组套 Vacuum pressure gauge set

功能特点

- ※ 压力表直径:3.5"
- ※ 大直径表头, 彩色刻度, 方便观察读数。
- ※ 加长的高品质的橡胶软管和14mm/18mm的歧管接头。
- ※ 检查燃油泵, 真空系统的磨损或有缺陷的部件。



5212607

刹车油压力表组套 Brake oil pressure gauge set

功能特点

- ※ 压力表直径:2.5"
- ※ 配备两个3000psi压力表组件。
- ※ 压力表量程:0~3000psi/0~2000kg/cm²
- ※ 软管额定压力为:4500psi
- ※ 包括22个组合接头。
- ※ 高强度吹塑包装盒。



5212608

方向机油压力表组套 Steering oil pressure gauge set

功能特点

- ※ 压力表直径:2.5"
- ※ 双刻度读数:0~150kg/cm²/0~15Mpa
- ※ 12"耐用钢丝软管。
- ※ 用于测试动力转向系统机油压力



5212609

排气背压表组套 Exhaust Back Pressure Gauge Set

功能特点

- ※ 2.5"表头带有橡胶护套, 有两条彩色刻度带, 压力用psi和bar表示。
- ※ 使技师可以通过氧传感器接口测试排气不背压。
- ※ 氧传感器接头有M12和M18的螺纹。

5212610

气缸测漏表组套 Cylinder Leak Gauge Set

功能特点

- ※ 压力表直径:2.5
- ※ 压力表读数:0~140psi/0~10bar&0~100%
- ※ 可方便的识别压缩问题。
- ※ 能准确的测量泄漏量和找出泄漏区域。



5212603

燃油喷射压力表组套 Fuel Injection Pressure Gauge Set

功能特点

- ※ 压力表直径:3.5
- ※ 双刻度读数:0~140psi/0~10bar适用于大多数车系小车。
- ※ 所有接头, 仪表和软管都能快速高效的进行测试连接。



5212602

14件水箱压力表组套 14-Piece Tank Pressure Gauge Set

功能特点

- ※ 测试冷却系统是否有泄漏
- ※ 包括手动泵, 温度计, 测试头, 都装在吹塑盒中
- ※ 适用范围:日产, 三菱, 马自达, 斯巴鲁, 丰田, 本田, 福特, 通用, 克莱斯勒, 大众, 奥迪, 沃尔沃, 萨博, 奔驰, 宝马, 雷诺, 菲亚特, 阿尔法罗密欧, 英菲尼迪, 吉优, 铃木, 五十铃, 雷克萨斯, 欧宝, 标致, 吉普, 路虎, 雪铁龙, 特鲁茨



5212611

充油冷媒表 Oil Charge Refrigerant Gauge

功能特点


- ※ 1107可调接头。
- ※ 玻璃视窗观察孔, 三根60"彩色带标识软管。
- ※ 高压:0~500psi
- ※ 0~35kg/cm
- ※ 4. 低压:0~250psi
- ※ -1~175kg/cm
- ※ 5. 真空度:0~76cmHg





绝缘救援钩 Insulated Hook

Item No	开口端长度	Test voltage
6915700	450mm	10kv



绝缘橡胶板 Insulated Pad

Item No	执行标准	尺寸	材质
6915902	HG2949-1999	1mX1m	天然橡胶



2级带电作业用绝缘服 (10KV) Insulated labor Suit

Item No	执行标准	材质
7542000	DU/T1125-2009	EVA树脂



绝缘垫 Insulated Pad

Item No	规格	宽(mm)	耐压
6915900	1m x 10m	1m	10KV



绝缘安全帽 Insulated Helmet

Item No	执行标准	材质
6915400	GB2811-2019 DL/T976-2005	ABS树脂

防噪音耳罩 Soundproof Earmuff

Item No	执行标准	材质
6918101	HG2949-1999	天然橡胶



护目镜 Safety Goggles

Item No	执行标准	材质
6915000	HG2949-1999	天然橡胶



绝缘鞋 Insulated Working Shoes

Item No	符合标准	Material
6915300	GB21148-2007	cowhide



擦拭布 Wiping Cloth

Item No	尺寸	材质
6410200	30x70cm	涤棉复合丝



不锈钢丝刷 Stainless Brush

Item No	尺寸	材质
6410300	30x70cm	涤棉复合丝





叶子板防护三件套 Protection Pad

Item No	尺寸	材质
8713601	135x65cm (侧片: 100x45cm)	防水皮革



10吨油压分离顶 Separate 10 tons Jack

Item No	规格	清单
7632200	10T	精品单泵x1 (含管) 精品双泵x1 (含管) 扩张器x1 精品油缸x1 精品接杆x4 双向接头x1 平台座x1 外管角座x1 L角座x1 插座x1 四方顶头x1 圆顶头x1 橡胶球x1



充气垫 Inflatable Mat

Item.No	Art	Weight(g)
6913100	155kgs	105

宝塔钻头 Tapered Drill

Item No.	Size	Working Thickness
2816600	4-12mm	2mm以内铁皮和铝片
2816601	4-20mm	5mm以内铁皮和钢板
2816602	4-32mm	5mm以内铁皮和钢板 1mm不锈钢板




剪式手摇千斤顶 Scissors Jack

技术参数	型号: 7632100
产品尺寸	390x70x87mm
最低高度	87mm
最高高度	360mm
产品重量	1.72Kg
产品材质	Q345钢板
使用车型	轿车, 城市SUV



液压移动车座 Hydraulic Movable Base

技术参数	型号: 6913300
承重Capacity(lbs)	1500
套管长度 Roller Length	12"
套管间最小距离Min Width between roller(mm)	345
套管间最大距离Max Width between roller(mm)	650
重量 (Kg)	20.5





气动起子机 Air Screwdriver

技术参数	型号: 2816500
最大扭力 MAX.Torque	73ft-lb/ 100N.M
螺栓锁紧尺寸 Chuck Size	4-6 mm
打击结构 Impact Mechanism	双锤 (Twin Hammer)
无负载转速 Free Speed	14000 RPM
入气口径 Air Inlet	1/4"
气管内径 Min.Hose Size	3/8" / 10mm
耗气量 Avg.Air Consumption	2.4 CFM
净重 Weight	0.7 KGS
总长 Length	185mm
气压 Air Pressure	90psi

产品特点

- ※精密化的锤打机构，扭力超强，比一般增加35%以上扭力
- ※特殊处理精密马达组、长时间使用马力不衰减，扭力不会降
- ※适用于家具、木工、自攻螺丝、机械工业、各种组装业
- ※精密，轻便，容易操作的工学设计
- ※360° 旋转排气罩环噪音低、排气不影响组装操作

Features

- ※ Precision Double hammer clutch. The key feature is the torque stronger more than 35 percent!
- ※ Precision motor design for powerful operation.
- ※ Ideal for wood work and assembly work.
- ※ Compact, lightweight, ergonomic design for easy operation.
- ※ 360 free rotating handle exhaust.

气动打孔机 Punch

技术参数	型号: 2817700	型号: 2817701
入气口径 Air Inlet	1/4"	1/4"
气管内经 Air Hose	3/8"	3/8"
冲孔能力Capacity	5mm	8mm
总长Length	250mm	250mm
净重Weight	1.15kg	1.5kg
气压Air Pressure	90psi	90psi

产品特点

- ※气动打孔机，具有旋转头，方便使用
- ※操作方便，工作效率高，长时间使用不劳累
- ※合金钢，坚固耐用

Features

- ※ Punch Designed for easy replacement performs hole punching and panel crimping features a rotating head for convenient use.
- ※ Easy to operate, high efficiency, long time use not tired.
- ※ Alloy steel, strong and durable



气动轮胎打磨机 0.5HP Air Tire Buffer

技术参数	型号: 2813600
头部尺寸 Spindle Thread	3/8" / 24mm
重量 Net Weight	0.8 kgs
长度 Length	240mm
转速 Rotation Speed	2600 PRM
进气头尺寸 Air Inlet	1/4"
软管尺寸 Hose Size	3/8"
耗气量 Avg. Air Cons.	3.5 CFM

产品特点

- ※适用于通用轮胎打磨。
- ※产品具有高功率和抗失速扭矩

Features

- ※ Ideal for general purpose tire buffering.
- ※ Featuring high power and stall torque resistant make the tire buffering.



气动曲线剪

Item No.	切割能力 Cutting Capacity		Weight (g)	Length (mm)	转速 (RPM)	进气头尺寸 (Air inlet)	软管尺寸 (Hose Size)
	钢 (Steel)	铝 (Aluminum)					
2910000	1.2mm	1.6mm	2200	185	2600	1/4"	3/8"



气动切割机 Air Screwdriver

技术参数	型号: 2814800
入气口径 Air Inlet	1/4"
气管内经 Air Hose	3/8"
刀片Cutting Blade	3"
总长Length	210mm
净重Weight	0.93kg
气压Air Pressure	90psi
声级Sound Level	88dB





短轴风炮 Mini Impact Wrench

技术参数	型号: 2810030
打击结构 Mechanism	双锤 (Twin Hammer)
头部尺寸 Square Drive	1 / 2"
最大扭矩 Max. Torque	630 Nm
工作扭力 Working Torque	560 Nm
螺栓能力 Bolt Capacity	19mm
净重 Net Weight	1.35 kgs
长度 Length	97 mm
高度 Height	-----
耗气量 Air Consumption	4.8 SCFM
进气头尺寸 Air Inlet	1/4"
软管尺寸 Air Hose	3/8"
声压 Soune Pressure	96 dBA
转速 RPM	10000 RPM



长手柄短轴风炮 Extra Long Mini Impact Wrench

技术参数	型号: 2810130
打击结构 Mechanism	双锤 (Twin Hammer)
头部尺寸 Square Drive	1 / 2"
最大扭矩 Max. Torque	610 Nm
工作扭力 Working Torque	550 Nm
螺栓能力 Bolt Capacity	19mm
净重 Net Weight	1.27 kgs
长度 Length	88 mm
高度 Height	265 mm
耗气量 Air Consumption	2.8 SCFM
进气头尺寸 Air Inlet	1/4"
软管尺寸 Air Hose	3/8"
声压 Soune Pressure	83 dBA
转速 RPM	9000 RPM

1/2" 短轴风炮 1/2" Mini Impact Wrench

技术参数	型号: 2813530
驱动方头	1/2"
空转转速	11,000 rpm
工作扭力	447 Nm / 330 ft-lb
最大扭矩	1/2"542 Nm / 400 ft-lb277L/min
进气管径	1/4"
锤打机构	14.10KG双锤击结构
操作气压	6.2 Bar
耗气量	4.76 CFM / 34 SCFM
产品重量	1.64 kg
产品长度	130 mm



1/2"塑钢气动冲击扳手 1/2"Nylon Handle Impact Wrench

技术参数	型号: 2812030
转速 RPM	7000rpm
工作扭力Working Torque	1000Nm
最大扭矩Max. Torque	1120Nm
进气头尺寸 Air Inlet	1/4"
耗气量 Air Consumption	127L/min
长度 Length	180mm
净重 Net Weight	2.0KG



1/2"高扭力气动冲击扳手 1/2"Aluminum Handle Impact Wrench

技术参数	型号: 2813030
转速 RPM	9000rpm
工作扭力Working Torque	1000Nm
最大扭矩Max. Torque	1250Nm
进气头尺寸 Air Inlet	1/4"
耗气量 Air Consumption	111L/min
长度 Length	165mm
净重 Net Weight	2.30KG



工业级塑钢风炮 Industrial Grade Impact Wrench

技术参数	型号: 2811030
打击结构 Mechanism	双锤 (Twin Hammer)
头部尺寸 Square Drive	1/2"
最大扭矩 Max. Torque	1350 Nm
工作扭力 Working Torque	1112 Nm
螺栓能力 Bolt Capacity	23 mm
净重 Net Weight	2.04 kgs
长度 Length	175 mm
耗气量 Air Consumption	5.4 SCFM
进气头尺寸 Air Inlet	3/8"
软管尺寸 Air Hose	1/2"
声压 Soune Pressure	99.7 dBA
转速 RPM	7300 RPM



轻量化 1" 长轴风炮 Light Weight 1" Impact Wrench

技术参数	型号: 2813050
转速 RPM	3000rpm
工作扭力 Working Torque	3500Nm
最大扭力 Max. Torque	4500Nm
进气头尺寸 Air Inlet	1/2"
耗气量 Air Consumption	277L/min
长度 Length	580mm
净重 Net Weight	14.10KG

气动铲组套 Pneumatic Shovel Set

技术参数	型号: 2912000
进气头尺寸 Air Inlet	1/4"
无负载转速 Free Speed	3000BPM
耗气量 Consumption	4.8SCFM
净重 Weight	1.35KGS
长度 Length	174mm



气动钻 Air Drills

技术参数	型号: 2813001	型号: 2813000
头部尺寸	3/8" (10mm)	1/2" (13mm)
最大扭力	37.1 in-lb (4.2Nm)	136.3 in-lb (15.4Nm)
净重	1.18kg	1.55kg
长度	178mm	202 mm
耗气量	3.36 CFM	3.36 CFM
进气头尺寸	1/4"	1/4"
建议气压	90PSI	90PSI
软管尺寸	3/8"	3/8"
声压	94.46dB(A)	87.64dB(A)
震动	1.73 m/s	1.68 m/s
马力	0.5HP, (0.37kW)	0.5 HP, (0.37kW)
无负载转速	2200RPM	700 rpm

- ※ 侧面安装的前后操纵杆，方便单手操作
- ※ 两行星齿轮构造，运转平稳
- ※ 非常适合精密的钻孔，铰孔和孔锯


气动棘轮扳手 Impact Ratchet Wrench

技术参数	型号: 2812510	型号: 2812520	型号: 2812530
头部尺寸	1/4"	3/8" 两用型 Two way	1/2"
最大扭力	34 Nm	34 Nm	95 Nm
净重	0.5 kgs	0.5 kgs	1.1 kgs
长度	130 mm	160 mm	240 mm
耗气量	2.5 CFM	15 CFM	18.4 SCFM
进气头尺寸	1/4"	1/4"	1/4"
软管尺寸	3/8"	3/8"	3/8"
无负荷转速	250RPM	200RPM	160RPM



角磨机 Angle Grander

技术参数	型号: 2813500
头部尺寸 Chuck Capacity	4" (100mm)
净重 Net Weight	1.4 kgs
长度 Length	210 mm
耗气量 Air Consumption	3.5 SCFM
进气头尺寸 Air Inlet	1/4"
建议气压 Air Pressure	90 PSI
软管尺寸 Air Hose	3/8"
无负载转速 Free Speed RPM.	10000 RPM



2寸齿轮式研磨机 2" Orbital Sander

技术参数 Technical Information	型号: 2814950
垫尺寸 Spindle Size	2"
软管尺寸 Hose Size	3/8"
转速 RPM 耗	10000
气量 Air Consumption (CFM)	2.3 CFM
长度 Overall Length mm	120 x 97
进气头尺寸 Air Inlet	1/4"
重量 Tool Weight (kg)	0.48
空气压力 Air Pressure	90 psi





可弯式砂带机 Air Belt Sander

技术参数 Technical Information	型号: 2814940
纱布尺寸Size of Belt mm	20 x 520
声级Sound Level (dB)	86
软管尺寸Hose Size	3/8"
转速RPM	16000
耗气量Air Consumption(CFM)	4 CFM
长度Overall Length mm	180
进气头尺寸Air Inlet	1/4"
重量Tool Weight(kg)	1.4
空气压力	90 psi

- ※ 具有重型全钢结构和快速释放的脚踏泵
- ※ 具有专业定位的液压千斤顶帮助您轻松移动汽车或发动机
- ※ 最大容量为1500 lbs，可在任何方向轻松滚动



砂布环带机 Air Belt Sander

技术参数 Technical Information	型号:2816100
长度 Length	325mm
重量 Weight	770 g
转速 RPM	18000
噪音 Noise	80 dBA
马力 HP	0.9
进气 口螺牙Air Inlet	1/4" Thread
耗气量 Air Consumption	3.8 CFM



气动往复锯 Pneumatic Reciprocating Saw

技术参数 Technical Information	型号: 2815700
长度Length	215mm
重量Weight	0.55kg
耗气量Air Consumption(CFM)	0.114mm/min
自由转速RPM	4500RPM
进气口螺牙Air Inlet	1/4" Thread
气管管径Min.Hose	3/8"

单动打磨机 Pneumatic Sander

技术参数 Technical Information	型号: 2816200
磨盘直径Friction Disc Diameter	5" (125mm)
吸尘形式Cost of cleaning	自吸self-priming
磨盘形式Friction disc form	粘扣式Fastening type
自由转速RPM	2800rpm
进气口螺牙Air Inlet	1/4"
气管管径Min.Hose	Thread 3/8"
净重Net weight	0.85kg
功率HP	0.33 HP
耗气量CFM	10 CFM
使用压力PSI	90 PSI



双动打磨机 Eccentric Wheel Sander

技术参数 Technical Information	型号: 2816300
技术参数 Technical Information	5" (125mm)
磨盘直径Friction Disc Diameter	自吸self-priming
吸尘形式Cost of cleaning	6 CFM
耗气量CFM	12000
无负荷转速进气口螺牙Air Inlet	1/4"
气管管径Min.Hose	Thread 3/8"
净重Net weight	0.96Kg



2合1磨切组套 Pneumatic Combination Grander & Cutter

技术参数 Technical Information	型号: 2814930
切割距离Cutting Distance	3mm
软管尺寸Hose Size	3/8"
转速RPM	20000
耗气量Air Consumption(CFM)	1.9 CFM
长度Overall Length mm	180
进气头尺寸Air Inlet	1/4"
重量Tool Weight(kg)	0.67
空气压力	90 psi





焊点去除钻 Spot weld Drill

技术参数 Technical Information	型号:2817500	型号:2817501
头部尺寸 Chuck Capacity	5/16" (8mm)	5/16" (8mm)
锯弓尺寸 Saw bow size	2"(2817500)	5.5"(2817501)
净重Net Weight	1.4 kgs	1.4 kgs
长度 Length	201 mm	201 mm
耗气量 Air Consumption	238 (L/Min.)	238 (L/Min.)
进气头尺寸 Air Inlet	1/4"	1/4"
建议气压 Air Pressure	90 PSI	90 PSI
软管尺寸 Air Hose	3/8"	3/8"
声压 Soune Pressure	76 dBA	76 dBA
无负载转速 Free Speed RPM.	1800 RPM	1800 RPM

Item No.	Size (mm)	L(mm)
2817610	6. 5	46
2817611	8. 0	46

3寸圆盘研磨机组套 3"Air Surface Preparation Tool Kit

技术参数 Technical Information	型号: 2814910
轴尺寸Spindle Size	1/4"-20T
声级Sound Level (dB)	76
软管尺寸Hose Size	3/8"
转速RPM	18000
耗气量Air Consumption(CFM)	3.5 CFM
长度Overall Length mm	145
进气头尺寸Air Inlet	1/4"
重量Tool Weight(kg)	0.7
空气压力Air Pressure	90 psi

- 1件 盘式砂光机
1件 3寸支撑垫
3件 3寸细、中、粗表面研磨盘
30件 3寸砂光盘(#80*10,#100*10,#120*10 grit)
1件 活动扳手
1pcs Disc Sander
1pcs 3"Backing Pad
3pcs 3"Fine,Medium and Cosarse Surface Prep Discs.
30pcs 3"Sanding Discs(#80*10,#100*10,#120*10 grit)
1pcs Spanner Wrench



2816000

多功能集尘除漆组套 Combination Air Stripping Tools Set

- 1件 钢丝轮底座 1pcs Paint Removal Tool
3件 除漆钢丝轮 1pcs Rubber Eraser Wheel
3件 螺丝配件 1pcs Stripping Wheel
1件 吹塑箱 1pcs Hub
1件 气动除漆机 3pcs Wire Wheel
1件 橡胶擦拭轮 3pcs Accessory
1件 除漆轮 1pcs Blow Molded Cast



ST-BTRE115-30A
Water based eraser
Wheel diameter 4"(103mm)
Wheel width 1.2"(30mm)



ST-BT246655A-K03
Hub
Hub width 0.91"(23mm)
Patent:US 7,144,315



STWW103-23-7
Wire wheel(Coarse)
Wire diameter 0.028"(0.7mm)
Wheel diameter 4"(103mm)
Wheel width 0.91"(23mm)



BTWW103-23-5.5
Wire wheel(Medium)
Wire diameter 0.019"(0.5mm)
Wheel diameter 4"(103mm)
Wheel width 0.91"(23mm)



ST-BT246652
Stripping wheel
Wheel diameter 4"(103mm)
Wheel width 1.2"(30mm)



BTWW103-23-5
Wire wheel(Fine)
Wire diameter 0.019"(0.5mm)
Wheel diameter 4"(103mm)
Wheel width 0.91"(23mm)



0.5 HP 90度铣削机组 0.5HP 90° Laser Welding Removal Tool

技术参数 Technical Information	型号: 2814000
头部尺寸 Spindle Thread	1/8" / 3mm
重量 Net Weight	0.5 KGS
长度 Length	152 mm
转速 Rotation Speed	11000 RPM
进气头尺寸 Air Inlet	1/4"
软管尺寸 Hose Size	3/8" / 10mm
耗气量 Avg. Air Cons.	4.1 CFM

- 激光焊接拆卸工具x 1pc
扳手x 2件
切割轮x 1pc
六角扳手 x 1pc
深度0.8mm轴x 1pc
深度1.0mm轴X 1pc
吹塑盒包装

- Laser welding removal tool x 1pc
Spanners x 2pcs
Cutting Wheel x 1pc
Hex key x 1pc
Depth 0.8mm shaft x 1pc
Depth 1.0mm shaft X 1pc
Blow Molded Case pack